## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-31269 LIGHT YELLOW

#### Version Number 1.0 Revision Date 05/29/2008

Page 1 of 5 Print Date 1/3/2012

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-31269 LIGHT YELLOW
Product code	:	FO20018862
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		
4. FIRST AID MEASURES			



# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-31269 LIGHT YELLOW

sion Number 1.0 ision Date 05/29/2008	Page 2 Print Date 1/3/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	<ul> <li>contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.
	and contamination. Store in a cool dry place.

PolyOne.

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-31269 LIGHT YELLOW

## Version Number 1.0 Revision Date 05/29/2008

## Page 3 of 5 Print Date 1/3/2012

0. E/M	POSUI	RE CONTROLS/PE	RSONAL PROTECTIO	N
Respiratory protection	:	Under normal handli	ing conditions a respirator	may not be required.
Eye/Face Protection	:	Safety glasses with s	side-shields	
Hand protection	:	Protective gloves		
Skin and body protection	:	Long sleeved clothin	ıg	
Additional Protective Measures	:	Safety shoes		
General Hygiene Considerations	:		e with good industrial hyg ls before breaks and at the	
Engineering measures	:		ith appropriate exhaust ve ventilation at machinery.	ntilation. Provide
Exposure limit(s)				
There are no known hazardou	s com	ponents above regulat	tory thresholds in this proc	luct.
Δ	DIIX	ICAL AND CHEM	ICAL PROPERTIES	
У.	<b>FHI</b>	OICAL AND CHEM	ICAL FROFERITES	
<b>F</b>	: liq	uid	E	: Not established
Form	· 114	ulu	Evaporation rate	. Not established
		uid, Viscous liquid	Evaporation rate Specific Gravity	: Not determined
Appearance	: liq dis	uid, Viscous liquid spersion	Specific Gravity	
Appearance Color	iq iq is : YI	uid, Viscous liquid spersion ELLOW	Specific Gravity Bulk density	<ul><li>Not determined</li><li>Not applicable</li></ul>
Appearance Color Odour	iq dis YI Ve	uid, Viscous liquid persion ELLOW ery faint	Specific Gravity Bulk density Vapour pressure	<ul><li>Not determined</li><li>Not applicable</li><li>Not determined</li></ul>
Appearance Color Odour Melting point/range	: liq dis : YI : Ve : No	uid, Viscous liquid spersion ELLOW ery faint ot applicable	Specific Gravity Bulk density Vapour pressure Vapour density	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> </ul>
Appearance Color Odour Melting point/range Boiling Point:	: liq dis : YI : Ve : Ne : No	uid, Viscous liquid spersion ELLOW ery faint ot applicable ot applicable	Specific Gravity Bulk density Vapour pressure	<ul><li>Not determined</li><li>Not applicable</li><li>Not determined</li></ul>
Appearance Color Odour Melting point/range Boiling Point:	: liq dis : YI : Ve : Ne : No	uid, Viscous liquid spersion ELLOW ery faint ot applicable	Specific Gravity Bulk density Vapour pressure Vapour density	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> </ul>
Appearance Color Odour Melting point/range Boiling Point:	: liq dis : YI : Ve : No : No : Im	uid, Viscous liquid spersion ELLOW ery faint ot applicable ot applicable	Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> </ul>
Appearance Color Odour Melting point/range Boiling Point: Water solubility	: liq dis : YI : Ve : No : No : Im 10	uid, Viscous liquid spersion ELLOW ery faint ot applicable ot applicable uniscible	Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> </ul>
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: liq dis : YI : Ve : No : No : Im 10	uid, Viscous liquid spersion ELLOW ery faint ot applicable ot applicable umiscible	Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> </ul>
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: liq dis : YI : Ve : No : No : Im 10	uid, Viscous liquid spersion ELLOW ery faint of applicable of applicable miscible <b>STABILITY AND</b> Stable. Will not occur.	Specific Gravity Bulk density Vapour pressure Vapour density pH <b>REACTIVITY</b> dizing agents and open fla	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> <li>Not determined</li> </ul>
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: liq dis : YI : Ve : No : No : Im 10	uid, Viscous liquid spersion ELLOW ery faint ot applicable ot applicable miscible <b>STABILITY AND</b> Stable. Will not occur. Keep away from oxi decomposition, do n	Specific Gravity Bulk density Vapour pressure Vapour density pH <b>REACTIVITY</b> dizing agents and open fla	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> <li>Not determined</li> </ul>
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	: liq dis : YI : Ve : No : No : Im 10	uid, Viscous liquid spersion ELLOW ery faint of applicable of applicable miscible <b>STABILITY AND</b> Stable. Will not occur. Keep away from oxi decomposition, do n Incompatible with st Carbon dioxide (CO	Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY dizing agents and open fla ot overheat.	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> <li>Not determined</li> </ul>

PolyOne.

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-31269 LIGHT YELLOW

Version Number 1.0 Revision Date 05/29/2008 Page 4 of 5 Print Date 1/3/2012

There are no known hazardous components above regulatory thresholds in this product.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
**	

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-31269 LIGHT YELLOW

Version Number 1.0 Revision Date 05/29/2008 Page 5 of 5 Print Date 1/3/2012

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.