PolyOne

MATERIAL SAFETY DATA SHEET **DB4557 CLEAR**

Version Number 1.2 Revision Date 03/21/2013

Page 1 of 6 Print Date 3/21/2013

POLYONE CORPORATI 8155 Cobb Center Drive,		aw, GA 30152
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DB4557 CLEAR
Product code	:	FO20022288
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

Components	CAS-No.	Weight percent
Miscellaneous Organotin Compounds	0-03-3	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **DB4557 CLEAR**

Version Number 1.2 Revision Date 03/21/2013 Page 2 of 6 Print Date 3/21/2013

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 no data available no data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET **DB4557 CLEAR**

Version Number 1.2 Revision Date 03/21/2013	Page 3 of 6 Print Date <i>3/21/2013</i>
Handling :	Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
Storage :	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.
8. EXPOSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection :	No personal respiratory protective equipment normally required.
Eye/Face Protection :	Safety glasses with side-shields
Hand protection :	Protective gloves
Skin and body protection :	Long sleeved clothing
Additional Protective : Measures	Safety shoes
General Hygiene : Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures :	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Miscellaneous	0.1 mg/m3	Time Weighted Average	Total as Sn	ACGIH
Organotin Compounds		(TWA):		
	0.2 mg/m3	Short Term Exposure Limit	Total as Sn	ACGIH
		(STEL):		
	0.1 mg/m3	PEL:	as Sn	OSHA Z1
	0.1 mg/m3	Time Weighted Average	as Sn	ACGIH
		(TWA):		
	0.2 mg/m3	Short Term Exposure Limit	as Sn	ACGIH
		(STEL):		
	0.1 mg/m3	Time Weighted Average	as Sn	MX OEL
		(TWA):		
	0.2 mg/m3	Short Term Exposure Limit	as Sn	MX OEL
		(STEL):		

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour : liquid: viscous, liquid: TRANSPARENT

Evaporation rate Specific Gravity Bulk density Not establishedNot determinedNot applicable

MATERIAL SAFETY DATA SHEET **DB4557 CLEAR**

: very faint

Version Number 1.2 Revision Date 03/21/2013

Odour

Melting point/range Boiling Point: Water solubility	not applicablenot applicableimmiscible	Vapour density pH	: Not determined : Not applicable
	10. STABILITY AND R	EACTIVITY	
Stability	: The product is stable if	stored and handled as	prescribed.
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from oxidiz decomposition, do not o	00	lame. To avoid thermal
Incompatible Materials	1	6	agents., Avoid contact mers during processing.
Hazardous decomposition products	 Carbon dioxide (CO2), (NOx), hydrogen chlor smoke are all possible. degradation. As a gene after one hour at 177 °C °F), and within 5 minut 	ide (HCl), other hazar Prolonged heating meral rule of thumb, deg C (350 °F), after 10 me	dous materials, and ay result in product radation begins to occur inutes at 204 °C (400

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
0-03-3	Miscellaneous Organotin Compounds	Systemic effects	Eyes, Skin, Liver, central nervous system (CNS), heart
	compounds		or circulatory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: no data available
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS

Vapour pressure

Page 4 of 6 Print Date 3/21/2013

: Not determined



MATERIAL SAFETY DATA SHEET **DB4557 CLEAR**

sion Number 1.2 ision Date 03/21/2013	Page 5 o Print Date <i>3/21/20</i>
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Ex	tremely Hazardous Substance
	dentified under this section, this product is Not Applicable under this regulati
SARA Title III Section 313 To	oxic Chemicals:
	dentified under this section, this product is Not Applicable under this reculation
Unless specific chemicals are	dentified under this section, this product is Not Applicable under this regulati

PolyOne

MATERIAL SAFETY DATA SHEET **DB4557 CLEAR**

Version Number 1.2 Revision Date 03/21/2013

_

Page 6 of 6 Print Date 3/21/2013

Chemical Name		CAS-No.	Weight	NPRI ID#
			percent	
2-Ethylhexanoic acid zinc	salt	136-53-8	0.10 - 1.00	
WHMIS Classificatio WHMIS Ingredient D CAS-No. 0-03-3 DSL	isclosure List	mponents of this product		n Domestic
ational Inventories:	Substai	nces List (DSL) or are ex	empt.	
Australia AICS	: Not det	termined		
China IECS	: Not det	termined		
Europe EINECS	: Not det	termined		
Japan ENCS	: Not det	termined		
Korea KECI	: Not det	termined		
Philippines PICCS	: Not det	termined		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.