PolvOne

## MATERIAL SAFETY DATA SHEET STAN-TONE MB-31640 RED BROWN

#### Version Number 1.0 Revision Date 07/07/2009

Page 1 of 7 Print Date 1/8/2012

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE MB-31640 RED BROWN
Product code	:	FO20022393
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Talc	14807-96-6	0.1 - 1
Iron oxide	1309-37-1	5 - 10
Mica	12001-26-2	10 - 30

### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.	
Ingestion	: May be harmful if swallowed.	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	

PolyOne.

# MATERIAL SAFETY DATA SHEET STAN-TONE MB-31640 RED BROWN

Version Number 1.0 Revision Date 07/07/2009 Page 2 of 7 Print Date 1/8/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>Not relevant</li> <li>Water spray, Dry powder, Foam, Carbon dioxide (CO2).</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat



# MATERIAL SAFETY DATA SHEET STAN-TONE MB-31640 RED BROWN

Version Number 1.0 Revision Date 07/07/2009 Page 3 of 7 Print Date 1/8/2012

Storage	only in areas with appropriate exhaust ventilation. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8. EXPOSURE CONTROLS/PERSONAL PROTECTION					
Respiratory protection	: No personal respiratory protective equipment normally required handling the product itself. See "Engineering Measures" see below for precautions to be taken when heating or processing material.	ection			
Eye/Face Protection	: Safety glasses with side-shields				
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved clothing				
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safe practice. Wash hands before breaks and at the end of work				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Ac ventilation and/or appropriate respiratory protection may al necessary to minimize employee exposure to processing va	so be			
Exposure limit(s)					

PolyOne

# MATERIAL SAFETY DATA SHEET STAN-TONE MB-31640 RED BROWN

Version Number 1.0 Revision Date 07/07/2009 Page 4 of 7 Print Date 1/8/2012

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	10 mg/m3	PEL:	Fume.	OSHA Z1
	5 mg/m3	Time Weighted Average (TWA):	as Fe	MX OEL
	10 mg/m3	Short Term Exposure Limit (STEL):	as Fe	MX OEL
Mica	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	3 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	OSHA Z1A
	3 mg/m3	Time Weighted Average (TWA):		MX OEL
Talc	2 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	2 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH
	2 mg/m3	Time Weighted Average (TWA):	Respirable dust.	OSHA Z1A
	0.1 mg/m3	Time Weighted Average (TWA):	Respirable.	Z3
	0.3 mg/m3	Time Weighted Average (TWA):	Total dust.	Z3

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility
- : pellets, Slabs, sheets
  : BROWN
  : Characteristic rubber odor
  : Not determined
  : not applicable
  : insoluble

: solid

- Evaporation rate Specific Gravity Bulk density or Vapour pressure Vapour density pH
- Not applicable
  Not determined
  Not established
  not applicable
  not applicable
  not applicable

	0. STABILITY AND REACTIVITY
:	Stable
:	Will not occur.
:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
:	Incompatible with strong acids and oxidizing agents.
:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
	::

# MATERIAL SAFETY DATA SHEET STAN-TONE MB-31640 RED BROWN

#### Version Number 1.0 Revision Date 07/07/2009

Page 5 of 7 Print Date 1/8/2012

products

(NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
14807-96-6	Talc	Systemic effects	Eyes, Respiratory system,
			Skin.
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
14807-96-6	Talc	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

PolyOne.

# MATERIAL SAFETY DATA SHEET STAN-TONE MB-31640 RED BROWN

ma tra sta tra sta TA. T U.S. DOT Classification : No ICAO/IATA : No IMO / IMDG (maritime) : No US Regulations: US Regulations: OSHA Status : Cla TSCA Status : Cla TSCA Status : A TSCA Status : A TSCA Status : A TSCA Status : No OSHA CERCLA Hazardous Substand not applicable California Proposition : No 65 SARA Title III Section 302 Extremely I	cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification, insportation and disposal in accordance with applicable federal, te/provincial and local regulations. <b>RANSPORT INFORMATION</b> t regulated for transportation. t regulated for transportation. t regulated for transportation. <b>EQULATORY INFORMATION</b> assified as hazardous based on components. I components of this product are listed on or exempt from the CA Inventory. ess (40 CFR 302)
U.S. DOT Classification : No ICAO/IATA : No IMO / IMDG (maritime) : No US Regulations: OSHA Status : Cla TSCA Status : A TSCA Status : A TS US. EPA CERCLA Hazardous Substand not applicable California Proposition : No 65	t regulated for transportation. t regulated for transportation. t regulated for transportation. EGULATORY INFORMATION assified as hazardous based on components. l components of this product are listed on or exempt from the CA Inventory.
ICAO/IATA : No IMO / IMDG (maritime) : No US Regulations: OSHA Status : Cla TSCA Status : A: TSCA Status : A: TSCA Status : A: TSCA Status : No OSHA CERCLA Hazardous Substand not applicable : No 65	t regulated for transportation. t regulated for transportation. <b>EGULATORY INFORMATION</b> assified as hazardous based on components. I components of this product are listed on or exempt from the CA Inventory.
IMO / IMDG (maritime) : No 15. RI US Regulations: OSHA Status : Cla TSCA Status : Ai TSCA Status : Ai TS US. EPA CERCLA Hazardous Substand not applicable California Proposition : No 65 SARA Title III Section 302 Extremely I	t regulated for transportation. <b>CGULATORY INFORMATION</b> Assified as hazardous based on components. I components of this product are listed on or exempt from the CA Inventory.
15. RI         US Regulations:         OSHA Status       :       Cla         TSCA Status       :       A         TSCA Status       :       A         TS       US. EPA CERCLA Hazardous Substand       not applicable         California Proposition       :       Not 65         SARA Title III Section 302 Extremely I	EGULATORY INFORMATION assified as hazardous based on components. I components of this product are listed on or exempt from the CA Inventory.
US Regulations: OSHA Status : Cla TSCA Status : A TS US. EPA CERCLA Hazardous Substand not applicable California Proposition : No 65	assified as hazardous based on components. l components of this product are listed on or exempt from the CA Inventory.
OSHA Status : Cla TSCA Status : A TSCA Status : A TSCA Status US. EPA CERCLA Hazardous Substand not applicable California Proposition : No 65 SARA Title III Section 302 Extremely I	l components of this product are listed on or exempt from the CA Inventory.
TSCA Status : A TS US. EPA CERCLA Hazardous Substand not applicable California Proposition : No 65 SARA Title III Section 302 Extremely I	l components of this product are listed on or exempt from the CA Inventory.
TS US. EPA CERCLA Hazardous Substand not applicable California Proposition : No 65 SARA Title III Section 302 Extremely I	CA Inventory.
not applicable California Proposition : No 65 SARA Title III Section 302 Extremely I	ces (40 CFR 302)
California Proposition : No 65 SARA Title III Section 302 Extremely I	
65 SARA Title III Section 302 Extremely 1	
	t applicable
Unless specific chemicals are identified	Hazardous Substance
	under this section, this product is Not Applicable under this regula
SARA Title III Section 313 Toxic Chen	nicals:
Unless specific chemicals are identified	under this section, this product is Not Applicable under this regula
Canadian Regulations:	
National Pollutant Release Inven	
not applicable	tory (NPRI)

PolyOne

# MATERIAL SAFETY DATA SHEET STAN-TONE MB-31640 RED BROWN

Version Number 1.0 Revision Date 07/07/2009

\_

Page 7 of 7 Print Date 1/8/2012

	WHMIS Classification	:	D2A	
	WHMIS Ingredient Disc	losu	ire List	
	CAS-No. 1309-37-1 12001-26-2			
	DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
Nati	ional Inventories:			
	Australia AICS	:	Listed	
	China IECS	:	Listed	
	Europe EINECS	:	Listed	
	Japan ENCS	:	Not determined	
	Korea KECI	:	Listed	
	Philippines PICCS	:	Listed	
			16. OTHER INFORMATION	t

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.