MATERIAL SAFETY DATA SHEET PX-C-245 PURPLE

Version Number 1.0 Revision Date 08/11/2009 Page 1 of 6 Print Date 1/8/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PX-C-245 PURPLE
Product code	:	FO20022673
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion	
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes	: May cause eye and skin irritation.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	
4. FIRST AID MEASURES		

PolyOne.

MATERIAL SAFETY DATA SHEET **PX-C-245 PURPLE**

ion Number 1.0 sion Date 08/11/2009	Page 2 Print Date 1/8/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 no data available no data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize

PolyOne.

MATERIAL SAFETY DATA SHEET **PX-C-245 PURPLE**

			Print Date 1/8/
	accumulation of the	se materials.	
Storage		and tightly closed to avoi Store in a cool dry place.	d moisture absorption
8. EX	POSURE CONTROLS/PE	RSONAL PROTECTIO	N
Respiratory protection	: No personal respira	tory protective equipment	normally required.
Eye/Face Protection	: Safety glasses with side-shields		
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothi	ng	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
There are no known hazardou	us components above regula	tory thresholds in this pro-	duct.
9	PHYSICAL AND CHEM	IICAL PROPERTIES	
9. Form	PHYSICAL AND CHEM	IICAL PROPERTIES	: Not established
Form Appearance	: liquid : viscous, liquid	Evaporation rate Specific Gravity	: Not determined
Form Appearance Colour	: liquid : viscous, liquid : PURPLE	Evaporation rate Specific Gravity Bulk density	Not determinedNot applicable
Form Appearance Colour Odour	: liquid : viscous, liquid : PURPLE : very faint	Evaporation rate Specific Gravity Bulk density Vapour pressure	Not determinedNot applicableNot determined
Form Appearance Colour Odour Melting point/range	 liquid viscous, liquid PURPLE very faint not applicable 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	Not determinedNot applicableNot determinedNot determined
Form Appearance Colour Odour Melting point/range Boiling Point:	 liquid viscous, liquid PURPLE very faint not applicable not applicable 	Evaporation rate Specific Gravity Bulk density Vapour pressure	Not determinedNot applicableNot determined
Form Appearance Colour Odour Melting point/range	 liquid viscous, liquid PURPLE very faint not applicable not applicable immiscible 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	Not determinedNot applicableNot determinedNot determined
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 liquid viscous, liquid PURPLE very faint not applicable not applicable 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	Not determinedNot applicableNot determinedNot determined
Form Appearance Colour Odour Melting point/range Boiling Point:	 liquid viscous, liquid PURPLE very faint not applicable not applicable immiscible 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	Not determinedNot applicableNot determinedNot determined
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 liquid viscous, liquid PURPLE very faint not applicable not applicable immiscible 10. STABILITY AND	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	Not determinedNot applicableNot determinedNot determined
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 liquid viscous, liquid PURPLE very faint not applicable not applicable immiscible 10. STABILITY AND Stable Will not occur. 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	 Not determined Not applicable Not determined Not determined Not applicable

PolyOne.

MATERIAL SAFETY DATA SHEET **PX-C-245 PURPLE**

sion Number 1.0 ision Date 08/11/2009	Page 4 Print Date 1/8/2
Hazardous decomposition products	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).
	11. TOXICOLOGICAL INFORMATION
There are no known hazardous	components above regulatory thresholds in this product.
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: no data available
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.

PolyOne.

MATERIAL SAFETY DATA SHEET **PX-C-245 PURPLE**

Version Number 1.0 Revision Date 08/11/2009 Page 5 of 6 Print Date 1/8/2012

US EDA CEDCI A Harandana	CL	stances (40 CED 202)
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 502)
not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Unless specific chemicals are id	lenti	fied under this section, this product is Not Applicable under this regular
SARA Title III Section 313 Tox	tic (Chemicals:
		fied under this section, this product is Not Applicable under this regula
Canadian Regulations:		
National Pollutant Relea	se Iı	nventory (NPRI)
not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

PolyOne

MATERIAL SAFETY DATA SHEET PX-C-245 PURPLE

Version Number 1.0 Revision Date 08/11/2009

Page 6 of 6 Print Date 1/8/2012

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.