## MATERIAL SAFETY DATA SHEET STAN-TONE MB-31753 YELLOW

Version Number 1.0 Revision Date 09/02/2009 Page 1 of 6 Print Date 1/9/2012

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone <b>Emergency telephone</b>	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE MB-31753 YELLOW
Product code	:	FO20022838
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Stearic acid	57-11-4	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE MB-31753 YELLOW**

Version Number 1.0 Revision Date 09/02/2009 Page 2 of 6 Print Date 1/9/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	:	not applicable not applicable Not relevant Water spray, Dry powder, Foam, Carbon dioxide (CO2).
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE MB-31753 YELLOW**

Version Number 1.0 Revision Date 09/02/2009 Page 3 of 6 Print Date 1/9/2012

	EXPOSURE	CONTROLS/PERSONAL	PROTECTION		
Respiratory protection	h b	to personal respiratory protect andling the product itself. See elow for precautions to be tak naterial.	e "Engineering Measures	" section	
Eye/Face Protection	: Safety glasses with side-shields				
Hand protection	: Protective gloves				
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type	List: ACGIH	
Components	10 mg/m3	Time Weighted Average			
Components	10 mg/m3 9. PHYSIC : solid : pelle : YEL : Char : Not o	Time Weighted Average (TWA): CAL AND CHEMICAL PRO ts, Slabs, sheets Specif LOW Bulk of acteristic rubber odor Vapor determined Vapor pplicable pH	OPERTIES   oration rate : Not   fic Gravity : Not   density : Not   ur pressure : not   ur density : not		
Components Stearic acid Form Appearance Colour Odour Melting point/range Boiling Point:	10 mg/m3 9. PHYSIC : solid : pelle : YEL : Char : Not o : not a : insol	Time Weighted Average (TWA): CAL AND CHEMICAL PRO ts, Slabs, sheets Specif LOW Bulk of acteristic rubber odor Vapor determined Vapor pplicable pH	DPERTIES Dration rate : Not fic Gravity : Not density : Not ur pressure : not ur density : not : not	ACGIH applicable determined established applicable applicable	
Components Stearic acid Form Appearance Colour Odour Melting point/range Boiling Point:	10 mg/m3 9. PHYSIC : solid : pelle : YEL : Char : Not c : not a : insol 10. S	Time Weighted Average (TWA): CAL AND CHEMICAL PRO ts, Slabs, sheets Specif LOW Bulk of acteristic rubber odor Vapou determined Vapou pplicable pH uble	DPERTIES Dration rate : Not fic Gravity : Not density : Not ur pressure : not ur density : not : not	ACGIH applicable determined established applicable applicable	
Components Stearic acid Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	10 mg/m3 9. PHYSIC : solid : pelle : YEL : Char : Not c : not a : insol 10. S : S	Time Weighted Average (TWA): CAL AND CHEMICAL PRO Evapor ts, Slabs, sheets Specif LOW Bulk of acteristic rubber odor Vapor determined Vapor pplicable pH uble	DPERTIES Dration rate : Not fic Gravity : Not density : Not ur pressure : not ur density : not : not	ACGIH applicable determined established applicable applicable	

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE MB-31753 YELLOW**

sion Number 1.0 ision Date 09/02/2009	9			F	Page 4 Print Date 1/9/2
		T (11		1 11 1	
Incompatible Materials	:	Incompatible w	ith strong acids an	d oxidizing agents.	
Hazardous decomposition:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.					
	11. /	TOXICOLOGIO	CAL INFORMAT	TION	
This mixture has not be health data for the indiv				osure effects listed	are based on exis
<u>Toxicity Overview</u> This product contains t	he following	components whi	ch in their pure for	m have the follow	ing characteristic
CAS-No.	Chem	nical Name	Effect	Targ	et Organ
57-11-4	Stearic acid	1	Irritant	Eyes, Skin.	
This product contains t	Cherr	nical Name	Route	Value	Species
57-11-4	Stearic acid				
			Dermal LD50	> 5 gm/kg	rabbit
	12	2. ECOLOGICA	L INFORMATIO	DN	
Persistence and degrad	ability :	Not readily biod	legradable.		
Environmental Toxicit	y :	Chemicals are n polymer matrix.		e as they are bound	l within the
Bioaccumulation Poten	tial :	Chemicals are n polymer matrix.	•	e as they are bound	l within the
Additional advice	:	not applicable			
	1.	3. DISPOSAL C	ONSIDERATIO	NS	
Product	:	generator of wa classification, tr	ste material has the ansportation and c	red to disposal or i e responsibility for lisposal in accordar l and local regulation	proper waste nce with
Contaminated packaging : F		Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	1			N	
	l	4. TRANSPOR	I INFORMATIO	1	

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE MB-31753 YELLOW**

US Regulations:	Not regulated for transportation. Not regulated for transportation. Not regulated for transportation. . REGULATORY INFORMATION
ICAO/IATA : IMO / IMDG (maritime) : 15. US Regulations:	Not regulated for transportation. Not regulated for transportation.
IMO / IMDG (maritime) : 15. US Regulations:	Not regulated for transportation.
US Regulations:	
US Regulations:	. REGULATORY INFORMATION
-	
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Subs	stances (40 CFR 302)
not applicable	
California Proposition : 65	Not applicable
SARA Title III Section 302 Extreme	ely Hazardous Substance
Unless specific chemicals are identif	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Toxic C	'hemicals:
Unless specific chemicals are identit	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Release In	ventory (NPRI)
not applicable	
WHMIS Classification :	Not controlled.
DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS :	Not determined

PolyOne

## MATERIAL SAFETY DATA SHEET STAN-TONE MB-31753 YELLOW

Version Number 1.0 Revision Date 09/02/2009

Page 6 of 6 Print Date 1/9/2012

China IECS	: Not determined			
Europe EINECS	: Listed			
Japan ENCS	: Not determined			
Korea KECI	: Not determined			
Philippines PICCS	: Not determined			
16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.