MATERIAL SAFETY DATA SHEET MB2651 NEUTRAL

Version Number 1.0 Revision Date 09/18/2009 Page 1 of 6 Print Date <u>1/9/2012</u>

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

| Telephone Emergency telephone | : | Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|----------------------------------|---|--|
| Product name | : | MB2651 NEUTRAL |
| Product code | : | FO20022963 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | utes of Exposure: : Inhalation, Skin contact, Ingestion | | |
|---|--|--|--|
| Acute exposure | | | |
| Inhalation | : Inhalation of airborne droplets may cause irritation of the respiratory tract. | | |
| Ingestion | : May be harmful if swallowed. | | |
| Eyes | : May cause eye and skin irritation. | | |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. | | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | | |
| Medical Conditions Aggravated by Exposure: | : None known. | | |
| | 4. FIRST AID MEASURES | | |

PolyOne.

MATERIAL SAFETY DATA SHEET **MB2651 NEUTRAL**

| ion Number 1.0 sion Date 09/18/2009 | Page 2 Print Date 1/9/2 |
|--|--|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : no data available |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | no data available no data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment. |
| Methods for cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize |

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **MB2651 NEUTRAL**

| | | | Print Date 1/9/2 |
|---|---|--|---|
| | accumulation of thes | e materials. | |
| Storage | | and tightly closed to avoid Store in a cool dry place. | moisture absorption |
| 8. EXI | POSURE CONTROLS/PE | RSONAL PROTECTION | I |
| Respiratory protection | : No personal respirate | bry protective equipment n | ormally required. |
| Eye/Face Protection | : Safety glasses with side-shields | | |
| Hand protection | : Protective gloves | | |
| Skin and body protection | : Long sleeved clothing | | |
| Additional Protective Measures | : Safety shoes | | |
| General Hygiene Considerations | : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. | | |
| Engineering measures | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. | | |
| Exposure limit(s) | | | |
| | | | |
| There are no known hazardou | is components above regulat | ory thresholds in this produ | ıct. |
| | is components above regulat | | ıct. |
| | PHYSICAL AND CHEM | ICAL PROPERTIES | ict. |
| 9. Form Appearance | PHYSICAL AND CHEMI : liquid : viscous, liquid | ICAL PROPERTIES Evaporation rate Specific Gravity | Not establishedNot determined |
| 9. Form Appearance Colour | PHYSICAL AND CHEMI : liquid : viscous, liquid : NOT APPLICABLE | Evaporation rate Specific Gravity Bulk density | Not established Not determined Not applicable |
| 9. Form Appearance Colour Odour | PHYSICAL AND CHEM : liquid : viscous, liquid : NOT APPLICABLE : very faint | Evaporation rate Specific Gravity Bulk density Vapour pressure | Not established Not determined Not applicable Not determined |
| 9. Form Appearance Colour Odour Melting point/range | PHYSICAL AND CHEMI iliquid viscous, liquid NOT APPLICABLE very faint not applicable | Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density | Not established Not determined Not applicable Not determined Not determined |
| 9. Form Appearance Colour Odour | PHYSICAL AND CHEM : liquid : viscous, liquid : NOT APPLICABLE : very faint | Evaporation rate Specific Gravity Bulk density Vapour pressure | Not established Not determined Not applicable Not determined |
| 9. Form Appearance Colour Odour Melting point/range Boiling Point: | PHYSICAL AND CHEMI iliquid viscous, liquid NOT APPLICABLE very faint not applicable not applicable | ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH | Not established Not determined Not applicable Not determined Not determined |
| 9. Form Appearance Colour Odour Melting point/range Boiling Point: | PHYSICAL AND CHEMI ilquid viscous, liquid NOT APPLICABLE very faint not applicable not applicable immiscible | ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH | Not established Not determined Not applicable Not determined Not determined |
| 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility | PHYSICAL AND CHEMI iliquid viscous, liquid NOT APPLICABLE very faint not applicable not applicable immiscible 10. STABILITY AND | ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH | Not established Not determined Not applicable Not determined Not determined |
| 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability | PHYSICAL AND CHEMI : liquid : viscous, liquid : NOT APPLICABLE : very faint : not applicable : not applicable : immiscible 10. STABILITY AND : Stable : Will not occur. | ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY | Not established Not determined Not applicable Not determined Not determined Not applicable |

PolyOne.

MATERIAL SAFETY DATA SHEET **MB2651 NEUTRAL**

| ion Number 1.0 ision Date 09/18/2009 | Page 4 Print Date 1/9/2 |
|---|--|
| Hazardous decomposition products | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F). |
| | 11. TOXICOLOGICAL INFORMATION |
| There are no known hazardou | s components above regulatory thresholds in this product. |
| | 12. ECOLOGICAL INFORMATION |
| Persistence and degradability | : Not readily biodegradable. |
| Environmental Toxicity | : Environmental toxicity has not been established for this mixture as a whole. |
| Bioaccumulation Potential | : no data available |
| Additional advice | : no data available |
| | 13. DISPOSAL CONSIDERATIONS |
| Product Contaminated packaging | Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | |
| | 14. TRANSPORT INFORMATION |
| U.S. DOT Classification | : Refer to specific regulation. |
| ICAO/IATA | : Refer to specific regulation. |
| IMO / IMDG (maritime) | : Refer to specific regulation. |
| | 15. REGULATORY INFORMATION |
| US Regulations: | |
| OSHA Status | : There are no known hazardous components above regulatory thresholds in this product. |
| | |

Polv<u>One</u>

MATERIAL SAFETY DATA SHEET MB2651 NEUTRAL

Version Number 1.0 Revision Date 09/18/2009 Page 5 of 6 Print Date 1/9/2012

TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

| Chemical Name | CAS-No. | Weight percent | NPRI ID# |
|------------------------------|---------------|-------------------|----------|
| Miscellaneous Zinc Compounds | Not Available | 0.10 - 1.00 | 241 |

WHMIS Classification : Not controlled.

:

DSL

All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.

National Inventories:

| Australia AICS | : | Not determined |
|----------------|---|----------------|
| China IECS | : | Not determined |
| Europe EINECS | : | Not determined |
| Japan ENCS | : | Not determined |
| Korea KECI | : | Not determined |

MATERIAL SAFETY DATA SHEET MB2651 NEUTRAL

Version Number 1.0 Revision Date 09/18/2009

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

PolyOne

Print Date 1/9/2012

Page 6 of 6