MATERIAL SAFETY DATA SHEET STAN-TONE VCP-31848 YELLOW

Version Number 1.0 Revision Date 12/17/2009 Page 1 of 6 Print Date 1/10/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE VCP-31848 YELLOW
Product code	:	FO20023473
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion			
Acute exposure				
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.			
Ingestion	: May be harmful if swallowed.			
Eyes	: Particulates, like other inert materials can be mechanically irritating.			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE VCP-31848 YELLOW

Version Number 1.0 Revision Date 12/17/2009 Page 2 of 6 Print Date 1/10/2012

	4. FIRST AID MEASURES				
Inhalation	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.				
Ingestion	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.				
Eyes	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.				
Skin	: Wash off with soap and plenty of water. If skin irritation persist seek medical attention.				
	5. FIRE-FIGHTING MEASURES				
Flash point	: not applicable				
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 not applicable not applicable Not relevant Carbon dioxide blanket, Water spray, Dry powder, Foam. 				
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	6. ACCIDENTAL RELEASE MEASURES				
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.				
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.				
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.				
	7. HANDLING AND STORAGE				
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume				

POLYONE CORPORATION

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE VCP-31848 YELLOW

Version Number 1.0 Revision Date 12/17/2009

Storage	:	condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXI	POSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

There are no known hazardous components above regulatory thresholds in this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form
Appearance
Colour
Odour
Melting point/range
Boiling Point:
Water solubility

solid powder, granular YELLOW very faint Not determined not applicable insoluble

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH

Not applicable Not determined Not determined not applicable not applicable not applicable

10. STABILITY AND REACTIVITY

Stability	:	Stable
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat. Keep away from oxidizing agents and open flame.

MATERIAL SAFETY DATA SHEET STAN-TONE VCP-31848 YELLOW

Version Number 1.0 Page 4 of 6 Print Date 1/10/2012 Revision Date 12/17/2009 Incompatible Materials : Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing. Hazardous decomposition Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen : products (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride. **11. TOXICOLOGICAL INFORMATION** There are no known hazardous components above regulatory thresholds in this product. **12. ECOLOGICAL INFORMATION** Persistence and degradability : Not readily biodegradable. **Environmental Toxicity** Adverse ecological impact is not known or expected under normal use. **Bioaccumulation Potential** no data available ÷ Additional advice no data available : **13. DISPOSAL CONSIDERATIONS** Product Where possible recycling is preferred to disposal or incineration. The : generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** U.S. DOT Classification Not regulated for transportation. : ICAO/IATA Not regulated for transportation. : IMO/IMDG (maritime) Not regulated for transportation. : **15. REGULATORY INFORMATION US Regulations: OSHA Status** There are no known hazardous components above regulatory

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET STAN-TONE VCP-31848 YELLOW

Version Number 1.0 Revision Date 12/17/2009 Page 5 of 6 Print Date 1/10/2012

		thresholds in thi	s product.			
TSCA Status	:	: All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardous Substances (40 CFR 302)						
not applicable						
California Proposition 65	:	Not applicable				
SARA Title III Section 302 Ext	SARA Title III Section 302 Extremely Hazardous Substance					
Unless specific chemicals are id	lent	ified under this se	ction, this produ-	ct is Not Applicabl	e under this reg	gulation
SARA Title III Section 313 Top	xic (Chemicals:				
Unless specific chemicals are ic	lent	ified under this se	ction, this produ-	ct is Not Applicable	e under this reg	gulation
Canadian Regulations:						
National Pollutant Relea	se I	nventory (NPRI)				
Chemical Name			CAS-No.	Weight percent	NPRI ID#	
Miscellaneous Zinc Compour	nds		0-31-7	0.10 - 1.00	241	
WHMIS Classification	:	Not controlled.				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:						
Australia AICS	:	Not determined				
China IECS	:	Not determined				
Europe EINECS	:	Not determined				

: Not determined

Japan ENCS



MATERIAL SAFETY DATA SHEET STAN-TONE VCP-31848 YELLOW

Version Number 1.0 Revision Date 12/17/2009 Page 6 of 6 Print Date 1/10/2012

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.