MATERIAL SAFETY DATA SHEET **DB4623 CLEAR**

Version Number 1.1 Revision Date 03/23/2014

Page 1 of 6 Print Date 3/26/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DB4623 CLEAR
Product code	:	FO20023575
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **DB4623 CLEAR**

Version Number 1.1 Revision Date 03/23/2014 Page 2 of 6 Print Date 3/26/2014

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 no data available no data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue.



MATERIAL SAFETY DATA SHEET **DB4623 CLEAR**

sion Date 03/23/2014			Page 3 Print Date 3/26/
	Periodically clean ho accumulation of these	bods, ducts, and other surf se materials.	aces to minimize
Storage		and tightly closed to avoi Store in a cool dry place.	d moisture absorption
8. EX	POSURE CONTROLS/PE	RSONAL PROTECTIO	N
Respiratory protection	: No personal respirat	ory protective equipment	normally required.
Eye/Face Protection	: Safety glasses with s	side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothin	ng	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		e with good industrial hyg ls before breaks and at the	
Engineering measures		ith appropriate exhaust ve	ntilation Provide
Engineering measures		ith appropriate exhaust ve ventilation at machinery.	infiation. Trovide
		ventilation at machinery.	
Exposure limit(s)	appropriate exhaust	ventilation at machinery.	
Exposure limit(s) There are no known hazardo	appropriate exhaust	ventilation at machinery. tory thresholds in this proc	
Exposure limit(s) There are no known hazardo	appropriate exhaust	ventilation at machinery. Fory thresholds in this proc	
Exposure limit(s) There are no known hazardo S	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid	ventilation at machinery. Fory thresholds in this proc ICAL PROPERTIES Evapouration rate	luct.
Exposure limit(s) There are no known hazardo G Form Appearance	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid	ventilation at machinery. Fory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity	luct. : Not established : Not determined
Exposure limit(s) There are no known hazardo G Form Appearance Colour	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : TRANSPARENT	ventilation at machinery. Fory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density	luct. : Not established : Not determined : Not applicable
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : TRANSPARENT : very faint	ventilation at machinery. Fory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure	luct. : Not established : Not determined : Not applicable : Not determined
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour Melting point/range	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : TRANSPARENT : very faint : not applicable	ventilation at machinery. tory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	luct. : Not established : Not determined : Not applicable : Not determined : Not determined
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : TRANSPARENT : very faint : not applicable : not applicable	ventilation at machinery. Fory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure	luct. : Not established : Not determined : Not applicable : Not determined
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour Melting point/range	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : TRANSPARENT : very faint : not applicable	ventilation at machinery. tory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	luct. : Not established : Not determined : Not applicable : Not determined : Not determined
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : TRANSPARENT : very faint : not applicable : not applicable	ventilation at machinery. Fory thresholds in this processing ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	luct. : Not established : Not determined : Not applicable : Not determined : Not determined
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : TRANSPARENT : very faint : not applicable : not applicable : immiscible 10. STABILITY AND	ventilation at machinery. Fory thresholds in this processing ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	luct. : Not established : Not determined : Not applicable : Not determined : Not determined : Not applicable
Exposure limit(s) There are no known hazardo Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : TRANSPARENT : very faint : not applicable : not applicable : immiscible 10. STABILITY AND	ventilation at machinery. tory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	luct. : Not established : Not determined : Not applicable : Not determined : Not determined : Not applicable
Exposure limit(s) There are no known hazardo Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : TRANSPARENT : very faint : not applicable : not applicable : immiscible 10. STABILITY AND : The product is stable : Will not occur.	ventilation at machinery. tory thresholds in this proceed ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY e if stored and handled as proceeded dizing agents and open flat	luct. : Not established : Not determined : Not applicable : Not determined : Not determined : Not applicable prescribed.

PolyOne.

MATERIAL SAFETY DATA SHEET **DB4623 CLEAR**

sion Number 1.1 ision Date 03/23/2014	Page 4 Print Date 3/26/2
Hazardous decomposition products	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).
	11. TOXICOLOGICAL INFORMATION
There are no known hazardous	components above regulatory thresholds in this product.
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: no data available
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.

blvU<u>ne</u>

MATERIAL SAFETY DATA SHEET **DB4623 CLEAR**

Version Number 1.1 Revision Date 03/23/2014 Page 5 of 6 Print Date 3/26/2014

TSCA Status All components of this product are listed on or exempt from the : TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Canadian Regulations: National Pollutant Release Inventory (NPRI) not applicable WHMIS Classification : Not controlled. DSL All components of this product are on the Canadian Domestic · Substances List (DSL) or are exempt. National Inventories: Australia AICS : Not determined China IECS Not determined : Europe EINECS Not determined : Japan ENCS Not determined : Korea KECI Not determined : Philippines PICCS : Not determined **16. OTHER INFORMATION**

PolyOne

MATERIAL SAFETY DATA SHEET **DB4623 CLEAR**

Version Number 1.1 Revision Date 03/23/2014

Page 6 of 6 Print Date 3/26/2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.