

MATERIAL SAFETY DATA SHEET

24800SSV KOALA BROWN

Version Number 1.2 Page 1 of 6
Revision Date 03/13/2014 Print Date 3/21/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION

Telephone

Emergency telephone : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure

number or accident).

Product name : 24800SSV KOALA BROWN

Product code : FO20024143 Chemical Name : Mixture CAS-No. : Mixture

Product Use :

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Components | CAS-No. | Weight percent |
|-------------------|------------|----------------|
| Titanium dioxide | 13463-67-7 | 5 - 10 |
| Calcium carbonate | 1317-65-3 | 10 - 30 |
| Calcium carbonate | 471-34-1 | 10 - 30 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

POTENTIAL HEALTH EFFECTS

Routes of Exposure: :

Acute exposure

Inhalation : Ingestion : Eyes : Skin :

Chronic exposure : Refer to Section 11 for Toxicological Information.

Medical Conditions Aggravated by Exposure:

4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET

| 24800SSV KOALA BR | POWN | |
|--|-------------|---------------------------------------|
| Version Number 1.2 Revision Date 03/13/2014 | | Page 2 of 6 Print Date 3/21/2014 |
| | | |
| Inhalation | : | |
| Ingestion | : | |
| Eyes | : | |
| Skin | : | |
| | 5. 1 | FIREFIGHTING MEASURES |
| Flash point | : | |
| Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media | : : : | |
| Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | : | |
| | 6. ACC | IDENTAL RELEASE MEASURES |
| Personal precautions | : | |
| Environmental precautions | : | |
| Methods for cleaning up | : | |
| | 7. | HANDLING AND STORAGE |
| Handling | : | |
| Storage | : | |
| 8. EXP | OSURE | CONTROLS/PERSONAL PROTECTION |
| Respiratory protection | : | |
| Eye/Face Protection | : | |
| Hand protection | : | |
| Skin and body protection | : | |
| Additional Protective | : | |

2/6



MATERIAL SAFETY DATA SHEET

24800SSV KOALA BROWN

 Version Number 1.2
 Page 3 of 6

 Revision Date 03/13/2014
 Print Date 3/21/2014

Measures

General Hygiene

Considerations

Engineering measures

Exposure limit(s)

| Components Value | | Exposure time | Exposure type | List: |
|----------------------------|----------|-----------------------------------|----------------------|----------|
| Calcium carbonate | 5 mg/m3 | PEL: | Respirable fraction. | OSHA Z1 |
| 15 mg/n | | PEL: | Total dust. | OSHA Z1 |
| | 10 mg/m3 | Time Weighted Average (TWA): | | MX OEL |
| | 20 mg/m3 | Short Term Exposure Limit (STEL): | | MX OEL |
| | 5 mg/m3 | PEL: | Respirable fraction. | OSHA Z1 |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 5 mg/m3 | Time Weighted Average (TWA): | Respirable fraction. | OSHA Z1A |
| 10 mg/ 20 mg/ 5 mg/r | 15 mg/m3 | Time Weighted Average (TWA): | Total dust. | OSHA Z1A |
| | 10 mg/m3 | Time Weighted Average (TWA): | | MX OEL |
| | 20 mg/m3 | Short Term Exposure Limit (STEL): | | MX OEL |
| | 5 mg/m3 | Recommended exposure limit (REL): | Respirable. | NIOSH |
| | 10 mg/m3 | Recommended exposure limit (REL): | Total | NIOSH |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average (TWA): | | ACGIH |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 10 mg/m3 | Time Weighted Average (TWA): | Total dust. | OSHA Z1A |
| | 10 mg/m3 | Time Weighted Average (TWA): | as Ti | MX OEL |
| | 20 mg/m3 | Short Term Exposure Limit (STEL): | as Ti | MX OEL |

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : Evapouration rate :

Appearance : Specific Gravity : Colour : BROWN Bulk density :

Odour : Vapour pressure : Melting point/range : Vapour density :

Boiling Point: : pH



MATERIAL SAFETY DATA SHEET

24800SSV KOALA BROWN

Version Number 1.2 Page 4 of 6
Revision Date 03/13/2014 Print Date 3/21/2014

Water solubility :

10. STABILITY AND REACTIVITY

Stability

Hazardous Polymerization :

Conditions to avoid :

Incompatible Materials :

Hazardous decomposition

products

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|-------------------|------------------|-------------------------|
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |
| 1317-65-3 | Calcium carbonate | Irritant | Eyes, Skin. |
| | | Systemic effects | Eyes, Skin, Respiratory |
| | | | system. |
| 471-34-1 | | Irritant | Eyes, Skin. |

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No. | Chemical Name | Route | Value | Species |
|----------|-------------------|----------|------------|-------------|
| 471-34-1 | Calcium carbonate | Oral | 6,450 | ratratmouse |
| | | LD50Oral | mg/kg6,450 | |
| | | LD50Oral | mg/kg6,450 | |
| | | LD50 | mg/kg | |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-No. | Chemical Name | OSHA | IARC | NTP |
|------------|------------------|------|------|-----|
| 13463-67-7 | Titanium dioxide | no | 2B | no |

IARC Carcinogen Classifications:

- 1 The component is carcinogenic to humans.
- 2A The component is probably carcinogenic to humans.
- 2B The component is possibly carcinogenic to humans.

<u>PolyOne</u>

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET

24800SSV KOALA BROWN

Version Number 1.2 Page 5 of 6
Revision Date 03/13/2014 Print Date 3/21/2014

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability :

Environmental Toxicity :

Bioaccumulation Potential :

Additional advice :

13. DISPOSAL CONSIDERATIONS

Product :

Contaminated packaging :

14. TRANSPORT INFORMATION

U.S. DOT Classification :

ICAO/IATA :

IMO/IMDG (maritime) :

15. REGULATORY INFORMATION

US Regulations:

OSHA Status : Classified as hazardous based on components.

TSCA Status : All components of this product are listed on or exempt from the

TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : WARNING! This product contains a chemical known to the State of

5 California to cause cancer.

SARA Title III Section 302 Extremely Hazardous Substance

PolyOne

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET

24800SSV KOALA BROWN

 Version Number 1.2
 Page 6 of 6

 Revision Date 03/13/2014
 Print Date 3/21/2014

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification : D2A

DSL : All components of this product are on the Canadian Domestic

Substances List (DSL) or are exempt.

National Inventories:

Australia AICS : Not determined

China IECS : Not determined

Europe EINECS : Listed

Japan ENCS : Not determined

Korea KECI : Not determined

Philippines PICCS : Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.