MATERIAL SAFETY DATA SHEET **DB4656A CLEAR**

Version Number 1.1 Revision Date 03/25/2014 Page 1 of 6 Print Date 4/1/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:number		1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	:	DB4656A CLEAR
Product code :	:	FO20024475
Chemical Name :	:	Mixture
CAS-No.	:	Mixture
Product Use :	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **DB4656A CLEAR**

Version Number 1.1 Revision Date 03/25/2014 Page 2 of 6 Print Date 4/1/2014

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If e irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 no data available no data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) und fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are
	all possible.
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue.



MATERIAL SAFETY DATA SHEET **DB4656A CLEAR**

	Print Date 4	ge 3 1/1/2
	Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorpti and contamination. Store in a cool dry place.	on
8. EX	XPOSURE CONTROLS/PERSONAL PROTECTION	
Respiratory protection	: No personal respiratory protective equipment normally required.	
Eye/Face Protection	: Safety glasses with side-shields	
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved clothing	
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	
Enginegative	The second distance of	
Engineering measures Exposure limit(s)	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	
There are no known hazardo	appropriate exhaust ventilation at machinery.	
Exposure limit(s) There are no known hazardo	appropriate exhaust ventilation at machinery. bus components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES	
Exposure limit(s) There are no known hazardo S	appropriate exhaust ventilation at machinery. Dus components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES 2. liquid Evapouration rate : Not establish	
Exposure limit(s) There are no known hazardo G Form Appearance	appropriate exhaust ventilation at machinery. Dus components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES 1. liquid Evapouration rate : Not establish 2. viscous, liquid Specific Gravity : Not determined	ed
Exposure limit(s) There are no known hazardo G Form Appearance Colour	appropriate exhaust ventilation at machinery. Dus components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES : liquid Evapouration rate : Not establish : viscous, liquid Specific Gravity : Not determin : NO PIGMENT Bulk density : Not applicab	ied le
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour	appropriate exhaust ventilation at machinery. Dus components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES : liquid Evapouration rate : Not establish : viscous, liquid Specific Gravity : Not determin : NO PIGMENT Bulk density : Not applicab : very faint Vapour pressure : Not determin	ied le ied
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour Melting point/range	appropriate exhaust ventilation at machinery. Dus components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES : liquid Evapouration rate : Not establish : viscous, liquid Specific Gravity : Not determin : NO PIGMENT Bulk density : Not applicab : very faint Vapour pressure : Not determin : not applicable Vapour density : Not determin	ied le ied ied
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour	appropriate exhaust ventilation at machinery. Dus components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES : liquid Evapouration rate : Not establish : viscous, liquid Specific Gravity : Not determin : NO PIGMENT Bulk density : Not applicab : very faint Vapour pressure : Not determin	ied le ied ied
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust ventilation at machinery. Dus components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES : liquid Evapouration rate : Not establish : viscous, liquid Specific Gravity : Not determin : NO PIGMENT Bulk density : Not applicab : very faint Vapour pressure : Not determin : not applicable Vapour density : Not determin : not applicable pH : Not applicab	ied le ied ied
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust ventilation at machinery. Dus components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES : liquid Evapouration rate : Not establish : viscous, liquid Specific Gravity : Not determin : NO PIGMENT Bulk density : Not applicab : very faint Vapour pressure : Not determin : not applicable Vapour density : Not determin : not applicable pH : Not applicab : immiscible	ied le ied ied
Exposure limit(s) There are no known hazardo Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	appropriate exhaust ventilation at machinery. Dus components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES E liquid Evapouration rate : Not establish E viscous, liquid Specific Gravity : Not determin NO PIGMENT Bulk density : Not applicab E very faint Vapour pressure : Not determin not applicable Vapour density : Not determin not applicable pH : Not applicab E immiscible 10. STABILITY AND REACTIVITY	ied le ied ied
Exposure limit(s) There are no known hazardo Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	appropriate exhaust ventilation at machinery. bus components above regulatory thresholds in this product. 9. PHYSICAL AND CHEMICAL PROPERTIES : liquid Evapouration rate : Not establish : viscous, liquid Specific Gravity : Not determin : NO PIGMENT Bulk density : Not applicab : very faint Vapour pressure : Not determin : not applicable Vapour density : Not determin : not applicable pH : Not applicab : immiscible 10. STABILITY AND REACTIVITY : The product is stable if stored and handled as prescribed.	ed le ed le le

PolyOne.

MATERIAL SAFETY DATA SHEET **DB4656A CLEAR**

ion Number 1.1 sion Date 03/25/2014		Page 4 Print Date 4/1/2
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).
	11. '	TOXICOLOGICAL INFORMATION
There are no known hazardous	com	ponents above regulatory thresholds in this product.
	12	2. ECOLOGICAL INFORMATION
Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	:	no data available
Additional advice	:	no data available
	1.	3. DISPOSAL CONSIDERATIONS
Product	:	Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Refer to specific regulation.
ICAO/IATA	:	Refer to specific regulation.
IMO/IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	There are no known hazardous components above regulatory thresholds in this product.

PolyOne.

MATERIAL SAFETY DATA SHEET **DB4656A CLEAR**

Version Number 1.1 Revision Date 03/25/2014 Page 5 of 6 Print Date 4/1/2014

TSCA Status US. EPA CERCLA Hazardous not applicable	TSCA Inventor	ry.	are listed on or exen	npt from the
California Proposition 65	: WARNING! 7 California to ca		ins a chemical knov	vn to the State of
SARA Title III Section 302 Ext	remely Hazardous S	ubstance		
Unless specific chemicals are id	lentified under this s	ection, this produc	t is Not Applicable	under this regula
SARA Title III Section 313 Tox Unless specific chemicals are ic Canadian Regulations: National Pollutant Relea	lentified under this s		t is Not Applicable	
Chemical Name Bis (2-ethylhexyl) adipate		CAS-No. 103-23-1	Weight percent 5.00 - 10.00	NPRI ID#
Bis (2-ethylhexyl) adipate WHMIS Classification		103-23-1	percent 5.00 - 10.00	
Bis (2-ethylhexyl) adipate	: All componen	103-23-1	percent 5.00 - 10.00	
Bis (2-ethylhexyl) adipate WHMIS Classification	: All componen	ts of this product a	percent 5.00 - 10.00	
Bis (2-ethylhexyl) adipate WHMIS Classification DSL	: All componen	103-23-1 ts of this product a t (DSL) or are exe	percent 5.00 - 10.00	
Bis (2-ethylhexyl) adipate WHMIS Classification DSL National Inventories:	: All componen Substances Lis	ts of this product a t (DSL) or are exe	percent 5.00 - 10.00	
Bis (2-ethylhexyl) adipate WHMIS Classification DSL National Inventories: Australia AICS	 All componen Substances Lis Not determined 	103-23-1 ts of this product a t (DSL) or are exe	percent 5.00 - 10.00	
Bis (2-ethylhexyl) adipate WHMIS Classification DSL National Inventories: Australia AICS China IECS	 All componen Substances Lis Not determined Not determined 	103-23-1 ts of this product a t (DSL) or are exe	percent 5.00 - 10.00	
Bis (2-ethylhexyl) adipate WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	 All componen Substances Lis Not determined Not determined Not determined 	103-23-1 ts of this product a t (DSL) or are exe	percent 5.00 - 10.00	

PolyOne

MATERIAL SAFETY DATA SHEET **DB4656A CLEAR**

Version Number 1.1 Revision Date 03/25/2014 Page 6 of 6 Print Date 4/1/2014

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.