

83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Revision Date 04/03/2018

Page 1 of 18 Print Date 04/04/2018

SAFETY DATA SHEET

83701558C BLACK MATTE PLASTISOL

Section 1. Identification

GHS product identifier 83701558C BLACK MATTE PLASTISOL

Chemical name Mixture **CAS** number Mixture Other means of identification FO20025581 **Product type** liquid

Relevant identified uses of the substance or mixture and uses advised against

Product use Industrial applications. Plastics.

POLYONE CORPORATION Supplier's details

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (866) POLYONE

Emergency telephone number

(with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

EYE IRRITATION - Category 2B

SKIN SENSITIZATION - Category 1

GHS label elements



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Page 2 of 18 Revision Date 04/03/2018 Print Date 04/04/2018

Hazard pictograms

❖

Signal word : Warning

Hazard statements : Causes eye irritation.

May cause an allergic skin reaction.

Precautionary statements

General : Not applicable.

Prevention: Wear protective gloves. Avoid breathing vapor. Wash hands

thoroughly after handling. Contaminated work clothing must not be

allowed out of the workplace.

Response : IF ON SKIN: Wash with plenty of soap and water. Wash

contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage : Not applicable.

Disposal : Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Supplemental label elements : None known. **Hazards not otherwise classified** : None known.

Section 3. Composition/information on ingredients

Substance/mixture: MixtureChemical name: MixtureOther means of identification: FO20025581

CAS number/other identifiers

| Ingredient name | % | CAS number |
|---|----------|----------------|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, | 10 - 25 | 68515-48-0 |
| C9-rich | | |
| Proprietary Hazardous Compounds | 0.3 - 1 | Not available. |
| Carbon black | 0.3 - 1 | 1333-86-4 |



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Page 3 of 18 Revision Date 04/03/2018 Print Date 04/04/2018

| Bisphenol A - Epichlorohydrin polymer | 0.3 - 1 | 25068-38-6 |
|---------------------------------------|---------|------------|

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
|--------------|---|--|
| Inhalation | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : | Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. |



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Revision Date 04/03/2018 Page 4 of 18 Print Date 04/04/2018

Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes eye irritation.

Inhalation : No known significant effects or critical hazards.

Skin contact : May cause an allergic skin reaction.

Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

irritation watering redness

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders: No action shall be taken involving any personal risk or without

suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO₂.

Unsuitable extinguishing media : None known.



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Revision Date 04/03/2018 Page 5 of 18 Print Date 04/04/2018

Specific hazards arising from the chemical

Hazardous thermal decomposition products

In a fire or if heated, a pressure increase will occur and the container

may burst.

: May emit Hydrogen Chloride (HCl).

Decomposition products may include the following materials:

carbon dioxide carbon monoxide halogenated compounds

Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : If specialized clothing is required to deal with the spillage, take note

of any information in Section 8 on suitable and unsuitable materials.

See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with

water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal

contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Approach

release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment

plant or proceed as follows. Contain and collect spillage with non-



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Revision Date 04/03/2018 Page 6 of 18 Print Date 04/04/2018

combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|-----------------|-----------------|
| | |



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Revision Date 04/03/2018 Page 7 of 18 Print Date 04/04/2018

| Proprietary Hazardous Compounds | |
|---|--|
| | |
| Carbon black | OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 3.5 mg/m3 OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 3.5 mg/m3 NIOSH REL (1994-06-01) Time Weighted Average (TWA) 3.5 mg/m3 Time Weighted Average (TWA) ACGIH TLV (2010-12-06) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction |
| Bisphenol A - Epichlorohydrin polymer | |
| 1,2-Benzenedicarboxylic acid, di-C8-10 branched alkyl esters, C9-rich | - |
| | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measures | |
| Hygiene measures | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Revision Date 04/03/2018 Page 8 of 18 Print Date 04/04/2018

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves

cannot be accurately estimated.

Body protection: Personal protective equipment for the body should be selected based

on the task being performed and the risks involved and should be

approved by a specialist before handling this product.Other skin protectionAppropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

Respiratory protection: Based on the hazard and potential for exposure, select a respirator that

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper

fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

liquid [liquid] Physical state Color **BLACK** Not available. Odor **Odor threshold** Not available. Not available. pН **Melting point** Not available. **Boiling point** Not available. Flash point Not available. **Burning time** Not available. **Burning rate** Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressure: Not available.Vapor density: Not available.Relative density: Not available.



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Page 9 of 18 Revision Date 04/03/2018 Print Date 04/04/2018

Solubility : Not available.
Solubility in water : Not available.
Partition coefficient: n- : Not available.

octanol/water

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

Conditions to avoid : Keep away from extreme heat and oxidizing agents.

Incompatible materials : Avoid contact with acetal homopolymers and acetyl homopolymers

during processing.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure | | |
|---------------------------------------|-----------------------------|-----------------------------|--------------|----------|--|--|
| Remarks - Oral: | No applicable toxi | city data | | | | |
| Remarks - Inhalation: | No applicable toxi | city data | | | | |
| Remarks - Dermal: | No applicable toxi | No applicable toxicity data | | | | |
| Carbon black | | | | | | |
| | LD50 Oral | Rat | 15,400 mg/kg | - | | |
| Remarks - Inhalation: | No applicable toxi | No applicable toxicity data | | | | |
| Remarks - Dermal: | No applicable toxicity data | | | | | |
| Bisphenol A - Epichlorohydrin polymer | | | | | | |
| | LD50 Oral | Rat | 11,400 mg/kg | - | | |



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Revision Date 04/03/2018 Page 10 of 18 Print Date 04/04/2018

| Remarks - Inhalation: | No applicable toxi | city data | | | |
|-------------------------------|--|-----------------------------|--------------|---|--|
| Remarks - Dermal: | No applicable toxi | No applicable toxicity data | | | |
| 1,2-Benzenedicarboxylic acid, | l, di-C8-10-branched alkyl esters, C9-rich | | | | |
| | LD50 Oral | Rat | 10,000 mg/kg | - | |
| Remarks - Inhalation: | No applicable toxicity data | | | | |
| Remarks - Dermal: | No applicable toxi | city data | | | |

Conclusion/Summary : Mixture.Not fully tested.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|---------------|---------|-------|----------|-------------|
| Bisphenol A - | Eyes - Mild | Rabbit | | | - |
| Epichlorohydrin polymer | irritant | | | | |
| | Eyes - Mild | Rabbit | | | - |
| | irritant | | | | |
| | Skin - | Rabbit | | 24 hrs | - |
| | Moderate | | | | |
| | irritant | | | | |
| | Skin - Severe | Rabbit | | 24 hrs | - |
| | irritant | | | | |
| | Eyes - Mild | Rabbit | | | - |
| | irritant | | | | |
| 1,2-Benzenedicarboxylic | Eyes - Mild | Rabbit | | | - |
| acid, di-C8-10-branched | irritant | | | | |
| alkyl esters, C9-rich | | | | | |

Conclusion/Summary

Skin: Mixture.Not fully tested.Eyes: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Sensitization

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Mutagenicity

Conclusion/Summary : Mixture.Not fully tested.

Carcinogenicity

Conclusion/Summary : Mixture.Not fully tested.

Classification

| Product/ingredient | OSHA | IARC | NTP |
|--------------------|------|------|-----|
| | | | |



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Page 11 of 18 Revision Date 04/03/2018 Print Date 04/04/2018

| name | | |
|--------------|----|--|
| Carbon black | 2B | |

Reproductive toxicity

Conclusion/Summary : Mixture. Not fully tested.

Teratogenicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of

exposure

Not available.

Potential acute health effects

Eye contact : Causes eye irritation.

Inhalation : No known significant effects or critical hazards.

Skin contact : May cause an allergic skin reaction.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:

irritation watering redness

Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Revision Date 04/03/2018

Page 12 of 18 Print Date 04/04/2018

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Mixture.Not fully tested.

General : Once sensitized, a severe allergic reaction may occur when

subsequently exposed to very low levels.

Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.Teratogenicity: No known significant effects or critical hazards.Developmental effects: No known significant effects or critical hazards.Fertility effects: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure | | | |
|-----------------------------|---------------------------------|---------|----------|--|--|--|
| Proprietary Hazardous Compo | Proprietary Hazardous Compounds | | | | | |
| Remarks - Acute - Fish: | No applicable toxicity data | | | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | | | | |
| invertebrates.: | | | | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | | | | |
| plants: | | | | | | |
| Remarks - Chronic - Fish: | No applicable toxicity data | | | | | |
| Remarks - Chronic - | No applicable toxicity data | | | | | |
| Aquatic invertebrates.: | | | | | | |
| Carbon black | | | | | | |
| Remarks - Acute - Fish: | No applicable toxicity data | | | | | |



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Revision Date 04/03/2018 Page 13 of 18 Print Date 04/04/2018

| | A . EGGO 27 5 CO M / LE . 1 | | 10.1 | | |
|-------------------------------|-------------------------------------|------------------------|------|--|--|
| | Acute EC50 37.563 Mg/l Fresh | Aquatic invertebrates. | 48 h | | |
| D 1 4 4 4 | water Daphnia | | | | |
| Remarks - Acute - Aquatic | Acute | | | | |
| invertebrates.: | | | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | | | |
| plants: | | | | | |
| Remarks - Chronic - Fish: | No applicable toxicity data | | | | |
| Remarks - Chronic - | No applicable toxicity data | | | | |
| Aquatic invertebrates.: | | | | | |
| Bisphenol A - Epichlorohydrin | | | | | |
| Remarks - Acute - Fish: | No applicable toxicity data | | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | | | |
| invertebrates.: | | | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | | | |
| plants: | | | | | |
| Remarks - Chronic - Fish: | No applicable toxicity data | | | | |
| Remarks - Chronic - | No applicable toxicity data | | | | |
| Aquatic invertebrates.: | | | | | |
| 1,2-Benzenedicarboxylic acid, | di-C8-10-branched alkyl esters, C9- | rich | | | |
| Remarks - Acute - Fish: | No applicable toxicity data | | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | | | |
| invertebrates.: | | | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | | | |
| plants: | | | | | |
| Remarks - Chronic - Fish: | No applicable toxicity data | | | | |
| Remarks - Chronic - | No applicable toxicity data | | | | |
| Aquatic invertebrates.: | | | | | |
| Conclusion/Summary | : Not available. | | | | |

Persistence and degradability

Conclusion/Summary : Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|--|-------------|-------|-----------|
| Phenol, 4,4'-(1-methylethylidene)bis-, | 2.64 - 3.78 | 31.00 | low |
| polymer with 2-(chloromethyl)oxirane | | | |
| 1,2-Benzenedicarboxylic acid, di-C8- | 8.8 | 3.00 | low |
| 10-branched alkyl esters, C9-rich | | | |



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Page 14 of 18 Revision Date 04/03/2018 Print Date 04/04/2018

Mobility in soil

Soil/water partition coefficient

(KOC)

Other adverse effects : No known significant effects or critical hazards.

Not available.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains

and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR : Not regulated for transportation.

Ground/Air/Water

International Air : Cons

ICAO/IATA

: Consult mode specific transport rules

International Water

IMO/IMDG

: Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations : United States - TSCA 12(b) - Chemical export notification: None



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Revision Date 04/03/2018

Page 15 of 18 Print Date 04/04/2018

of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Listed 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich

Diisononyl phthalate

United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules:

Listed 4-Nonylphenol, branched

United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined

United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed 4-Nonylphenol, branched

United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed 2-Ethylhexanoic acid zinc salt Phenol

Vinyl chloride monomer

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

United States - Department of commerce - Precursor chemical:

Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)

Listed

Clean Air Act Section 602 Class I

Not listed

Substances

Not listed

Clean Air Act Section 602 Class II

Substances



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Page 16 of 18 Revision Date 04/03/2018 Print Date 04/04/2018

DEA List I Chemicals (Precursor: Not listed

Chemicals)

DEA List II Chemicals (Essential: Not listed

Chemicals)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification : Immediate (acute) health hazard

Composition/information on ingredients

| Name | % | Classification |
|-----------------------------------|---------|----------------|
| Proprietary Hazardous | 0.3 - 1 | F, AH, CH |
| Compounds | | |
| Carbon black | 0.3 - 1 | СН |
| | | |
| Bisphenol A - Epichlorohydrin | 0.3 - 1 | AH |
| polymer | | |
| 1,2-Benzenedicarboxylic acid, di- | 10 - 25 | AH |
| C8-10-branched alkyl esters, C9- | | |
| rich | | |

SARA 313

Not applicable.

State regulations

Massachusetts: None of the components are listed.New York: None of the components are listed.New Jersey: The following components are listed:
Ethene, chloro-, homopolymer

Carbon black

Pennsylvania : The following components are listed:

Carbon black

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b) : All components are listed or exempted.

Canada inventory : All components are listed or exempted.

International regulations



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Page 17 of 18 Revision Date 04/03/2018 Print Date 04/04/2018

Inventory list

Australia : Not determined.

Canada : All components are listed or exempted.

China Not determined. **Europe inventory** Not determined. Japan Not determined. **New Zealand** Not determined. **Philippines** Not determined. Republic of Korea Not determined. Not determined. **Taiwan Turkey** Not determined.

United States : All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

| / | 2 |
|---|---|
| | 0 |
| | 0 |
| | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

History

Date of printing: 04/04/2018Date of issue/Date of revision: 04/03/2018Date of previous issue: 11/10/2016

Version : 1.7

Key to abbreviations: ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

 $IBC = Intermediate\ Bulk\ Container$

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient



83701558C BLACK MATTE PLASTISOL

Version Number 1.7 Revision Date 04/03/2018 Page 18 of 18 Print Date 04/04/2018

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

References : Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.