### **MATERIAL SAFETY DATA SHEET** STAN-TONE UV PACKAGE

Version Number 1.1 Revision Date 03/21/2014

Page 1 of 6 Print Date 3/25/2014

### **1. PRODUCT AND COMPANY IDENTIFICATION**

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE UV PACKAGE
Product code	:	FO20025671
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### : Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Decanedioic acid, methyl 1,2,2,6,6- pentamethyl-4-piperidinyl ester	82919-37-7	1 - 5
Bis (1,2,2,6,6-pentamethyl-4-piperidinyl) sebacate	41556-26-7	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion Eyes Skin	<ul><li>May be harmful if swallowed.</li><li>May cause eye and skin irritation.</li><li>Experience shows no unusual dermatitis hazard from routine handling.</li></ul>

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE UV PACKAGE**

Version Number 1.1 Revision Date 03/21/2014 Page 2 of 6 Print Date 3/25/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>no data available</li> <li>no data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.
	7. HANDLING AND STORAGE

POLYONE CORPORATION

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE UV PACKAGE**

ion Number 1.1 sion Date 03/21/2014			Page Print Date 3/25
Handling		th appropriate exhaust ve product degradation.	entilation. Prolonged
Storage		and tightly closed to avoi Store in a cool dry place.	d moisture absorption
8. EX	POSURE CONTROLS/PEI	RSONAL PROTECTIO	)N
Respiratory protection		ng conditions a respirato	
Eye/Face Protection	: Safety glasses with s	ide-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothin	g	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		e with good industrial hy s before breaks and at the	
	: Heat only in areas with appropriate exhaust ventilation. Provide		
Engineering measures		th appropriate exhaust vertex vertex to the exhaust vertex of the	entilation. Provide
			entilation. Provide
			entilation. Provide
Exposure limit(s)		ventilation at machinery.	entilation. Provide
Exposure limit(s) 9	appropriate exhaust v	CAL PROPERTIES	
Form	appropriate exhaust v	Tentilation at machinery.	<ul> <li>Not established</li> <li>Not determined</li> </ul>
Exposure limit(s) 9	appropriate exhaust v • PHYSICAL AND CHEMI : liquid	CAL PROPERTIES	: Not established
Exposure limit(s) 9 Form Appearance Colour	appropriate exhaust v • PHYSICAL AND CHEMI : liquid : liquid, Viscous liquid dispersion : WHITE	CAL PROPERTIES Evapouration rate Specific Gravity Bulk density	<ul> <li>Not established</li> <li>Not determined</li> <li>Not applicable</li> </ul>
Exposure limit(s) 9 Form Appearance Colour Odour	appropriate exhaust v • PHYSICAL AND CHEMI : liquid : liquid, Viscous liquid dispersion : WHITE : very faint	CAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure	<ul> <li>Not established</li> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> </ul>
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range	<ul> <li>appropriate exhaust v</li> <li>PHYSICAL AND CHEMI</li> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>WHITE</li> <li>very faint</li> <li>not applicable</li> </ul>	CAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	<ul> <li>Not established</li> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air</li> </ul>
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust v <b>PHYSICAL AND CHEMI</b> : liquid : liquid, Viscous liquid dispersion : WHITE : very faint : not applicable : not applicable	CAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure	<ul> <li>Not established</li> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> </ul>
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range	<ul> <li>appropriate exhaust v</li> <li>PHYSICAL AND CHEMI</li> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>WHITE</li> <li>very faint</li> <li>not applicable</li> </ul>	CAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	<ul> <li>Not established</li> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air</li> </ul>
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust v <b>PHYSICAL AND CHEMI</b> : liquid : liquid, Viscous liquid dispersion : WHITE : very faint : not applicable : not applicable	CAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not established</li> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than ai</li> </ul>
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>appropriate exhaust v</li> <li>PHYSICAL AND CHEMI</li> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>WHITE</li> <li>very faint</li> <li>not applicable</li> <li>inot applicable</li> <li>immiscible</li> </ul>	CAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not established</li> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than ai</li> <li>Not determined</li> </ul>
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>appropriate exhaust v</li> <li>PHYSICAL AND CHEMI</li> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>WHITE</li> <li>very faint</li> <li>not applicable</li> <li>inot applicable</li> <li>immiscible</li> </ul>	CAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	<ul> <li>Not established</li> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than ai</li> <li>Not determined</li> </ul>
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>appropriate exhaust v</li> <li>PHYSICAL AND CHEMI</li> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>WHITE</li> <li>very faint</li> <li>not applicable</li> <li>not applicable</li> <li>immiscible</li> </ul> 10. STABILITY AND : The product is stable : Will not occur.	Image: Cal properties         Evapouration rate         Specific Gravity         Bulk density         Vapour pressure         Vapour density         pH         REACTIVITY         if stored and handled as         dizing agents and open fl	<ul> <li>Not established</li> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than ai</li> <li>Not determined</li> </ul>

# MATERIAL SAFETY DATA SHEET **STAN-TONE UV PACKAGE**

Version Number 1.1 Revision Date 03/21/2014 Page 4 of 6 Print Date 3/25/2014

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
82919-37-7	Decanedioic acid, methyl	Irritant	Skin.
	1,2,2,6,6-pentamethyl-4-		
	piperidinyl ester		
41556-26-7	Bis (1,2,2,6,6-	sensitizer	Skin.
	pentamethyl-4-piperidinyl)		
	sebacate		

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
41556-26-7	Bis (1,2,2,6,6- pentamethyl-4-piperidinyl) sebacate	Oral LD50	> 2,000 mg/kg	rat

### **12. ECOLOGICAL INFORMATION**

	1	3. DISPOSAL CONSIDERATIONS
Additional advice	:	no data available
<b>Bioaccumulation Potential</b>	:	no data available
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Persistence and degradability	:	Not readily biodegradable.

Product	:	Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE UV PACKAGE**

Version Number 1.1 Revision Date 03/21/2014 Page 5 of 6 Print Date 3/25/2014

	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)
not applicable	
California Proposition 65	n : Not applicable
SARA Title III Section 302 I	Extremely Hazardous Substance
Unless specific chemicals are	e identified under this section, this product is Not Applicable under this regulation
	Foxic Chemicals:
SARA Title III Section 313	
	e identified under this section, this product is Not Applicable under this regulation
	e identified under this section, this product is Not Applicable under this regulation
Unless specific chemicals are Canadian Regulations:	e identified under this section, this product is Not Applicable under this regulation lease Inventory (NPRI)
Unless specific chemicals are Canadian Regulations:	
Unless specific chemicals are Canadian Regulations: National Pollutant Rel	lease Inventory (NPRI)

PolyOne

## MATERIAL SAFETY DATA SHEET STAN-TONE UV PACKAGE

Version Number 1.1 Revision Date 03/21/2014 Page 6 of 6 Print Date 3/25/2014

Quantity use in Canada is restricted by regulations.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.