PolyOne

MATERIAL SAFETY DATA SHEET **RED**

Version Number 1.0 Revision Date 12/03/2010 Page 1 of 6 Print Date 1/17/2012

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152			
Telephone	:	1 (440) 930-1000 or 1 (866) POLYONE	
Emergency telephone	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	RED	
Product code	:	FO20026102	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

Components	CAS-No.	Weight percent
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET **RED**

Version Number 1.0 Revision Date 12/03/2010 Page 2 of 6 Print Date 1/17/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 no data available no data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	 Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged



MATERIAL SAFETY DATA SHEET **RED**

			Pr	Page 3 int Date 1/17/2
	h	eating may result in product d	egradation.	
Storage		Leep containers dry and tightly nd contamination. Store in a contamination.		ture absorption
8.]	EXPOSURE	CONTROLS/PERSONAL	PROTECTION	
Respiratory protection		Inder normal handling condition		not be required.
Eye/Face Protection		afety glasses with side-shields		1
Hand protection		rotective gloves		
Skin and body protection		ong sleeved clothing		
Additional Protective Measures		afety shoes		
General Hygiene Considerations		landle in accordance with goo ractice. Wash hands before b		
Engineering measures		leat only in areas with appropriate exhaust ventilation		on. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
TP: (10 mg/m3	Time Weighted Average		ACGIH
Titanium dioxide		(TWA):		
	15 mg/m3	(TWA): PEL:	Total dust.	
	15 mg/m3 10 mg/m3		Total dust. Total dust.	
	-	PEL: Time Weighted Average		OSHA Z1A
	10 mg/m3	PEL: Time Weighted Average (TWA): Time Weighted Average	Total dust.	OSHA Z1A MX OEL
	10 mg/m3 10 mg/m3 20 mg/m3	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit	Total dust. as Ti as Ti	OSHA Z1A MX OEL
	10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR(Total dust. as Ti as Ti DPERTIES	OSHA Z1A MX OEL MX OEL
Form	10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : liquin	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Total dust. as Ti as Ti DPERTIES ration rate : 1	OSHA Z1A MX OEL MX OEL
Form Appearance	10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : liqui : liqui dispe	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapo d Evapo d, Viscous liquid Specifiersion	Total dust. as Ti as Ti DPERTIES oration rate : ic Gravity :	OSHA Z14 MX OEL MX OEL
Form Appearance Colour	10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : liqui : liqui dispe : RED	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapo d, Viscous liquid Specifiersion Bulk of	Total dust. as Ti as Ti DPERTIES oration rate : Total dust. as Ti Description ic Gravity : lensity :	Not determined Not applicable
Form Appearance Colour Odour	10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : liquid dispe : RED : very	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapo d, Viscous liquid Specif ersion Bulk of faint Vapou	Total dust. as Ti as Ti OPERTIES ration rate : Ic Gravity : lensity : ur pressure :	OSHA Z1A MX OEL MX OEL Not established Not determined Not applicable Not determined
Form Appearance Colour Odour Melting point/range	10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : liquidispe : RED : very : not a	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapor d, Viscous liquid Specif ersion Bulk of faint Vapor pplicable Vapor	Total dust. as Ti as Ti OPERTIES oration rate : Tic Gravity : lensity : ur pressure : ur density :	OSHA Z1A MX OEL MX OEL Not established Not determined Not applicable Not determined Heavier than air.
Form Appearance Colour Odour	10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : liquidispe : RED : very : not a	PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapor d, Viscous liquid Specif ersion Bulk of faint Vapor pplicable Vapor pplicable pH	Total dust. as Ti as Ti OPERTIES oration rate : Tic Gravity : lensity : ur pressure : ur density :	OSHA Z1A MX OEL MX OEL Not established Not determined



MATERIAL SAFETY DATA SHEET **RED**

Version Number 1.0 Revision Date 12/03/2010		Page 4 of 6 Print Date 1/17/2012
Stability	:	Stable
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	:	no data available
Additional advice	:	no data available



MATERIAL SAFETY DATA SHEET **RED**

sion Date 12/03/2010	Print Date 1/17/
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)
not applicable	
California Propositio 65	n : Not applicable
SARA Title III Section 302	Extremely Hazardous Substance
Unless specific chemicals are	e identified under this section, this product is Not Applicable under this regul
SARA Title III Section 313	Toxic Chemicals:
	e identified under this section, this product is Not Applicable under this regul

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **RED**

sion Number 1.0 /ision Date 12/03/2010		Page 6 o Print Date 1/17/20
Canadian Regulations:		
National Pollutant Relea	se Iı	nventory (NPRI)
not applicable		
WHMIS Classification	:	D2A
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.