

MATERIAL SAFETY DATA SHEET

STAN-TONE IRIDESCENT LAVENDAR

Version Number 1.1 Page 1 of 6
Revision Date 03/23/2014 Print Date 3/31/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION

Telephone

Emergency telephone : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure

number or accident).

Product name : STAN-TONE IRIDESCENT LAVENDAR

Product code : FO20026498 Chemical Name : Mixture CAS-No. : Mixture

Product Use :

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Mica	12001-26-2	10 - 30
Anatase (TiO2)	1317-70-0	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

POTENTIAL HEALTH EFFECTS

Routes of Exposure: :

Acute exposure

Inhalation : Ingestion : Eyes : Skin :

Chronic exposure : Refer to Section 11 for Toxicological Information.

Medical Conditions

Aggravated by Exposure:

4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET

sion Number 1.1 rision Date 03/23/2014		Page 2 of 6 Print Date 3/31/2014
Inhalation	:	
Ingestion	:	
Eyes	:	
Skin	:	
	5. FIREFIGHTING MEASURES	
Flash point	:	
Flammable Limits	: : : :	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	:	
Environmental precautions	:	
Methods for cleaning up	:	
	7. HANDLING AND STORAGE	
Handling	:	
Storage	:	
	: DSURE CONTROLS/PERSONAL PROTECTION	
	: DSURE CONTROLS/PERSONAL PROTECTION :	
8. EXPO	: DSURE CONTROLS/PERSONAL PROTECTION : :	
8. EXPO	: DSURE CONTROLS/PERSONAL PROTECTION : : :	
8. EXPORTED Respiratory protection Eye/Face Protection	: DSURE CONTROLS/PERSONAL PROTECTION : :	
	Inhalation Ingestion Eyes Skin Flash point Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards Personal precautions Environmental precautions Methods for cleaning up	Inhalation : Ingestion : Eyes : : Skin : : Skin : : 5. FIREFIGHTING MEASURES Flash point : : Flammable Limits



MATERIAL SAFETY DATA SHEET

STAN-TONE IRIDESCENT LAVENDAR

Version Number 1.1 Page 3 of 6
Revision Date 03/23/2014 Print Date 3/31/2014

General Hygiene

Considerations

Engineering measures :

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Mica	3 mg/m3	Time Weighted Average Respirable fraction. (TWA):		ACGIH
	3 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	OSHA Z1A
	3 mg/m3	Time Weighted Average (TWA):		MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : Evapouration rate :

Appearance : Specific Gravity : Colour : PINK Bulk density :

Odour : PINK Bulk density :

Odour : Vapour pressure :

Melting point/range : Vapour density :

Boiling Point: : pH :

Water solubility :

10. STABILITY AND REACTIVITY

Stability :

Hazardous Polymerization :

Conditions to avoid :

Incompatible Materials :

Hazardous decomposition

products

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:



MATERIAL SAFETY DATA SHEET

STAN-TONE IRIDESCENT LAVENDAR

Version Number 1.1 Page 4 of 6
Revision Date 03/23/2014 Print Date 3/31/2014

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1317-70-0	Anatase (TiO2)	no	2B	no

IARC Carcinogen Classifications:

- 1 The component is carcinogenic to humans.
- 2A The component is probably carcinogenic to humans.
- 2B The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability :

Environmental Toxicity :

Bioaccumulation Potential :

Additional advice :

13. DISPOSAL CONSIDERATIONS

Product :

Contaminated packaging :

14. TRANSPORT INFORMATION

U.S. DOT Classification :

ICAO/IATA :

IMO/IMDG (maritime) :

15. REGULATORY INFORMATION

US Regulations:

OSHA Status : Classified as hazardous based on components.

TSCA Status : All components of this product are listed on or exempt from the



MATERIAL SAFETY DATA SHEET

STAN-TONE IRIDESCENT LAVENDAR

Version Number 1.1 Page 5 of 6
Revision Date 03/23/2014 Print Date 3/31/2014

TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition

: Not applicable

65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Branched-nonylphenol, ethoxylate	68412-54-4	1.00 - 5.00	186
		1.00 - 5.00	

WHMIS Classification : Not controlled.

DSL : DSL status has not been determined. Quantity use in Canada may be

restricted by regulations.

National Inventories:

Australia AICS : Not determined

China IECS : Not determined

Europe EINECS : Listed

Japan ENCS : Not determined

Korea KECI : Not determined

Philippines PICCS : Not determined



MATERIAL SAFETY DATA SHEET

STAN-TONE IRIDESCENT LAVENDAR

 Version Number 1.1
 Page 6 of 6

 Revision Date 03/23/2014
 Print Date 3/31/2014

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.