MATERIAL SAFETY DATA SHEET 000000410753

Version Number 1.1 Revision Date 03/23/2014

Page 1 of 6 Print Date 3/31/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	000000410753
Product code	:	FO20026750
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET 000000410753

Version Number 1.1 Revision Date 03/23/2014 Page 2 of 6 Print Date 3/31/2014

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 no data available no data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue.



MATERIAL SAFETY DATA SHEET 000000410753

sion Date 03/23/2014			Page 3 Print Date 3/31/
	Periodically clean he accumulation of the	bods, ducts, and other surf se materials.	aces to minimize
Storage		and tightly closed to avoid Store in a cool dry place.	d moisture absorption
8. EXI	POSURE CONTROLS/PE	RSONAL PROTECTIO	N
Respiratory protection	: No personal respirat	ory protective equipment	normally required.
Eye/Face Protection	: Safety glasses with s	side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothin	ıg	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		e with good industrial hyg Is before breaks and at the	
.		•.1 •. 1 .	d'hat's a Das 11.
Engineering measures		ith appropriate exhaust ve ventilation at machinery.	ntilation. Provide
Engineering measures Exposure limit(s)			ntilation. Provide
Engineering measures Exposure limit(s) There are no known hazardou	appropriate exhaust	ventilation at machinery.	
Exposure limit(s) There are no known hazardou	appropriate exhaust	ventilation at machinery. cory thresholds in this proc	
Exposure limit(s) There are no known hazardou	appropriate exhaust as components above regulat	ventilation at machinery. Fory thresholds in this proc	
Exposure limit(s) There are no known hazardou 9.	appropriate exhaust us components above regulat	ventilation at machinery. cory thresholds in this proc	luct.
Exposure limit(s) There are no known hazardou 9. Form	appropriate exhaust us components above regulat PHYSICAL AND CHEM : liquid	ventilation at machinery. Fory thresholds in this proc ICAL PROPERTIES Evapouration rate	luct. : Not established : Not determined
Exposure limit(s) There are no known hazardou 9. Form Appearance	appropriate exhaust us components above regulat PHYSICAL AND CHEM : liquid : viscous, liquid : NO PIGMENT	ventilation at machinery. Fory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density	luct.
Exposure limit(s) There are no known hazardou 9. Form Appearance Colour Odour	appropriate exhaust us components above regulat PHYSICAL AND CHEM : liquid : viscous, liquid	ventilation at machinery. Fory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure	luct. : Not established : Not determined : Not applicable
Exposure limit(s) There are no known hazardou 9. Form Appearance Colour Odour Melting point/range	appropriate exhaust as components above regulat PHYSICAL AND CHEM : liquid : viscous, liquid : NO PIGMENT : very faint : not applicable	ventilation at machinery. tory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	luct. : Not established : Not determined : Not applicable : Not determined : Not determined
Exposure limit(s) There are no known hazardou 9. Form Appearance Colour Odour	appropriate exhaust us components above regulat PHYSICAL AND CHEM : liquid : viscous, liquid : NO PIGMENT : very faint	ventilation at machinery. Fory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure	luct. : Not established : Not determined : Not applicable : Not determined
Exposure limit(s) There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust as components above regulat PHYSICAL AND CHEM : liquid : viscous, liquid : NO PIGMENT : very faint : not applicable : not applicable	ventilation at machinery. Fory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	luct. : Not established : Not determined : Not applicable : Not determined : Not determined
Exposure limit(s) There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust as components above regulat PHYSICAL AND CHEM : liquid : viscous, liquid : NO PIGMENT : very faint : not applicable : not applicable : immiscible 10. STABILITY AND	ventilation at machinery. Fory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	luct. : Not established : Not determined : Not applicable : Not determined : Not determined : Not applicable
Exposure limit(s) There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	appropriate exhaust as components above regulat PHYSICAL AND CHEM : liquid : viscous, liquid : NO PIGMENT : very faint : not applicable : not applicable : immiscible 10. STABILITY AND	ventilation at machinery. tory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	luct. : Not established : Not determined : Not applicable : Not determined : Not determined : Not applicable
Exposure limit(s) There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	appropriate exhaust as components above regulat PHYSICAL AND CHEM : liquid : viscous, liquid : vory faint : not applicable : not applicable : immiscible 10. STABILITY AND : The product is stable : Will not occur.	ventilation at machinery. tory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY e if stored and handled as p dizing agents and open fla	luct. : Not established : Not determined : Not applicable : Not determined : Not determined : Not applicable prescribed.

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET 000000410753

sion Number 1.1 ision Date 03/23/2014	Page 4 Print Date 3/31/2
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).
	11. TOXICOLOGICAL INFORMATION
There are no known hazardous	components above regulatory thresholds in this product.
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: no data available
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory

PolyOne.

MATERIAL SAFETY DATA SHEET 000000410753

Version Number 1.1 Revision Date 03/23/2014

Page 5 of 6 Print Date 3/31/2014

TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	
California Proposition 65	: WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Ex	tremely Hazardous Substance
Unless specific chemicals are i	dentified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	xic Chemicals:
Unless specific chemicals are i	dentified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Relea	ase Inventory (NPRI)
not applicable	
WHMIS Classification	: Not controlled.
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined
	16. OTHER INFORMATION

PolyOne

MATERIAL SAFETY DATA SHEET 000000410753

Version Number 1.1 Revision Date 03/23/2014

Page 6 of 6 Print Date 3/31/2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.