PolvOne

MATERIAL SAFETY DATA SHEET Geon™ DB4764 Orange Self Bond

Version Number 1.1 Revision Date 03/23/2014

Page 1 of 7 Print Date 3/31/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Geon™ DB4764 Orange Self Bond
Product code	:	FO20026981
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Bisphenol A - Epichlorohydrin polymer	25068-38-6	5 - 10
Trimethylopropane trimethacrylate	3290-92-4	5 - 10
Miscellaneous Barium Compounds	0-08-8	1 - 5
Diethylenetriamine	111-40-0	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET Geon™ DB4764 Orange Self Bond

Version Number 1.1 Revision Date 03/23/2014 Page 2 of 7 Print Date 3/31/2014

Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	es of
Ingestion	: Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice.	ıs
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. I irritation persists, seek medical attention.	f ey
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
	5. FIREFIGHTING MEASURES	
Flash point	: no data available	
Flammable Limits		
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Auto-ignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in posit pressure mode should be worn to prevent inhalation of airborne contaminants.	ive
Unusual Fire/Explosion Hazards	 May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) u fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke a all possible. 	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: The product should not be allowed to enter drains, water courses the soil. Should not be released into the environment.	or
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.	

PolyOne

MATERIAL SAFETY DATA SHEET Geon™ DB4764 Orange Self Bond

Version Number 1.1 Revision Date 03/23/2014 Page 3 of 7 Print Date 3/31/2014

Handling	fu Po	leat only in areas with approp time condensates may contain		Processing
C	ac	eriodically clean hoods, duct ccumulation of these materia		due.
Storage		eep containers dry and tightl nd contamination. Store in a		absorption
8. E	XPOSURE	CONTROLS/PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protec	tive equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side-shield	ls	
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		andle in accordance with go ractice. Wash hands before b		
Engineering measures		eat only in areas with approp ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
*	0.5 mg/m3	Time Weighted Average (TWA):	as Ba	ACGIH
	0.5 mg/m3	PEL:	as Ba	OSHA Z1
Diethylenetriamine	1 ppm	Time Weighted Average (TWA):	Vapor and aerosol.	ACGIH
	1 ppm 4.2 mg/m3	Time Weighted Average (TWA):		MX OEL
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES	
Form Appearance	: liquio : visco			established determined
Colour		· · ·	•	applicable
Odour	: very			determined
Melting point/range	•			determined

PolyOne

MATERIAL SAFETY DATA SHEET Geon™ DB4764 Orange Self Bond

Version Number 1.1 Revision Date 03/23/2014 Page 4 of 7 Print Date 3/31/2014

	10. STABILITY AND REACTIVITY
Stability	: The product is stable if stored and handled as prescribed.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
25068-38-6	Bisphenol A -	Irritant	Skin.
	Epichlorohydrin polymer		
		sensitizer	Skin.
3290-92-4	Trimethylopropane trimethacrylate	Irritant	Eyes, Skin.
0-08-8	Miscellaneous Barium Compounds	Irritant	Respiratory system, Eyes.
		Systemic effects	Respiratory system.
111-40-0	Diethylenetriamine	Irritant	Eyes, Skin, Respiratory
			system.
		Corrosive	Skin.
		sensitizer	Skin, Respiratory system.
		Systemic effects	Liver, Kidney.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
25068-38-6	Bisphenol A -	Oral LD50	11,400 mg/kg	rat
	Epichlorohydrin polymer	Dermal LD50	> 6,000 mg/kg	rabbit



MATERIAL SAFETY DATA SHEET Geon™ DB4764 Orange Self Bond

Version Number 1.1 Revision Date 03/23/2014 Page 5 of 7 Print Date 3/31/2014

111-40-0	Diethyl	enetriamine	Oral LD50Oral LD50 Dermal LD50	1,080 mg/kg1,080 mg/kg 1,090 mg/kg	ratrat rabbit
		12. ECOLOGI	CAL INFORMATI	ON	
Persistence and de	gradability	: Not readily	biodegradable.		
Environmental To:	xicity	: Environmen whole.	tal toxicity has not be	en established for	r this mixture as a
Bioaccumulation F	Potential	: no data avai	lable		
Additional advice		: no data avai	lable		
		13. DISPOSAI	L CONSIDERATIO	NS	
Product		generator of classification	ble recycling is prefe waste material has th n, transportation and ederal, state/provincia	e responsibility for disposal in accord	or proper waste lance with
Contaminated pacl	kaging	material has transportation	preferred when poss the responsibility for on and disposal in acc cial and local regulati	proper waste class ordance with app	ssification,
		14. TRANSPO	ORT INFORMATIC	DN	
U.S. DOT Classifi	cation	: Refer to spe	cific regulation.		
ICAO/IATA		: Refer to spe	cific regulation.		
IMO/IMDG (mari	time)	: Refer to spe	cific regulation.		
		15. REGULAT	ORY INFORMATI	ON	
US Regulations:					
OSHA Stat	tus	: Classified as	s hazardous based on	components.	
TSCA Stat	us	: All comport TSCA Invert	ents of this product a atory.	re listed on or exe	empt from the
US. EPA CERCLA	A Hazardous S	Substances (40 C	FR 302)		

MATERIAL SAFETY DATA SHEET Geon™ DB4764 Orange Self Bond

Version Number 1.1 Revision Date 03/23/2014 Page 6 of 7 Print Date 3/31/2014

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

	Chemical Name	CAS-No.	Weight percent
BARIUM COMPOUNDS 0-08-8 0.10 - 1.00	BARIUM COMPOUNDS	0-08-8	0.10 - 1.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight	NPRI ID#
Miscellaneous Zinc Compounds	0-05-5	0.10 - 1.00	241

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.
0-08-8
111-40-0

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined

:



MATERIAL SAFETY DATA SHEET Geon™ DB4764 Orange Self Bond

Version Number 1.1 Revision Date 03/23/2014 Page 7 of 7 Print Date 3/31/2014

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.