PolyOne

MATERIAL SAFETY DATA SHEET **RED**

Version Number 1.1 Revision Date 03/29/2014 Page 1 of 6 Print Date 4/6/2014

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152			
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	RED	
Product code	:	FO20027426	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

Components	CAS-No.	Weight percent
C.I. Pigment red 48, calcium salt	7023-61-2	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET **RED**

Version Number 1.1 Revision Date 03/29/2014 Page 2 of 6 Print Date 4/6/2014

Medical Conditions Aggravated by Exposure:	: None known.		
4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.		
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIREFIGHTING MEASURES		
Flash point	: no data available		
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 no data available no data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne 		
Unusual Fire/Explosion Hazards	 contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.		
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.		
	7. HANDLING AND STORAGE		
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.		



MATERIAL SAFETY DATA SHEET **RED**

			Page Print Date 4/6
Storage		and tightly closed to avoic Store in a cool dry place.	l moisture absorption
8. EXI	POSURE CONTROLS/PE	RSONAL PROTECTION	N
Respiratory protection	: Under normal handling	ng conditions a respirator	may not be required.
Eye/Face Protection	: Safety glasses with si	ide-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothin	g	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		e with good industrial hyg s before breaks and at the	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
-	PHYSICAL AND CHEMI	CAL PROPERTIES	
-	: liquid : liquid, Viscous liquid	CAL PROPERTIES Evapouration rate Specific Gravity	: Not established : Not determined
9. Form Appearance Colour	 liquid liquid, Viscous liquid dispersion RED 	Evapouration rate Specific Gravity Bulk density	Not determinedNot applicable
9. Form Appearance Colour Odour	 liquid liquid, Viscous liquid dispersion RED very faint 	Evapouration rate Specific Gravity Bulk density Vapour pressure	Not determinedNot applicableNot determined
9. Form Appearance Colour Odour Melting point/range	 liquid liquid, Viscous liquid dispersion RED very faint not applicable 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	 Not determined Not applicable Not determined Heavier than air
9. Form Appearance Colour Odour	 liquid liquid, Viscous liquid dispersion RED very faint 	Evapouration rate Specific Gravity Bulk density Vapour pressure	Not determinedNot applicableNot determined
9. Form Appearance Colour Odour Melting point/range Boiling Point:	 liquid liquid, Viscous liquid dispersion RED very faint not applicable not applicable 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not applicable Not determined Heavier than air
9. Form Appearance Colour Odour Melting point/range Boiling Point:	 liquid liquid, Viscous liquid dispersion RED very faint not applicable inot applicable immiscible 10. STABILITY AND 1	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not applicable Not determined Heavier than air Not determined
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 liquid liquid, Viscous liquid dispersion RED very faint not applicable inot applicable immiscible 10. STABILITY AND 1	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	 Not determined Not applicable Not determined Heavier than air Not determined
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 liquid liquid, Viscous liquid dispersion RED very faint not applicable inot applicable immiscible 10. STABILITY AND The product is stable Will not occur. 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY if stored and handled as p	 Not determined Not applicable Not determined Heavier than air Not determined
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 liquid liquid, Viscous liquid dispersion RED very faint not applicable inot applicable immiscible 10. STABILITY AND The product is stable Will not occur. Keep away from oxid decomposition, do not 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY if stored and handled as p	 Not determined Not applicable Not determined Heavier than air Not determined

MATERIAL SAFETY DATA SHEET RED

Version Number 1.1

Revision Date 03/29/2014

Page 4 of 6 Print Date 4/6/2014

PolyOne

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7023-61-2	C.I. Pigment red 48,	Irritant	Eyes, Skin, Respiratory
	calcium salt		system.
		Toxic	digestive system.

N	
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
	whole.
Bioaccumulation Potential	: no data available
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

4/6

PolyOne.

MATERIAL SAFETY DATA SHEET **RED**

Version Number 1.1 Revision Date 03/29/2014		Page 5 of 6 Print Date <i>4/6/2014</i>		
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous Substances (40 CFR 302)				
not applicable				
California Proposition 65	:	Not applicable		
SARA Title III Section 302 Extre	eme	ely Hazardous Substance		
Unless specific chemicals are ide	enti	fied under this section, this product is Not Applicable under this regulation		
SARA Title III Section 313 Toxic	c C	Chemicals:		
Unless specific chemicals are ide	enti	fied under this section, this product is Not Applicable under this regulation		
Canadian Regulations:				
National Pollutant Release	e Ir	nventory (NPRI)		
not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Listed		
Japan ENCS	:	Listed		
Korea KECI	:	Listed		
Philippines PICCS	:	Listed		

PolyOne

MATERIAL SAFETY DATA SHEET **RED**

Version Number 1.1 Revision Date 03/29/2014 Page 6 of 6 Print Date 4/6/2014

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.