PolyOne

### MATERIAL SAFETY DATA SHEET CRIMSON

Version Number 1.1 Revision Date 03/29/2014 Page 1 of 6 Print Date 4/6/2014

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152			
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	CRIMSON	
Product code	:	FO20027477	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

Components	CAS-No.	Weight percent
C.I. Pigment red 48, calcium salt	7023-61-2	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion	
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes	: May cause eye and skin irritation.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	

PolyOne.

## MATERIAL SAFETY DATA SHEET CRIMSON

Version Number 1.1 Revision Date 03/29/2014 Page 2 of 6 Print Date 4/6/2014

Medical Conditions Aggravated by Exposure:	: None known.			
	4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.			
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
	5. FIREFIGHTING MEASURES			
Flash point	: no data available			
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>no data available</li> <li>no data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>			
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.			
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.			
	7. HANDLING AND STORAGE			
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.			



# MATERIAL SAFETY DATA SHEET **CRIMSON**

Version Number 1.1				
<b>Revision Date</b>	03/29/2014			

		and tightly closed to avoid Store in a cool dry place.	d moisture absorption
8. EX	POSURE CONTROLS/PE	RSONAL PROTECTIO	N
Respiratory protection	: Under normal handl	ing conditions a respirator	may not be required.
Eye/Face Protection	: Safety glasses with s	side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothin	ıg	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		e with good industrial hyg ds before breaks and at the	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
- · · ·	. PHYSICAL AND CHEM	ICAL PROPERTIES	
			: Not established
- · · ·	: liquid : liquid, Viscous liquid	ICAL PROPERTIES Evapouration rate Specific Gravity	: Not established : Not determined
9 Form Appearance	<ul><li>liquid</li><li>liquid, Viscous liquid</li><li>dispersion</li></ul>	Evapouration rate Specific Gravity	: Not determined
9 Form Appearance Colour	<ul> <li>liquid</li> <li>liquid, Viscous liquid</li> <li>dispersion</li> <li>PURPLE</li> </ul>	Evapouration rate Specific Gravity Bulk density	<ul><li>Not determined</li><li>Not applicable</li></ul>
9 Form Appearance Colour Odour	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>PURPLE</li> <li>very faint</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure	<ul><li>Not determined</li><li>Not applicable</li><li>Not determined</li></ul>
9 Form Appearance Colour Odour Melting point/range	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>PURPLE</li> <li>very faint</li> <li>not applicable</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> </ul>
9 Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>PURPLE</li> <li>very faint</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure	<ul><li>Not determined</li><li>Not applicable</li><li>Not determined</li></ul>
9 Form Appearance Colour Odour	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>PURPLE</li> <li>very faint</li> <li>not applicable</li> <li>not applicable</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> </ul>
9 Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>PURPLE</li> <li>very faint</li> <li>not applicable</li> <li>not applicable</li> <li>immiscible</li> </ul> 10. STABILITY AND	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> <li>Not determined</li> </ul>
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>PURPLE</li> <li>very faint</li> <li>not applicable</li> <li>not applicable</li> <li>immiscible</li> </ul> 10. STABILITY AND	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> <li>Not determined</li> </ul>
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>PURPLE</li> <li>very faint</li> <li>not applicable</li> <li>inot applicable</li> <li>immiscible</li> </ul> <b>10. STABILITY AND</b> <ul> <li>The product is stable</li> <li>Will not occur.</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH <b>REACTIVITY</b> e if stored and handled as p dizing agents and open fla	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> <li>Not determined</li> </ul>
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Stability Hazardous Polymerization	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>PURPLE</li> <li>very faint</li> <li>not applicable</li> <li>inot applicable</li> <li>immiscible</li> </ul> <b>10. STABILITY AND</b> <ul> <li>The product is stable</li> <li>Will not occur.</li> <li>Keep away from oxi decomposition, do n</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH <b>REACTIVITY</b> e if stored and handled as p dizing agents and open fla	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Heavier than air.</li> <li>Not determined</li> </ul>

PolyOne.

### MATERIAL SAFETY DATA SHEET CRIMSON

### Version Number 1.1

Revision Date 03/29/2014

Page 4 of 6 Print Date 4/6/2014

products

(NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7023-61-2	C.I. Pigment red 48,	Irritant	Eyes, Skin, Respiratory
	calcium salt		system.
		Toxic	digestive system.

	12. ECOLOGICAL INFORMATION	
Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.	
Bioaccumulation Potential	: no data available	
Additional advice	: no data available	
	13. DISPOSAL CONSIDERATIONS	╉
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	14. TRANSPORT INFORMATION	╡
U.S. DOT Classification	: Refer to specific regulation.	
ICAO/IATA	: Refer to specific regulation.	
IMO/IMDG (maritime)	: Refer to specific regulation.	
	15. REGULATORY INFORMATION	1
		- 1

US Regulations:

PolyOne.

# MATERIAL SAFETY DATA SHEET **CRIMSON**

Version Number 1.1 Revision Date 03/29/2014	Page 5 of 6 Print Date 4/6/2014
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Sub	stances (40 CFR 302)
not applicable	
California Proposition : 65	Not applicable
SARA Title III Section 302 Extrem	ely Hazardous Substance
Unless specific chemicals are identi	ified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Toxic G	Chemicals:
Unless specific chemicals are identi-	ified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Release I	nventory (NPRI)
not applicable	
WHMIS Classification :	Not controlled.
DSL :	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
National Inventories:	
Australia AICS :	Not determined
China IECS :	Not determined
Europe EINECS :	Not determined
Japan ENCS :	Not determined
Korea KECI :	Not determined
Philippines PICCS :	Not determined

PolyOne

## MATERIAL SAFETY DATA SHEET CRIMSON

Version Number 1.1 Revision Date 03/29/2014 Page 6 of 6 Print Date 4/6/2014

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.