MATERIAL SAFETY DATA SHEET

Viscosity Reducer 376

Version Number 1.2 Revision Date 03/13/2014 Page 1 of 5 Print Date 3/27/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Viscosity Reducer 376
Product code	:	FO20027780
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This product has not been evaluated as a whole for health effects. Information provided on the health effects of this product is based on individual components. In addition, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: Contact with eyes may cause irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET Viscosity Reducer 376

Version Number 1.2 Revision Date 03/13/2014

Page 2 of 5 Print Date 3/27/2014

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 no data available no data available no data available Water spray can be used to cool fire exposed surfaces., Dry powder, Foam, Carbon dioxide (CO2).
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET Viscosity Reducer 376

Version Number 1.2 Revision Date 03/13/2014 Page 3 of 5 Print Date 3/27/2014

8. EX	POSURE CONTROLS/PER	SONAL PROTECTION
Respiratory protection	: Under normal handlin	ng conditions a respirator may not be required
Eye/Face Protection	: Safety glasses with si	de-shields
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved clothing	y 2
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations		with good industrial hygiene and safety s before breaks and at the end of workday.
Engineering measures		th appropriate exhaust ventilation. Provide entilation at machinery.
Exposure limit(s)		
	us components above regulate	
9 Form	PHYSICAL AND CHEMI : liquid	CAL PROPERTIES Evapouration rate : negligible
9 Form Appearance Colour	 PHYSICAL AND CHEMI iiquid viscous, liquid NOT APPLICABLE 	CAL PROPERTIES Evapouration rate : negligible Specific Gravity : Not determine Bulk density : Not applicable
	 PHYSICAL AND CHEMI iquid viscous, liquid 	CAL PROPERTIES Evapouration rate : negligible Specific Gravity : Not determine
9 Form Appearance Colour Odour Melting point/range Boiling Point:	 PHYSICAL AND CHEMI iliquid viscous, liquid NOT APPLICABLE very faint not applicable no data available no data available 	CAL PROPERTIES Evapouration rate : negligible Specific Gravity : Not determine Bulk density : Not applicable Vapour pressure : <2 mm Hg @
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEMI iliquid viscous, liquid NOT APPLICABLE very faint not applicable no data available no data available 10. STABILITY AND I 	CAL PROPERTIES Evapouration rate : negligible Specific Gravity : Not determine Bulk density : Not applicable Vapour pressure : <2 mm Hg @
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 PHYSICAL AND CHEMI iliquid viscous, liquid NOT APPLICABLE very faint not applicable no data available no data available 10. STABILITY AND I 	CAL PROPERTIES Evapouration rate : negligible Specific Gravity : Not determine Bulk density : Not applicable Vapour pressure : <2 mm Hg @
9 Form Appearance Colour Odour Melting point/range Boiling Point:	 PHYSICAL AND CHEMI liquid viscous, liquid NOT APPLICABLE very faint not applicable no data available no data available Ino. STABILITY AND I The product is stable Will not occur. 	CAL PROPERTIES Evapouration rate : negligible Specific Gravity : Not determine Bulk density : Not applicable Vapour pressure : <2 mm Hg @
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 PHYSICAL AND CHEMI ilquid viscous, liquid NOT APPLICABLE very faint not applicable no data available no data available 10. STABILITY AND I The product is stable Will not occur. Keep away from oxid 	T CAL PROPERTIES Evapouration rate : negligible Specific Gravity : Not determine Bulk density : Not applicable Vapour pressure : <2 mm Hg @

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET Viscosity Reducer 376

Version Number 1.2 Revision Date 03/13/2014 Page 4 of 5 Print Date 3/27/2014

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: Does not bioaccumulate.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

PolvOne

MATERIAL SAFETY DATA SHEET Viscosity Reducer 376

Version Number 1.2 Revision Date 03/13/2014

Page 5 of 5 Print Date 3/27/2014

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed

Europe EINECS	: Listed
Japan ENCS	: Listed
Korea KECI	: Listed
Philippines PICCS	: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.