PolyOne

MATERIAL SAFETY DATA SHEET #42 RED

Version Number 1.1 Revision Date 03/29/2014 Page 1 of 6 Print Date <u>4/7/2014</u>

1.	PROD	UCT AND COMPANY IDENTIFICATION
POLYONE CORPORATE 8155 Cobb Center Drive,		waw, GA 30152
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	#42 RED
Product code	:	FO20028035
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	•	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Sodium dodecylbenzenesulfonate	25155-30-0	1 - 5
Iron oxide	1309-37-1	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET #42 RED

Version Number 1.1 Revision Date 03/29/2014 Page 2 of 6 Print Date 4/7/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 no data available no data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



MATERIAL SAFETY DATA SHEET #42 RED

Version Numb	er 1.1
Revision Date	03/29/2014

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	: Under no	ormal handling conditions a respirator may not be required.
Eye/Face Protection	: Safety gl	asses with side-shields
Hand protection	: Protectiv	e gloves
Skin and body protection	: Long sle	eved clothing
Additional Protective Measures	: Safety sh	ioes
General Hygiene Considerations		n accordance with good industrial hygiene and safety Wash hands before breaks and at the end of workday.
Engineering measures	•	y in areas with appropriate exhaust ventilation. Provide ate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	10 mg/m3	PEL:	Fume.	OSHA Z1
	5 mg/m3	Time Weighted Average	as Fe	MX OEL
		(TWA):		
	10 mg/m3	Short Term Exposure Limit	as Fe	MX OEL
		(STEL):		
	5 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH
		(TWA):	-	

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 liquid liquid, Viscous liquid dispersion RED very faint not applicable not applicable immiscible 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not established Not determined Not applicable Not determined Heavier than air. Not determined
Stability	10. STABILITY AND I : The product is stable	REACTIVITY if stored and handled as	prescribed.

MATERIAL SAFETY DATA SHEET #42 RED

Version Number 1.1 Page 4 of 6 Print Date 4/7/2014 Revision Date 03/29/2014 Hazardous Polymerization Will not occur. · Conditions to avoid Keep away from oxidizing agents and open flame. To avoid thermal : decomposition, do not overheat. Incompatible Materials Incompatible with strong acids and oxidizing agents. : Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen products (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
25155-30-0	Sodium	Irritant	Eyes, Skin.
	dodecylbenzenesulfonate		
		Toxic	Refer to LC50 / LD50 Data on
			MSDS
1309-37-1	Iron oxide	Systemic effects	Respiratory system.

LC50 / LD50

Product

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No. Chemical Name Route Value Species
5-30-0 Sodium Oral LD50 438 mg/kg rat dodecylbenzenesulfonate

	1	3. DISPOSAL CONSIDERATIONS	
Additional advice	:	no data available	
Bioaccumulation Potential	:	no data available	
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.	
Persistence and degradability	:	Not readily biodegradable.	

Where possible recycling is preferred to disposal or incineration. The : generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **#42 RED**

sion Number 1.1 /ision Date 03/29/2014	Page 5 of Print Date 4/7/201
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	us Substances (40 CFR 302)
not applicable	
California Propositior 65	a : Not applicable
65	n : Not applicable
65 SARA Title III Section 302 E	
65 SARA Title III Section 302 E	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation Yoxic Chemicals:
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation Yoxic Chemicals:
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations:	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation Yoxic Chemicals:
65 SARA Title III Section 302 E Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations:	Extremely Hazardous Substance identified under this section, this product is Not Applicable under this regulation 'oxic Chemicals: identified under this section, this product is Not Applicable under this regulation

PolyOne

MATERIAL SAFETY DATA SHEET #42 RED

Version Number 1.1 Revision Date 03/29/2014 Page 6 of 6 Print Date 4/7/2014

WHMIS Ingredient Disclosure List

CAS-No.	
1309-37-1	
25155-30-0	

:

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.