### TEC ALMOND # 984

Version Number 1.3 Revision Date 04/11/2017

Ine

Page 1 of 16 Print Date 04/12/2017

# SAFETY DATA SHEET

#### TEC ALMOND # 984

Section 1. Identification	n	
GHS product identifier Chemical name CAS number Other means of identification Product type	::	TEC ALMOND # 984 Mixture Mixture FO20028179 liquid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	<b>POLYONE CORPORATION</b> 1675 Navarre Road SW, Massillon, Ohio USA 44646
		1 330 837 8679
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. Some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
	:	SERIOUS EYE DAMAGE/ EYE IRRITATION - Categor

**GHS label elements** 

## TEC ALMOND # 984

Version Number 1.3 Revision Date 04/11/2017 PolyOne

Page 2 of 16 Print Date 04/12/2017

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	Causes serious eye irritation.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Wear eye or face protection. Wash hands thoroughly after handling.
Response	:	IF IN EYES: Rinse cautiously with water for several minutes.
		Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

## Section 3. Composition/information on ingredients

Substance/mixture:MixtureChemical name:MixtureOther means of identification:FO20028179

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	25 - 50	13463-67-7
Poly(dimethylsiloxane)	25 - 50	63148-62-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### **TEC ALMOND # 984**

Version Number 1.3 Revision Date 04/11/2017



Page 3 of 16 Print Date 04/12/2017

## Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects Eye contact Causes serious eye irritation. : Inhalation No known significant effects or critical hazards. : Skin contact No known significant effects or critical hazards. : Ingestion No known significant effects or critical hazards. : **Over-exposure signs/symptoms** Eye contact Adverse symptoms may include the following: : pain or irritation watering 3/16



### **TEC ALMOND # 984**

Version Number 1.3 Revision Date 04/11/2017 Page 4 of 16 Print Date 04/12/2017

		redness
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Specific treatments	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Firefighting measures

#### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without
		suitable training. Evacuate surrounding areas. Keep unnecessary and
		unprotected personnel from entering. Do not touch or walk through
		4/16



## TEC ALMOND # 984

Version Number 1.3 Revision Date 04/11/2017	Page 5 of 16 Print Date 04/12/2017
For emergency responders	<ul> <li>spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.</li> <li>If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</li> </ul>
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containmen	t and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	<ul> <li>Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.</li> </ul>

# Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.



### TEC ALMOND # 984

Version Number 1.3 Revision Date 04/11/2017 Page 6 of 16 Print Date 04/12/2017

Conditions for safe storage, including any incompatibilities Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

:

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name		Exposure limits
Poly(dimethylsiloxane)		
Titanium dioxide		OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust NIOSH REL (1994-06-01) ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to
		6/16

## TEC ALMOND # 984



Version Number 1.3 Revision Date 04/11/2017	Page 7 of 16 Print Date 04/12/2017
Eye/face protection	<ul> <li>remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.</li> <li>Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.</li> </ul>
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## Section 9. Physical and chemical properties

#### **Appearance**

Physical state	:	liquid [Paste.]
Color	:	TAN
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.

## **TEC ALMOND # 984**

Version Number 1.3 Revision Date 04/11/2017

## Page 8 of 16 Print Date 04/12/2017

PolyOne

Burning time	:	Not available.
6		
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
<b>Decomposition temperature</b>	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium dioxide				



## TEC ALMOND # 984

Version Number 1.3 Revision Date 04/11/2017

### Page 9 of 16 Print Date 04/12/2017

	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Poly(dimethylsiloxane)				
	LD50 Oral	Rat	17,000 mg/kg	-
	LD50 Oral	Rat	24,000 mg/kg	-
Conclusion/Commons	Minte	ma Not fully tested		

Conclusion/Summary

: Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
~	irritant				
Conclusion/Summary	-				
Skin		Mixture.Not fu			
Eyes		Mixture.Not fu			
Respiratory	: 1	Mixture.Not fu	illy tested.		
<b>Sensitization</b>					
<b>Conclusion/Summary</b>					
Skin		Mixture.Not fu			
Respiratory	: 1	Mixture.Not fu	illy tested.		
<b>Mutagenicity</b>					
Conclusion/Summary	: 1	Mixture.Not fu	ally tested.		
Carcinogenicity					
Conclusion/Summary	: 1	Mixture.Not fu	ally tested.		
<u>Reproductive toxicity</u>					
Conclusion/Summary	: 1	Mixture.Not fu	ally tested.		
<u>Teratogenicity</u>					
Conclusion/Summary	: 1	Mixture.Not fu	ally tested.		
Specific target organ toxicit Not available.	ty (single expos	<u>ure)</u>			

## **TEC ALMOND # 984**

Version Number 1.3 Revision Date 04/11/2017

# <u>PolyOne</u>

Page 10 of 16 Print Date 04/12/2017

Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	::	Causes serious eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physical,	chemi	cal and toxicological characteristics
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effects as v	well as	chronic effects from short and long-term exposure
<u>Delayed and immediate effects as v</u> <u>Short term exposure</u>	well as	chronic effects from short and long-term exposure
	well as : :	chronic effects from short and long-term exposure Not available. Not available.
<u>Short term exposure</u> Potential immediate effects		Not available.
<u>Short term exposure</u> Potential immediate effects Potential delayed effects		Not available.
<u>Short term exposure</u> Potential immediate effects Potential delayed effects <u>Long term exposure</u>	::	Not available. Not available.
<u>Short term exposure</u> Potential immediate effects Potential delayed effects <u>Long term exposure</u> Potential immediate effects	: :	Not available. Not available. Not available.
<u>Short term exposure</u> Potential immediate effects Potential delayed effects <u>Long term exposure</u> Potential immediate effects Potential delayed effects	: :	Not available. Not available. Not available.
Short term exposurePotential immediate effectsPotential delayed effectsLong term exposurePotential immediate effectsPotential delayed effectsPotential delayed effects	::	Not available. Not available. Not available. Not available.
Short term exposurePotential immediate effectsPotential delayed effectsLong term exposurePotential immediate effectsPotential delayed effectsPotential delayed effectsPotential chronic health effectsConclusion/SummaryGeneral Carcinogenicity	:::::::::::::::::::::::::::::::::::::::	Not available. Not available. Not available. Not available. Mixture.Not fully tested. No known significant effects or critical hazards. No known significant effects or critical hazards.
Short term exposurePotential immediate effectsPotential delayed effectsLong term exposurePotential immediate effectsPotential delayed effectsPotential delayed effectsPotential chronic health effectsConclusion/SummaryGeneral Carcinogenicity Mutagenicity	:::::::::::::::::::::::::::::::::::::::	Not available. Not available. Not available. Not available. Mixture.Not fully tested. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Short term exposurePotential immediate effectsPotential delayed effectsLong term exposurePotential immediate effectsPotential delayed effectsPotential delayed effectsPotential chronic health effectsConclusion/SummaryGeneral Carcinogenicity Mutagenicity Teratogenicity	:::::::::::::::::::::::::::::::::::::::	Not available. Not available. Not available. Not available. Mixture.Not fully tested. Mo known significant effects or critical hazards. No known significant effects or critical hazards.
Short term exposurePotential immediate effectsPotential delayed effectsLong term exposurePotential immediate effectsPotential delayed effectsPotential delayed effectsPotential chronic health effectsConclusion/SummaryGeneral Carcinogenicity Mutagenicity	:::::::::::::::::::::::::::::::::::::::	Not available. Not available. Not available. Not available. Mixture.Not fully tested. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.



## **TEC ALMOND # 984**

Version Number 1.3 Revision Date 04/11/2017 Page 11 of 16 Print Date 04/12/2017

#### Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	199,992 mg/kg

## Section 12. Ecological information

**Toxicity** 

Product/ingredient name	Result	Species	Exposure
Titanium dioxide			
	Acute LC50 > 1,000,000 µg/l Marine water	Fish - Fish	96 h
	Acute LC50 > 1,000 mg/l Fresh water	Fish - Fish	96 h
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 3 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 11 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute EC50 35.306 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
Poly(dimethylsiloxane)			
•	Acute LC50 37.790 mg/l Fresh water	Fish - Redear sunfish	96 h
	Acute LC50 44.5 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h

## TEC ALMOND # 984

Version Number 1.3 Revision Date 04/11/2017 Page 12 of 16 Print Date 04/12/2017

**Conclusion/Summary** : Not available.

Persistence and degradability

Conclusion/Summary

Not available.

•

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		-	low

#### Mobility in soil

Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## **Section 14. Transport information**

U.S.DOT 49CFR Ground/Air/Water

: Not regulated for transportation.



## **TEC ALMOND # 984**

Version Number 1.3 Revision Date 04/11/2017 Page 13 of 16 Print Date 04/12/2017

International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

## Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None
0.5. Federal regulations	of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - Thial Test Rates. Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not
	listed
	United States - TSCA 5(a)2 - Proposed significant new use rules:
	Not listed
	<b>United States - TSCA 5(e) - Substances consent order:</b> Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
	determined
	United States - TSCA 8(a) - Preliminary assessment report
	(PAIR): Listed Poly(dimethylsiloxane)
	United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority
	pollutants: Listed Titanium dioxide
	United States - EPA Clean water act (CWA) section 311 -
	Hazardous substances: Not listed
	United States - EPA Clean air act (CAA) section 112 - Accidental
	release prevention - Flammable substances: Not listed
	United States - EPA Clean air act (CAA) section 112 - Accidental
	release prevention - Toxic substances: Not listed
	United States - Department of commerce - Precursor chemical:
	Not listed
	40/40

## TEC ALMOND # 984

Version Number 1.3 Revision Date 04/11/2017

ŀ	bb	vO	ne
_	-		

Page 14 of 16 Print Date 04/12/2017

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
<b>DEA List I Chemicals (Precursor</b>	:	Not listed
Chemicals)		
<b>DEA List II Chemicals (Essential</b>	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

#### SARA 311/312

Classification

Immediate (acute) health hazard

#### **Composition/information on ingredients**

Name	%	Classification
Titanium dioxide	25 - 50	СН

#### SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Titanium dioxide	13463-67-7	25 - 50
Supplier notification	Titanium dioxide	13463-67-7	25 - 50

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed:
		Iron oxide
		Silica, amorphous
		Titanium dioxide
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
-		Titanium dioxide
		Iron oxide

## **TEC ALMOND # 984**

Version Number 1.3 Revision Date 04/11/2017 <u>PolyOne</u>

Page 15 of 16 Print Date 04/12/2017

Pennsylvania	:	The following components are listed: Titanium dioxide Silica, amorphous Aluminum hydroxide Iron oxide		
California Prop. 65 WARNING: This product contains a chemical known to the State of California to cause cancer.				
United States inventory (TSCA 8b)	:	All components are listed or exempted.		
Canada inventory	:	All components are listed or exempted.		
International regulations				
<u>Inventory list</u>				
Australia	:	All components are listed or exempted.		
Canada	:	All components are listed or exempted.		
China	:	All components are listed or exempted.		
Europe inventory	:	All components are listed or exempted.		
Japan	:	Not determined.		
New Zealand	:	All components are listed or exempted.		
Philippines	:	All components are listed or exempted.		
Republic of Korea	:	All components are listed or exempted.		
Taiwan	:			
Turkey	:			
United States	:	All components are listed or exempted.		

# Section 16. Other information

History Date of printing Date of issue/Date of revision Date of previous issue Version Key to abbreviations	: : : : : :	04/12/2017 04/11/2017 05/01/2015 1.3 ATE = Acute Toxicity Estimate	
		BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container	

15/16



## TEC ALMOND # 984

Version Number 1.3 Revision Date 04/11/2017

### Page 16 of 16 Print Date 04/12/2017

IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.