## MATERIAL SAFETY DATA SHEET DISCHARGE BASE (SOLVENT-FREE)

Version Number 1.1 Revision Date 03/13/2014 Page 1 of 6 Print Date 3/28/2014

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152				
Telephone E <b>mergency telephone</b> number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	DISCHARGE BASE (SOLVENT-FREE)		
Product code	:	FO20028251		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

## Components CAS-No. Weight percent

Components	CAS-No.	Weight percent
1,2,3-Propanetriol	56-81-5	1 - 5
<u> </u>		-

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This product has not been evaluated as a whole for health effects. Information provided on the health effects of this product is based on individual components. In addition, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Skin contact, Inhalation, Ingestion	
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes	: May cause eye and skin irritation.	
Skin	:	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET DISCHARGE BASE (SOLVENT-FREE)

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 6 Print Date 3/28/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of vapors or fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Never give anything by mouth to an unconscious person. Seek medical attention if necessary. Do not induce vomiting without medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>no data available</li> <li>no data available</li> <li>no data available</li> <li>Carbon dioxide (CO2), Water, Foam, Dry chemical.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or wate courses.
Unusual Fire/Explosion Hazards	: Burning dry latex produces dense black smoke with the possibility of toxic vapors. Residual latex material contained in empty drums may decompose when burned producing toxic or irritating fumes. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Ensure response personnel are properly protected (see section 8 for respiratory or other protection guidelines.) Use caution as floors may be slippery.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid



## MATERIAL SAFETY DATA SHEET DISCHARGE BASE (SOLVENT-FREE)

Version Number 1.1 Revision Date 03/13/2014 Page 3 of 6 Print Date 3/28/2014

		7. HANDLING AND STORAGE
Handling	:	Use only in area provided with appropriate exhaust ventilation. Prolonged heating may result in product degradation. Material may settle during storage. Careful mixing without introduction of air may be necessary before use.
Storage	:	Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool place. Keep from freezing and temperature extremes.
8. EX	POSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	A respirator is normally not required for routine handling of product in areas of good general ventilation and adequate local exhaust at processing equipment during routine operation. Airborne contaminant levels should be maintained below the occupational exposure guidelines.
Eye/Face Protection	:	Safety glasses with side-shields Wear goggles or face shield during operations that present a splash potential.
Hand protection	:	Impervious gloves such as rubber or PVC
Skin and body protection	:	Long sleeved shirts and long pants are adequate for normal handling. Where operations present a splash or spill potential, employees should wear chemically resistant clothing, boots, apron, gloves, and eye/face protection.
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practices.
Engineering measures	:	Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.
Exposure limit(s)		

PolyOne

# MATERIAL SAFETY DATA SHEET DISCHARGE BASE (SOLVENT-FREE)

#### Version Number 1.1 Revision Date 03/13/2014

#### Page 4 of 6 Print Date 3/28/2014

Components	Value	Exposure time	Exposure type	List:
1,2,3-Propanetriol	10 mg/m3	Time Weighted Average	Mist.	ACGIH
		(TWA):		
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	5 mg/m3	Time Weighted Average	Respirable fraction.	OSHA Z1A
		(TWA):		
	10 mg/m3	Time Weighted Average	Total dust.	OSHA Z1A
		(TWA):		
	10 mg/m3	Time Weighted Average	Mist.	MX OEL
		(TWA):		

Form	: liquid	Evapouration rate	:	Slower than Buty Acetate
Appearance	: liquid	Specific Gravity	:	Not determined
Colour	: NO PIGMENT	Bulk density	:	Not applicable
Odour	: slight	Vapour pressure	:	Not established
Melting point/range	: not applicable	Vapour density	:	Heavier than air.
Boiling Point:	: Not established	pН	:	Not determined
Water solubility	: completely miscible			

Stability	:	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Extremes of temperature and direct sunlight. Keep from freezing.
Incompatible Materials	:	Acids, metal salts, and solvents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
56-81-5	1,2,3-Propanetriol	Irritant	Eyes.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:



## MATERIAL SAFETY DATA SHEET DISCHARGE BASE (SOLVENT-FREE)

Version Number 1.1 Revision Date 03/13/2014 Page 5 of 6 Print Date 3/28/2014

CAS-No.	Chemical N		Value	Species
56-81-5	1,2,3-Propanetrio		> 570 mg/m3	rat
		Oral LD50	,	mouse
		Dermal LI	D50 > 10 gm/kg	rabbit
	12. ECC	LOGICAL INFORM	ATION	
~				
Persistence and degra	dability : no da	ta available		
Environmental Toxici	ty : no da	ta available		
Bioaccumulation Pote	ential : no da	ta available		
Additional advice	: no da	ta available		
	13. DIS	POSAL CONSIDERA	TIONS	
Product	gener	e possible recycling is p ator of waste material h fication, transportation cable federal, state/prov	as the responsibility f and disposal in accord	or proper waste lance with
Contaminated packag	mater trans	cling is preferred when rial has the responsibilit portation and disposal in provincial and local reg	y for proper waste cla accordance with app	ssification,
	14. TR	ANSPORT INFORMA	ATION	
U.S. DOT Classificat	on : Refer	to specific regulation.		
ICAO/IATA	: Refer	to specific regulation.		
IMO/IMDG (maritim	e) : Refer	Refer to specific regulation.		
	15. REG	ULATORY INFORM	IATION	
US Regulations:				
OSHA Status	: Class	ified as hazardous base	d on components.	
TSCA Status		All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA H	azardous Substances	s (40 CFR 302)		
not applie	cable			

PolvOne

## MATERIAL SAFETY DATA SHEET DISCHARGE BASE (SOLVENT-FREE)

Version Number 1.1 Revision Date 03/13/2014 Page 6 of 6 Print Date 3/28/2014

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined

Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.