MATERIAL SAFETY DATA SHEET Geon™ FB478C MD GRAY FOAM

Version Number 1.2 Revision Date 02/28/2014 Page 1 of 6 Print Date <u>3/3/2014</u>

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

| Telephone Emergency telephone number | : | 1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--|---|--|
| Product name | : | Geon TM FB478C MD GRAY FOAM |
| Product code | : | FO20028731 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Components | CAS-No. | Weight percent |
|-------------------|-----------|----------------|
| Azodicarbonamide | 123-77-3 | 1 - 5 |
| Calcium carbonate | 1317-65-3 | 10 - 30 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Skin contact, Ingestion |
|----------------------------|--|
| Acute exposure | |
| Inhalation | : Inhalation of airborne droplets may cause irritation of the respiratory tract. |
| Ingestion | : May be harmful if swallowed. |
| Eyes | : May cause eye and skin irritation. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |

PolyOne.

MATERIAL SAFETY DATA SHEET Geon™ FB478C MD GRAY FOAM

Version Number 1.2 Revision Date 02/28/2014 Page 2 of 6 Print Date 3/3/2014

| Aggravated by Exposure: | |
|---|--|
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | 5. FIREFIGHTING MEASURES |
| Flash point | : no data available |
| Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media | no data available no data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. |
| Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment. |
| Methods for cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. |
| | 7. HANDLING AND STORAGE |

PolyOne.

MATERIAL SAFETY DATA SHEET Geon™ FB478C MD GRAY FOAM

| ion Number 1.2 sion Date 02/28/2014 | | | | | Prin | Page 3 t Date 3/3/2 |
|---|----------|---|--------------------------------|---------------------------------------|-----------|------------------------|
| Handling | ft P | leat only in areas ume condensates eriodically clean ccumulation of th | may contain c hoods, ducts, | combustible or to and other surfac | oxic resi | due. |
| Storage | | Keep containers du | | | moisture | e absorption |
| 8.1 | EXPOSURE | CONTROLS/P | ERSONAL F | PROTECTION | | |
| Respiratory protection | : N | lo personal respir | atory protectiv | ve equipment no | rmally 1 | required. |
| Eye/Face Protection | : S | afety glasses with | n side-shields | | | |
| Hand protection | : P | rotective gloves | | | | |
| Skin and body protection | : L | ong sleeved cloth | ning | | | |
| Additional Protective Measures | : S | afety shoes | | | | |
| General Hygiene:Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. | | | | | | |
| Engineering measures Exposure limit(s) | | leat only in areas ppropriate exhaus | | | ilation. | Provide |
| Components | Value | Exposure | e time | Exposure ty | vne | List: |
| Calcium carbonate | 5 mg/m3 | PEL | | Respirable fra | - | OSHA Z1 |
| | 15 mg/m3 | PEL | | Total dus | | OSHA Z1 |
| | 10 mg/m3 | Time Weighte (TWA | | | | MX OEL |
| | 20 mg/m3 | Short Term Exp (STEI | | | | MX OEL |
| | 9. PHYSI | CAL AND CHE | MICAL PRO | PERTIES | | |
| Form | : liqui | d | Evener | ration rate | • Not | established |
| Appearance | | u ous, liquid | | c Gravity | | determined |
| Colour | : GRE | - | Bulk de | | | applicable |
| Odour | : very | | | r pressure | | determined |
| Melting point/range | | pplicable | | r density | | determined |
| Boiling Point: | | pplicable | pH | - | | applicable |
| Water solubility | : imm | iscible | | | | |
| | | | | | | |
| | 10. 5 | STABILITY AN | D REACTIV | ITY | | |

MATERIAL SAFETY DATA SHEET Geon™ FB478C MD GRAY FOAM

Version Number 1.2 Revision Date 02/28/2014 Page 4 of 6 Print Date 3/3/2014

| Stability | : | The product is stable if stored and handled as prescribed. |
|----------------------------------|---|---|
| Hazardous Polymerization | : | Will not occur. |
| Conditions to avoid | : | Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. |
| Incompatible Materials | : | Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing. |
| Hazardous decomposition products | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F). |

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|-----------|-------------------|------------------|-------------------------|
| 123-77-3 | Azodicarbonamide | sensitizer | Respiratory system. |
| 1317-65-3 | Calcium carbonate | Irritant | Eyes, Skin. |
| | | Systemic effects | Eyes, Skin, Respiratory |
| | | | system. |

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No. | Chemical Name | Route | Value | Species |
|----------|------------------|-------------|---------------|---------|
| 123-77-3 | Azodicarbonamide | LC50 | 200 mg/l | rat |
| | | Oral LD50 | > 6,400 mg/kg | rat |
| | | Dermal LD50 | > 2,000 mg/kg | rabbit |
| | | Dermal LD50 | 2,000 mg/kg | rabbit |

Additional Health Hazard Information:

Azodicarbonamide 123-77-3 Sensitizer to the respiratory system with repeated minimal inhalation. While no chronic health problems have been identified, individuals with respiratory problems should avoid inhalation exposure to this material.

12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.

Environmental Toxicity

: Environmental toxicity has not been established for this mixture as a

PolyOne.

MATERIAL SAFETY DATA SHEET Geon™ FB478C MD GRAY FOAM

Version Number 1.2 Revision Date 02/28/2014 Page 5 of 6 Print Date 3/3/2014

| | whole. |
|----------------------------------|---|
| Bioaccumulation Potential | : no data available |
| Additional advice | : no data available |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| U.S. DOT Classification | : Refer to specific regulation. |
| ICAO/IATA | : Refer to specific regulation. |
| IMO/IMDG (maritime) | : Refer to specific regulation. |
| | 15. REGULATORY INFORMATION |
| US Regulations: | |
| OSHA Status | : Classified as hazardous based on components. |
| TSCA Status | : All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardou | s Substances (40 CFR 302) |
| not applicable | |
| California Proposition 65 | : Not applicable |
| SARA Title III Section 302 E | xtremely Hazardous Substance |
| | |

MATERIAL SAFETY DATA SHEET Geon™ FB478C MD GRAY FOAM

Version Number 1.2 Revision Date 02/28/2014 Page 6 of 6 Print Date 3/3/2014

SARA Title III Section 313 Toxic Chemicals:

| U | Inless specific chemicals are identified under this section, this | s product is Not Ap | plicable under this | regulation |
|---|---|---------------------|---------------------|------------|
| | Chemical Name | CAS-No. | Weight percent | |
| | ZINC COMPOUNDS | 136-53-8 | 1 00 - 5 00 | |

Canadian Regulations:

| National | Pollutant | Release | Inventory | (NPRI |) |
|-------------|------------|----------|--------------|-----------|---|
| 1 (attollat | 1 on atali | recrease | in , encor , | (1 11 111 | , |

| Chemical Name | CAS-No. | Weight | NPRI ID# |
|--------------------------------|-----------|-------------|----------|
| | | percent | |
| Aluminum oxide | 1344-28-1 | 0.10 - 1.00 | |
| 2-Ethylhexanoic acid zinc salt | 136-53-8 | 1.00 - 5.00 | |

Substances List (DSL) or are exempt.

All components of this product are on the Canadian Domestic

| WHMIS | Classification | • | D2A |
|----------|----------------|---|-----------|
| 11111110 | Clubbilleution | • | D_{211} |

DSL

National Inventories:

| Philippines PICCS | : | Not determined |
|-------------------|---|----------------|
| | | |
| Korea KECI | : | Not determined |
| Japan ENCS | : | Not determined |
| | | |
| Europe EINECS | : | Listed |
| Clillia IECS | • | Not determined |
| China IECS | | Not determined |
| Australia AICS | : | Not determined |
| | | |

:

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.