PolvOne

## MATERIAL SAFETY DATA SHEET **STAN-TONE MC- BLUE**

Version Number 1.0 Revision Date 01/31/2012

Page 1 of 6 Print Date 1/31/2012

| 1.<br>POLYONE CORPORATI<br>8155 Cobb Center Drive, | ION | UCT AND COMPANY IDENTIFICATION aw, GA 30152  |
|--|-----|--|
| Telephone<br>Emergency telephone                   | :   | 1 (440) 930-1000 or 1 (866) POLYONE<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |
| Product name                                       | :   | STAN-TONE MC- BLUE   |
| Product code                                       | :   | FO20028848   |
| Chemical Name                                      | :   | Mixture  |
| CAS-No.  | :   | Mixture  |
| Product Use  |     | Industrial Applications  |

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components    | CAS-No.  | Weight percent |
|---------------|----------|----------------|
| Zinc stearate | 557-05-1 | 1 - 5          |

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

| : Inhalation, Ingestion, Skin contact   |
|---|
|   |
| : Resin particles, like other inert materials, can be mechanically irritating.      |
| : May be harmful if swallowed.  |
| : Resin particles, like other inert materials, are mechanically irritating to eyes. |
| : Experience shows no unusual dermatitis hazard from routine handling.              |
| : Refer to Section 11 for Toxicological Information.                                |
|   |

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE MC- BLUE**

Version Number 1.0 Revision Date 01/31/2012 Page 2 of 6 Print Date 1/31/2012

| Medical Conditions<br>Aggravated by Exposure:  | : None known.  |
|--|--|
|  | 4. FIRST AID MEASURES  |
| Inhalation   | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.   |
| Ingestion  | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.   |
| Eyes   | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.   |
| Skin   | : Wash off with soap and plenty of water. If skin irritation persists seek medical attention.  |
|  | 5. FIRE-FIGHTING MEASURES  |
| Flash point  | : not applicable   |
| Flammable Limits<br>Upper explosion limit<br>Lower explosion limit<br>Autoignition temperature<br>Suitable extinguishing media | <ul> <li>not applicable</li> <li>not applicable</li> <li>Not relevant</li> <li>Water spray, Dry powder, Foam, Carbon dioxide (CO2).</li> </ul>   |
| Special Fire Fighting<br>Procedures<br>Unusual Fire/Explosion<br>Hazards   | <ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul> |
|  | 6. ACCIDENTAL RELEASE MEASURES   |
| Personal precautions   | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.   |
| Environmental precautions  | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.   |
| Methods for cleaning up  | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.  |
|  | 7. HANDLING AND STORAGE  |
| Handling   | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.  |

POLYONE CORPORATION

PolvOne

## MATERIAL SAFETY DATA SHEET STAN-TONE MC- BLUE

Version Number 1.0 Revision Date 01/31/2012 Page 3 of 6 Print Date 1/31/2012

 Storage
 : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

 Respiratory protection
 : No personal respiratory protective equipment normally required when handling the product itself. See "Engineering Measures" section below for precautions to be taken when heating or processing this material.

| Eye/Face Protection               | : | Safety glasses with side-shields  |
|-----------------------------------|---|---|
| Hand protection                   | : | Protective gloves   |
| Skin and body protection          | : | Long sleeved clothing   |
| Additional Protective<br>Measures | : | Safety shoes  |
| General Hygiene<br>Considerations | : | Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.  |
| Engineering measures              | : | Heat only in areas with appropriate exhaust ventilation. Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors. |

### Exposure limit(s)

| Components    | Value    | Exposure time             | Exposure type        | List:    |
|---------------|----------|---------------------------|----------------------|----------|
| Zinc stearate | 5 mg/m3  | Recommended exposure      | Respirable.          | NIOSH    |
|               |          | limit (REL):              |                      |          |
|               | 10 mg/m3 | Recommended exposure      | Total                | NIOSH    |
|               |          | limit (REL):              |                      |          |
|               | 5 mg/m3  | PEL:                      | Respirable fraction. | OSHA Z1  |
|               | 15 mg/m3 | PEL:                      | Total dust.          | OSHA Z1  |
|               | 5 mg/m3  | Time Weighted Average     | Respirable fraction. | OSHA Z1A |
|               |          | (TWA):                    |                      |          |
|               | 10 mg/m3 | Time Weighted Average     | Total dust.          | OSHA Z1A |
|               |          | (TWA):                    |                      |          |
|               | 10 mg/m3 | Time Weighted Average     |                      | MX OEL   |
|               |          | (TWA):                    |                      |          |
|               | 20 mg/m3 | Short Term Exposure Limit |                      | MX OEL   |
|               |          | (STEL):                   |                      |          |
|               | 10 mg/m3 | Time Weighted Average     |                      | ACGIH    |
|               |          | (TWA):                    |                      |          |

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

PolvOne

## MATERIAL SAFETY DATA SHEET **STAN-TONE MC- BLUE**

Version Number 1.0 Revision Date 01/31/2012 Page 4 of 6 Print Date 1/31/2012

| Form<br>Appearance<br>Colour<br>Odour<br>Melting point/range<br>Boiling Point:<br>Water solubility | :: | BI<br>Ch<br>No<br>no | lid<br>llets, Slabs, sheets<br>LUE<br>naracteristic rubber odor<br>ot determined<br>t applicable<br>soluble | Evaporation rate<br>Specific Gravity<br>Bulk density<br>Vapour pressure<br>Vapour density<br>pH |      | Not determined<br>Not established<br>not applicable<br>not applicable |
|--|----|----------------------|---|---|------|---|
|  |    | 10                   | . STABILITY AND RE  | ACTIVITY  |      |   |
| Stability  |    | :                    | Stable  |   |      |   |
| Hazardous Polymerization   |    | :                    | Will not occur.   |   |      |   |
| Conditions to avoid  |    | :                    | Keep away from oxidizi decomposition, do not o  |   | ne.  | To avoid thermal  |
| Incompatible Materials   |    | :                    | Incompatible with strong  | g acids and oxidizing ag  | gent | ts.   |
| Hazardous decomposition products   |    | :                    | Carbon dioxide (CO2), o<br>(NOx), other hazardous   |   |      | U   |

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.  | Chemical Name | Effect           | Target Organ            |
|----------|---------------|------------------|-------------------------|
| 557-05-1 | Zinc stearate | Systemic effects | Eyes, Skin, Respiratory |
|          |               |                  | system.                 |

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

| 557.05.1 $\overline{\text{Zinc}}$ stoerets $\overline{\text{Out}}$ LD50 $>$ 10 sm/kg not | ecies | Specie | Value      | Route | Chemical Name | CAS-No. |
|--|-------|--------|------------|-------|---------------|---------|
| S57-05-1 Zinc stearate Oral LD50 > 10 gin/kg Tat   |       | rat    | > 10 gm/kg |       | Zinc stearate |         |

### **12. ECOLOGICAL INFORMATION**

| Persistence and degradability | : | Not readily biodegradable.   |
|-------------------------------|---|--|
| Environmental Toxicity        | : | Chemicals are not readily available as they are bound within the polymer matrix. |
| Bioaccumulation Potential     | : | Chemicals are not readily available as they are bound within the polymer matrix. |

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE MC- BLUE**

Version Number 1.0 Revision Date 01/31/2012 Page 5 of 6 Print Date 1/31/2012

|                               | 12 DISDOCAL CONSIDERATIONS  |
|-------------------------------|---|
|                               | 13. DISPOSAL CONSIDERATIONS   |
| Product                       | : Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging        | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.                              |
|                               | 14. TRANSPORT INFORMATION   |
| U.S. DOT Classification       | : Not regulated for transportation.   |
| ICAO/IATA                     | : Not regulated for transportation.   |
| IMO/IMDG (maritime)           | : Not regulated for transportation.   |
|                               | 15. REGULATORY INFORMATION  |
| US Regulations:               |   |
| OSHA Status                   | : Classified as hazardous based on components.  |
| TSCA Status                   | : All components of this product are listed on or exempt from the TSCA Inventory.   |
| US. EPA CERCLA Hazardou       | us Substances (40 CFR 302)  |
| not applicable                |   |
| California Proposition<br>65  | n : Not applicable  |
| SARA Title III Section 302 E  | Extremely Hazardous Substance   |
| Unless specific chemicals are | identified under this section, this product is Not Applicable under this regula   |
| SARA Title III Section 313 T  | 'oxic Chemicals:  |

PolyOne

## MATERIAL SAFETY DATA SHEET STAN-TONE MC- BLUE

Version Number 1.0 Revision Date 01/31/2012 Page 6 of 6 Print Date 1/31/2012

| Chemical Name   |                  |                            | CAS-No       |        | plicable<br>Weight | percent  |
|---|------------------|----------------------------|--------------|--------|--------------------|----------|
| ZINC COMPOUNDS  |                  |                            | 557-05-1     |        | 1.00 - 5           |          |
| anadian Regulations:  | T                |                            |              |        |                    |          |
| National Pollutant Relea                                    | se In            | CAS-                       | No           | Weigh  | t                  | NPRI ID# |
| Chemical Manie  |                  | CAS-                       | INO.         | percen |                    |          |
| Zinc stearate   |                  | 557-0                      | 5-1          | 1.00 - |                    |          |
|   |                  | Substances List (DSL)      | or are exemp | ot.    |                    |          |
|   |                  |                            |              |        |                    |          |
| ational Inventories:  |                  |                            |              |        |                    |          |
| ational Inventories:<br>Australia AICS                      | :                | Listed                     |              |        |                    |          |
|   | :                | Listed<br>Listed           |              |        |                    |          |
| Australia AICS  | :<br>:<br>:      |                            |              |        |                    |          |
| Australia AICS<br>China IECS                                | :<br>:<br>:      | Listed                     |              |        |                    |          |
| Australia AICS<br>China IECS<br>Europe EINECS               | :<br>:<br>:<br>: | Listed<br>Listed           |              |        |                    |          |
| Australia AICS<br>China IECS<br>Europe EINECS<br>Japan ENCS | :<br>:<br>:<br>: | Listed<br>Listed<br>Listed |              |        |                    |          |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.