PolyOne

## MATERIAL SAFETY DATA SHEET **MC 90777EP DISP**

Version Number 1.0 Revision Date 04/02/2012 Page 1 of 6 Print Date 8/25/2012

POLYONE CORPORATI 8155 Cobb Center Drive,		aw, GA 30152
Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MC 90777EP DISP
Product code	:	FO20029210
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

Components	CAS-No.	Weight percent
Miscellaneous Zinc Compounds	0-31-7	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

## MATERIAL SAFETY DATA SHEET **MC 90777EP DISP**

Version Number 1.0 Revision Date 04/02/2012 Page 2 of 6 Print Date 8/25/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>no data available</li> <li>no data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



### MATERIAL SAFETY DATA SHEET MC 90777EP DISP

sion Date 04/02/2012		Page Print Date <i>8/25</i>
Handling	fume condensates n	vith appropriate exhaust ventilation. Processing hay contain combustible or toxic residue. loods, ducts, and other surfaces to minimize se materials.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.	
8. EXF	OSURE CONTROLS/PE	ERSONAL PROTECTION
Respiratory protection	: No personal respira	tory protective equipment normally required.
Eye/Face Protection	: Safety glasses with	side-shields
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved clothi	ng
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations		ce with good industrial hygiene and safety ds before breaks and at the end of workday.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	
Exposure limit(s)		
9.	PHYSICAL AND CHEM	IICAL PROPERTIES
Form	: liquid	Evaporation rate : Not established
Appearance	: viscous, liquid	Specific Gravity : Not determined
Colour	: GREY	Bulk density : Not applicable
Odour	: very faint	Vapour pressure : Not determined
Melting point/range	: not applicable	Vapour density : Not determined
Boiling Point: Water solubility	: not applicable : immiscible	pH : Not applicable
water solubility		
water solubility	10. STABILITY AND	) REACTIVITY
Stability	<b>10. STABILITY AND</b> : Stable	<u>O REACTIVITY</u>
		O REACTIVITY
Stability	: Stable : Will not occur.	idizing agents and open flame. To avoid therm

POLYONE CORPORATION

PolyOne.

# MATERIAL SAFETY DATA SHEET **MC 90777EP DISP**

after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).         11. TOXICOLOGICAL INFORMATION         This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on e health data for the individual components which comprise the mixture.         Toxicity Overview         This product contains the following components which in their pure form have the following characterist         CAS-No.       Chemical Name         Effect       Target Organ         12. ECOLOGICAL INFORMATION         Persistence and degradability       : Not readily biodegradable.         Environmental Toxicity       : Environmental toxicity has not been established for this mixture as whole.         Bioaccumulation Potential       : no data available         Additional advice       : no data available         Product       : Where possible recycling is preferred to disposal or incineration. T generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possibile. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Refer to specific regulation.	sion Number 1.0 ision Date 04/02/2012	Page Print Date 8/28	
Hazardous decomposition products       : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HC1), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to oce after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).         II. TOXICOLOGICAL INFORMATION         Toxicity Overview         This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on e health data for the individual components which in their pure form have the following characterists         CAS-No.         Chemical Name         Effect         Target Organ         II. ECOLOGICAL INFORMATION         Product contains the following components which in their pure form have the following characterists         CAS-No.         Chemical Name         Effect         Target Organ         II. ECOLOGICAL INFORMATION         Persistence and degradability         IN to readily biodegradable.         Environmental toxicity has not been established for this mixture as whole.         Bioaccumulation Potential         In odata available         Addi			
products       (N0x), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to oce after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).         II. TOXICOLOGICAL INFORMATION         This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on e health data for the individual components which comprise the mixture.         Toxicity Overview         This product contains the following components which in their pure form have the following characteristic CAS-No.         Chemical Name         Effect         Target Organ         Disponse of the available         CAS-No.         Chemical Name         Effect         Target Organ         Disponse of the available         ECOLOGICAL INFORMATION         Presistence and degradability         Environmental toxicity has not been established for this mixture as whole.         Bioaccumulation Potential       :       no data available         Additional advice       :         The data available       :         Other possible recycling is preferr	Incompatible Materials		
This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on e health data for the individual components which comprise the mixture.         Toxicity Overview         This product contains the following components which in their pure form have the following characterist         CAS-No.       Chemical Name         Effect       Target Organ         12. ECOLOGICAL INFORMATION         Persistence and degradability       : Not readily biodegradable.         Environmental Toxicity       : Environmental toxicity has not been established for this mixture as whole.         Bioaccumulation Potential       : no data available         Additional advice       : no data available         Product       : Where possible recycling is preferred to disposal or incineration. T generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Refer to specific regulation.		(NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 $^{\circ}$ C (350 $^{\circ}$ F), after 10 minutes at 204 $^{\circ}$ C (400	
health data for the individual components which comprise the mixture.         Toxicity Overview         This product contains the following components which in their pure form have the following characterist         CAS-No.       Chemical Name       Effect       Target Organ         Image: CAS-No.       Not readily biodegradable.       Environmental toxicity has not been established for this mixture as whole.         Bioaccumulation Potential       :       no data available       Environmental toxicity has not been established for this mixture as whole.         Product       :       no data available       Environmental toxicity has not been established for this mixture as generator of waste material has the responsibility for		11. TOXICOLOGICAL INFORMATION	
In the second s	health data for the individual <u>Toxicity Overview</u> This product contains the foll	omponents which comprise the mixture. wing components which in their pure form have the following characteris	
Persistence and degradability       : Not readily biodegradable.         Environmental Toxicity       : Environmental toxicity has not been established for this mixture as whole.         Bioaccumulation Potential       : no data available         Additional advice       : no data available         Image: Product       : Where possible recycling is preferred to disposal or incineration. T generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         London = the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Refer to specific regulation.	CAS-No.	hemical Name Effect Target Organ	
Environmental Toxicity       : Environmental toxicity has not been established for this mixture as whole.         Bioaccumulation Potential       : no data available         Additional advice       : no data available         Image: Second Seco		12. ECOLOGICAL INFORMATION	
whole.       whole.         Bioaccumulation Potential       : no data available         Additional advice       : no data available <b>13. DISPOSAL CONSIDERATIONS</b> Product       : Where possible recycling is preferred to disposal or incineration. T generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. <b>U.S. DOT Classification</b> : Refer to specific regulation.	Persistence and degradability	: Not readily biodegradable.	
Additional advice       : no data available         13. DISPOSAL CONSIDERATIONS         Product       : Where possible recycling is preferred to disposal or incineration. T generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Local contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Refer to specific regulation.	Environmental Toxicity	•	a
<b>13. DISPOSAL CONSIDERATIONS</b> Product       : Where possible recycling is preferred to disposal or incineration. T generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. <b>U.S. DOT Classification</b> : Refer to specific regulation.	Bioaccumulation Potential	: no data available	
Product       : Where possible recycling is preferred to disposal or incineration. T generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Refer to specific regulation.	Additional advice	: no data available	
generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Local content of the state		13. DISPOSAL CONSIDERATIONS	
material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Refer to specific regulation.	Product	generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with	Гh
U.S. DOT Classification : Refer to specific regulation.	Contaminated packaging	material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal,	
		14. TRANSPORT INFORMATION	
ICAO/IATA · Refer to specific regulation	U.S. DOT Classification	: Refer to specific regulation.	
. Kele to specific regulation.	ICAO/IATA	: Refer to specific regulation.	

PolyOne.

# MATERIAL SAFETY DATA SHEET **MC 90777EP DISP**

Version Number 1.0 Revision Date 04/02/2012 Page 5 of 6 Print Date 8/25/2012

zardous based on components. s of this product are listed on or exempt from the y. 302)
s of this product are listed on or exempt from the y.
s of this product are listed on or exempt from the y.
γ.
302)
ction, this product is Not Applicable under this regula
CAS-No. Weight percent
0-31-7 1.00 - 5.00
CAS-No. Weight NPRI ID#
0-31-7 1.00 - 5.00 241
ction, this product is Not Applicable

PolyOne

## MATERIAL SAFETY DATA SHEET **MC 90777EP DISP**

Version Number 1.0 Revision Date 04/02/2012 Page 6 of 6 Print Date 8/25/2012

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.