

STAN-TONE HCC-34150 DESRT TAN 33446

Version Number 1.4 Revision Date 06/23/2016 Page 1 of 17 Print Date 06/24/2016

SAFETY DATA SHEET

STAN-TONE HCC-34150 DESRT TAN 33446

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	::	STAN-TONE HCC-34150 DESRT TAN 33446 Mixture Mixture FO20029715 liquid
Relevant identified uses of the subst	ance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 1675 Navarre Road SW, Massillon, Ohio USA 44646
		1 330 837 8679
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
CHS label elements		

GHS label elements



STAN-TONE HCC-34150 DESRT TAN 33446

Version Number 1.4 Revision Date 06/23/2016 Page 2 of 17 Print Date 06/24/2016

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	Causes serious eye irritation.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Wear eye or face protection. Wash hands thoroughly after handling.
Response	:	IF IN EYES: Rinse cautiously with water for several minutes.
-		Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20029715

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	25 - 50	13463-67-7
Bis(2-(2-butoxyethoxy)ethoxy)methane	25 - 50	143-29-3
Diethylene glycol monobutyl ether	1 - 3	112-34-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.



STAN-TONE HCC-34150 DESRT TAN 33446

Version Number 1.4 Revision Date 06/23/2016 Page 3 of 17 Print Date 06/24/2016

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	:	Causes serious eye irritation.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Over-exposure signs/symptoms



STAN-TONE HCC-34150 DESRT TAN 33446

Version Number 1.4	Page 4 of 17
Revision Date 06/23/2016	Print Date 06/24/2016

Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medica	l attentior	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

give mouth-to-mouth resuscitation.

Section 6. Accidental release measures



STAN-TONE HCC-34150 DESRT TAN 33446

Version Number 1.4 Revision Date 06/23/2016

Page 5 of 17 Print Date 06/24/2016

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
		5/17



clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

STAN-TONE HCC-34150 DESRT TAN 33446

Version Number 1.4	Page 6 of 17
Revision Date 06/23/2016	Print Date 06/24/2016
Advice on general occupational : hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated

including any incompatibilities protected from direct sunlight in a dry, cool and well-venti away from incompatible materials (see Section 10) and foo drink. Keep container tightly closed and sealed until ready Containers that have been opened must be carefully resealed upright to prevent leakage. Do not store in unlabeled conta appropriate containment to avoid environmental contamina
--

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Exposure limits
OSHA PEL 1989 (1989-03-01)
PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
OSHA PEL (1993-06-30)
PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
NIOSH REL (1994-06-01)
ACGIH TLV (1996-05-18)
TLV-TWA: Threshold Limit Value - Time weighted average PEL:
Permissible Exposure Level 10 mg/m3
ACGIH TLV (2012-03-05)
TLV-TWA: Threshold Limit Value - Time weighted average PEL:
Permissible Exposure Level 10 ppmForm: Inhalable fraction and
vapor
Good general ventilation should be sufficient to control worker
exposure to airborne contaminants. Emissions from ventilation or work process equipment should be

Version Number 1.4

SAFETY DATA SHEET



Page 7 of 17

STAN-TONE HCC-34150 DESRT TAN 33446

Revision Date 06/23/2016	Print Date 06/24/2016
	checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection :	
Skin protection	
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection :	
Other skin protection :	
Respiratory protection :	

Section 9. Physical and chemical properties



STAN-TONE HCC-34150 DESRT TAN 33446

Version Number 1.4 Revision Date 06/23/2016 Page 8 of 17 Print Date 06/24/2016

Appearance

Physical state	:	liquid [Paste.]
Color	:	TĀN
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density		
Relative defisity	:	Not available.
Solubility	:	Not available. Not available.
•	:	
Solubility	:	Not available.
Solubility Solubility in water		Not available. Not available.
Solubility Solubility in water Partition coefficient: n-		Not available. Not available.
Solubility Solubility in water Partition coefficient: n- octanol/water	:	Not available. Not available. Not available.
Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	:	Not available. Not available. Not available. Not available.
Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature	:	Not available. Not available. Not available. Not available. Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information



STAN-TONE HCC-34150 DESRT TAN 33446

Version Number 1.4 Revision Date 06/23/2016

Page 9 of 17 Print Date 06/24/2016

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Diethylene glycol monobutyl	ether			
	LD50 Oral	Rat	5,660 mg/kg	-
	LD50 Oral	Rat	6,050 mg/kg	-
	LD50 Oral	Rat	6,050 mg/kg	-
	LD50 Oral	Rat	4,500 mg/kg	-
	LD50 Dermal	Rabbit	2,700 mg/kg	-
Titanium dioxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Bis(2-(2-butoxyethoxy)ethoxy	y)methane		<u> </u>	•
· · · · ·	LD50 Oral	Rat	1,746 mg/kg	-
Conclusion/Summary	• Mixtu	re.Not fully tested.	<u></u>	•

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Diethylene glycol	Eyes -	Rabbit		24 hrs	-
monobutyl ether	Moderate				
-	irritant				
	Eyes - Severe	Rabbit			-
	irritant				
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Bis(2-(2-	Eyes - Mild	Rabbit			-
butoxyethoxy)ethoxy)metha	irritant				
ne					
Conclusion/Summary					
Skin	: M	ixture.Not ful	ly tested.		
Eyes	: M	ixture.Not ful	ly tested.		
Respiratory	: M	ixture.Not ful	ly tested.		
<u>Sensitization</u>					
Conclusion/Summary					
Skin	: M	ixture.Not ful	ly tested.		
Respiratory	: M	ixture.Not ful	ly tested.		
		9/17			



STAN-TONE HCC-34150 DESRT TAN 33446

Version Number 1.4 Revision Date 06/23/2016 Page 10 of 17 Print Date 06/24/2016

Mutagenicity				
Conclusion/Summary	:	Mixture.Not fully	tested.	
Carcinogenicity				
Conclusion/Summary <u>Classification</u>	:	Mixture.Not fully	tested.	
Product/ingredient	OSHA	IARC	NTP	
name				
Titanium dioxide		2B		
<u>Reproductive toxicity</u>				
Conclusion/Summary	:	Mixture.Not fully	tested.	
Teratogenicity				
Conclusion/Summary	:	Mixture.Not fully	tested.	
Specific target organ toxicity Not available.	<u>(single expo</u>	sure)		
Specific target organ toxicity Not available.	(repeated ex	<u>xposure)</u>		
Aspiration hazard Not available.				
Information on the likely rou exposure	tes of :	Not available.		
Potential acute health effects				
Eye contact	:	Causes serious eye	irritation.	
Inhalation			ant effects or critical hazards.	
Skin contact	:		ant effects or critical hazards.	
Ingestion	:	No known signific	ant effects or critical hazards.	
Symptoms related to the phys	sical, chemic	al and toxicologica	l characteristics	
Eye contact		Adverse symptoms pain or irritation watering redness	may include the following:	



STAN-TONE HCC-34150 DESRT TAN 33446

Version Number 1.4 Revision Date 06/23/2016

Page 11 of 17 Print Date 06/24/2016

Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:::::::::::::::::::::::::::::::::::::::	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	6,472 mg/kg
Route	ATE value
Dermal	218,065.3 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Diethylene glycol monobutyl e	ether		
Acute LC50 2,000,000 µg/l Marine Fish - Fish 96 h			96 h
11/17			



STAN-TONE HCC-34150 DESRT TAN 33446

Version Number 1.4 Revision Date 06/23/2016 Page 12 of 17 Print Date 06/24/2016

	water		
	Acute LC50 1,300,000 µg/l Fresh	Fish - Fish	96 h
	water		JO II
Titanium dioxide	mator		
	Acute LC50 > 1,000,000 μg/l	Fish - Fish	96 h
	Marine water		
	Acute LC50 > 1,000 mg/l Fresh	Fish - Fish	96 h
	water		
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates.	48 h
	A suite L C50 6 5 m s/l Ensels sustan	Daphnia	401
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h
	Acute LC50 3 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 11 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
	Acute EC50 35.306 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	

Conclusion/Summary

: Not available.

Persistence and degradability

Conclusion/Summary

: Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Diethylene glycol monobutyl	1	-	low
ether			
Titanium dioxide		352.00	low

Mobility in soil

Soil/water partition coefficient : Not available.



STAN-TONE HCC-34150 DESRT TAN 33446

Version Number 1.4 Revision Date 06/23/2016 Page 13 of 17 Print Date 06/24/2016

(KOC) Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Consult mode specific transport rules
IMO/IMDG (maritime)	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		13/17



STAN-TONE HCC-34150 DESRT TAN 33446

Version Number 1.4	Page 14 of 17
Revision Date 06/23/2016	Print Date 06/24/2016

		United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
		United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Not listed United States - EPA Clean water act (CWA) section 311 -
		Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical:
		Not listed
Air Act Section 112(b) dous Air Pollutants (HAPs)	:	Listed
Ain Act Section 602 Class I		Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor	:	Not listed
Chemicals) DEA List II Chemicals (Essential	•	Not listed
Chemicals)	•	mot instea

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Classification
Diethylene glycol monobutyl ether	1 - 3	F, AH



STAN-TONE HCC-34150 DESRT TAN 33446

Version Number 1.4 Revision Date 06/23/2016 Page 15 of 17 Print Date 06/24/2016

Bis(2-(2-	25 - 50	AH
butoxyethoxy)ethoxy)methane		

SARA 313

	Product name	CAS number	%
Form R - Reporting	Diethylene glycol	112-34-5	1 - 3
requirements	monobutyl ether		
Supplier notification	Diethylene glycol	112-34-5	1 - 3
	monobutyl ether		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

<u>State regulations</u> Massachusetts	:	The following components are listed: Silica, amorphous Iron oxide Titanium dioxide
New York New Jersey	:	None of the components are listed. The following components are listed: Titanium dioxide Iron oxide
Pennsylvania	:	Diethylene glycol monobutyl ether The following components are listed: Iron oxide
		Aluminum hydroxide
		Titanium dioxide
		Silica, amorphous
		Diethylene glycol monobutyl ether
<u>California Prop. 65</u> WARNING: This product contains a cl	hemi	cal known to the State of California to cause cancer.
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		



STAN-TONE HCC-34150 DESRT TAN 33446

Version Number 1.4	Page 16 of 17
Revision Date 06/23/2016	Print Date 06/24/2016

International lists	:	Australia inventory (AICS): All components are listed or exempted.
		Taiwan inventory (CSNN): All components are listed or exempted.
		Malaysia Inventory (EHS Register): Not determined.
		EINECS: All components are listed or exempted.
		Japan inventory: Not determined.
		China inventory (IECSC): All components are listed or exempted.
		Korea inventory: All components are listed or exempted.
		New Zealand Inventory of Chemicals (NZIoC): All components
		are listed or exempted.
		Philippines inventory (PICCS): Not determined.
Chemical Weapons Convention	:	Not listed
List Schedule I Chemicals		
Chemical Weapons Convention	:	Not listed
List Schedule II Chemicals		
Chemical Weapons Convention	:	Not listed
List Schedule III Chemicals		

Section 16. Other information

<u>History</u>		
Date of printing	:	06/24/2016
Date of issue/Date of revision	:	06/23/2016
Date of previous issue	:	05/29/2015
Version	:	1.4
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL $73/78$ = International Convention for the Prevention of Pollution
		From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that



STAN-TONE HCC-34150 DESRT TAN 33446

Version Number 1.4 Revision Date 06/23/2016 Page 17 of 17 Print Date 06/24/2016

exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.