### MATERIAL SAFETY DATA SHEET

### Geon™ V1805 Black

Version Number 1.0 Revision Date 07/06/2012 Page 1 of 6 Print Date 8/27/2012

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Geon <sup>™</sup> V1805 Black
Product code	:	FO20029856
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Bisphenol A - Epichlorohydrin polymer	25068-38-6	1 - 5
Trimethylopropane trimethacrylate	3290-92-4	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Particulates, like other inert materials can be mechanically irritating.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		

PolyOne.

## MATERIAL SAFETY DATA SHEET Geon™ V1805 Black

Version Number 1.0 Revision Date 07/06/2012 Page 2 of 6 Print Date 8/27/2012

Medical Conditions       : None known.         Aggravated by Exposure:			
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ol> <li>not applicable</li> <li>not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ol>		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		

PolyOne.

# MATERIAL SAFETY DATA SHEET Geon™ V1805 Black

condensates may con	event the build up of electrostatic charge. Heat oppropriate exhaust ventilation. Processing fume ntain combustible or toxic residue. Periodically and other surfaces to minimize accumulation of	
	and tightly closed to avoid moisture absorption Keep in a dry, cool place.	
OSURE CONTROLS/PE	RSONAL PROTECTION	
	tory protective equipment normally required. If cur wear appropriate respiratory protection.	
: Safety glasses with s	side-shields	
: Protective gloves		
: Long sleeved clothin	ng	
: Safety shoes		
: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
PHYSICAL AND CHEM	ICAL PROPERTIES	
<ul> <li>solid</li> <li>powder, granular</li> <li>BLACK</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul>	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not determinedVapour pressure: not applicableVapour density: not applicablepH: not applicable	
10. STABILITY AND	REACTIVITY	
: Stable		
: Will not occur.		
: To avoid thermal de	composition, do not overheat. Keep away from	
	and contamination.  DSURE CONTROLS/PE  No personal respirat dusty conditions occ Safety glasses with s Drotective gloves Long sleeved clothin Safety shoes Handle in accordance practice. Wash hand Heat only in areas w appropriate exhaust PHYSICAL AND CHEM HYSICAL AND CHEM Solid powder, granular BLACK very faint Not determined not applicable insoluble IO. STABILITY AND Stable Stable Will not occur.	

3/6

## MATERIAL SAFETY DATA SHEET Geon™ V1805 Black

Version Number 1.0 Revision Date 07/06/2012		Page 4 of 6 Print Date <i>8/27/2012</i>
		oxidizing agents and open flame.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
25068-38-6	Bisphenol A -	Irritant	Skin.
	Epichlorohydrin polymer		
		sensitizer	Skin.
3290-92-4	Trimethylopropane trimethacrylate	Irritant	Eyes, Skin.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
25068-38-6	Bisphenol A -	Oral LD50	11,400 mg/kg	rat
	Epichlorohydrin polymer	Dermal LD50	> 6,000 mg/kg	rabbit

### **12. ECOLOGICAL INFORMATION**

Not readily biodegradable.
Adverse ecological impact is not known or expected under normal use.
no data available
no data available

#### **13. DISPOSAL CONSIDERATIONS**

Product

: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with

PolyOne.

## MATERIAL SAFETY DATA SHEET Geon™ V1805 Black

sion Number 1.0 rision Date 07/06/2012	Page 5 of Print Date <i>8/27/201</i> 2
	applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO/IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
not applicable	
California Proposition 65	: Not applicable
65	: Not applicable stremely Hazardous Substance
65 SARA Title III Section 302 Ez	xtremely Hazardous Substance
65 SARA Title III Section 302 Ez	xtremely Hazardous Substance identified under this section, this product is Not Applicable under this regulatio
65 SARA Title III Section 302 Ex Unless specific chemicals are SARA Title III Section 313 To	xtremely Hazardous Substance identified under this section, this product is Not Applicable under this regulatio oxic Chemicals:
65 SARA Title III Section 302 Ex Unless specific chemicals are SARA Title III Section 313 To	xtremely Hazardous Substance identified under this section, this product is Not Applicable under this regulatio oxic Chemicals:
65 SARA Title III Section 302 Ez Unless specific chemicals are SARA Title III Section 313 To Unless specific chemicals are	xtremely Hazardous Substance identified under this section, this product is Not Applicable under this regulatio oxic Chemicals: identified under this section, this product is Not Applicable under this regulatio

PolyOne

## MATERIAL SAFETY DATA SHEET Geon™ V1805 Black

Version Number 1.0 Revision Date 07/06/2012 Page 6 of 6 Print Date *8/27/2012* 

WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.