

SAFETY DATA SHEET

STAN-TONE DB-34332 HL9 DARK FOREST BEIGEVersion Number 1.1
Revision Date 03/04/2016Page 1 of 12
Print Date 04/06/2016

SAFETY DATA SHEET

STAN-TONE DB-34332 HL9 DARK FOREST BEIGE**Section 1. Identification**

GHS product identifier : STAN-TONE DB-34332 HL9 DARK FOREST BEIGE
Chemical name : Mixture
CAS number : Mixture
Other means of identification : FO20030751
Product type : solid

Relevant identified uses of the substance or mixture and uses advised against

Supplier's details : **GSDI Specialty Dispersions, Inc.**
1675 Navarre Road SW, Massillon,
Ohio USA 44646

1 330 837 8679

Emergency telephone number (with hours of operation) : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status :

Classification of the substance or mixture :

GHS label elements

Signal word : No signal word.
Hazard statements : No known significant effects or critical hazards.

Precautionary statements

SAFETY DATA SHEET

STAN-TONE DB-34332 HL9 DARK FOREST BEIGE

Version Number 1.1
Revision Date 03/04/2016

Page 2 of 12
Print Date 04/06/2016

General :
Prevention :
Response :
Storage :
Disposal :
Supplemental label elements :
Hazards not otherwise classified : Not available.

Section 3. Composition/information on ingredients

Substance/mixture :
Chemical name : Mixture
Other means of identification : FO20030751

CAS number/other identifiers

| Ingredient name | % | CAS number |
|-------------------|---------|------------|
| Calcium carbonate | 12.5198 | 1317-65-3 |
| Titanium dioxide | 9.3744 | 13463-67-7 |
| Carbon black | 8.2606 | 1333-86-4 |
| Iron oxide | 3.627 | 1309-37-1 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measuresDescription of necessary first aid measures

Eye contact :
Inhalation :

SAFETY DATA SHEET

STAN-TONE DB-34332 HL9 DARK FOREST BEIGE

Version Number 1.1
Revision Date 03/04/2016

Page 3 of 12
Print Date 04/06/2016

Skin contact :
Ingestion :

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact :
Inhalation :
Skin contact :
Ingestion :

Over-exposure signs/symptoms

Eye contact :
Inhalation :
Skin contact :
Ingestion :

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician :
Specific treatments :

Protection of first-aiders :

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media :
Unsuitable extinguishing media :

Specific hazards arising from the chemical :
Hazardous thermal decomposition products :

Special protective actions for fire-fighters :
Special protective equipment for fire-fighters :

SAFETY DATA SHEET

STAN-TONE DB-34332 HL9 DARK FOREST BEIGE

Version Number 1.1
 Revision Date 03/04/2016

Page 4 of 12
 Print Date 04/06/2016

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel :
 For emergency responders :

Environmental precautions :

Methods and materials for containment and cleaning up

Small spill :
 Large spill :

Section 7. Handling and storage

Precautions for safe handling

Protective measures :
 Advice on general occupational hygiene :

Conditions for safe storage, including any incompatibilities :

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|-------------------|---|
| Calcium carbonate | <p>OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable fraction PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable fraction PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust PEL: Permissible Exposure Level 5 mg/m3 Form: Respirable fraction OSHA PEL (1993-06-30)</p> |

SAFETY DATA SHEET

STAN-TONE DB-34332 HL9 DARK FOREST BEIGE

Version Number 1.1
Revision Date 03/04/2016

Page 5 of 12
Print Date 04/06/2016

| | |
|------------------|--|
| | <p>PEL: Permissible Exposure Level 15 mg/m³ Form: Total dust PEL: Permissible Exposure Level 5 mg/m³ Form: Respirable fraction PEL: Permissible Exposure Level 15 mg/m³ Form: Total dust PEL: Permissible Exposure Level 5 mg/m³ Form: Respirable fraction NIOSH REL (1994-06-01) Time Weighted Average (TWA) 10 mg/m³ Form: Total Time Weighted Average (TWA) 5 mg/m³ Form: Respirable fraction</p> |
| Carbon black | <p>OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 3.5 mg/m³ OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 3.5 mg/m³ NIOSH REL (1994-06-01) Time Weighted Average (TWA) 3.5 mg/m³ Time Weighted Average (TWA) ACGIH TLV (2010-12-06) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 3 mg/m³ Form: Inhalable fraction</p> |
| Iron oxide | <p>OSHA PEL 1989 (1989-03-01) expressed as Fe Short Term Exposure Limit value for a 15-minute reference period expressed in parts per million or in mg/m³. 10 ppm Form: total particulates OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m³ Form: Total dust PEL: Permissible Exposure Level 5 mg/m³ Form: Respirable fraction OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 10 mg/m³ NIOSH REL (1994-06-01) expressed as Fe Time Weighted Average (TWA) 5 mg/m³ Form: Dust and fumes NIOSH REL (1994-06-01) ACGIH TLV (2005-12-09) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 5 mg/m³ Form: Respirable fraction</p> |
| Titanium dioxide | <p>OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m³ Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m³ Form: Total dust NIOSH REL (1994-06-01) ACGIH TLV (1996-05-18)</p> |

SAFETY DATA SHEET

STAN-TONE DB-34332 HL9 DARK FOREST BEIGE

Version Number 1.1
Revision Date 03/04/2016

Page 6 of 12
Print Date 04/06/2016

| | |
|--|--|
| | TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m ³ |
|--|--|

Appropriate engineering controls :
Environmental exposure controls :

Individual protection measures

Hygiene measures :
Eye/face protection :

Skin protection

Hand protection :
Body protection :
Other skin protection :
Respiratory protection :

Section 9. Physical and chemical propertiesAppearance

Physical state : solid [Powder.]
Color : BROWN
Odor : Not available.
Odor threshold : Not available.
pH : Not available.
Melting point : Not available.
Boiling point : Not available.
Flash point : Not available.
Burning time : Not available.
Burning rate : Not available.
Evaporation rate : Not available.
Flammability (solid, gas) : Not available.
Lower and upper explosive (flammable) limits : **Lower:** Not available.
Upper: Not available.
Vapor pressure : Not available.
Vapor density : Not available.
Relative density : Not available.
Solubility : Not available.
Solubility in water : Not available.
Partition coefficient: n-octanol/water : Not available.

SAFETY DATA SHEET

STAN-TONE DB-34332 HL9 DARK FOREST BEIGE

Version Number 1.1
Revision Date 03/04/2016

Page 7 of 12
Print Date 04/06/2016

Auto-ignition temperature : Not available.
Decomposition temperature : Not available.
SADT : Not available.
Viscosity : **Dynamic:** Not available.
Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity :
Chemical stability :
Possibility of hazardous reactions :
Conditions to avoid :
Incompatible materials :
Hazardous decomposition products :

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects**Acute toxicity**

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------------|------------|---------------|----------|
| Carbon black | LD50 Oral | Rat | 15,400 mg/kg | - |
| Iron oxide | | | | |
| Titanium dioxide | LC50 Inhalation | Rat - Male | 6.82 Mg/l | 4 h |
| | LD50 Dermal | Rabbit | > 5,000 mg/kg | - |

Conclusion/Summary : Mixture.Not fully tested.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|----------------------|---------|-------|----------|-------------|
| Titanium dioxide | Skin - Mild irritant | Human | | 72 hrs | - |

Conclusion/Summary

Skin : Mixture.Not fully tested.
Eyes : Mixture.Not fully tested.
Respiratory : Mixture.Not fully tested.

SAFETY DATA SHEET

STAN-TONE DB-34332 HL9 DARK FOREST BEIGE

Version Number 1.1
Revision Date 03/04/2016

Page 8 of 12
Print Date 04/06/2016

Sensitization**Conclusion/Summary**

Skin : Mixture.Not fully tested.
Respiratory : Mixture.Not fully tested.

Mutagenicity

Conclusion/Summary : Mixture.Not fully tested.

Carcinogenicity

Conclusion/Summary : Mixture.Not fully tested.

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| Carbon black | | 2B | |
| Iron oxide | | 3 | |
| Titanium dioxide | | 2B | |

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)**Specific target organ toxicity (repeated exposure)****Aspiration hazard**

Information on the likely routes of exposure : Not available.

Potential acute health effects

Eye contact :
Inhalation :
Skin contact :
Ingestion :

Symptoms related to the physical, chemical and toxicological characteristics

SAFETY DATA SHEET

STAN-TONE DB-34332 HL9 DARK FOREST BEIGE

Version Number 1.1
Revision Date 03/04/2016

Page 9 of 12
Print Date 04/06/2016

Eye contact :
Inhalation :
Skin contact :
Ingestion :

Delayed and immediate effects and also chronic effects from short and long term exposureShort term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Mixture. Not fully tested.

General :
Carcinogenicity :
Mutagenicity :
Teratogenicity :
Developmental effects :
Fertility effects :

Numerical measures of toxicityAcute toxicity estimates

Not available.

| |
|---|
| Section 12. Ecological information |
|---|

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|------------------------------------|--------------------------------|----------|
| Carbon black | Acute EC50 37.563 mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h |

SAFETY DATA SHEET

STAN-TONE DB-34332 HL9 DARK FOREST BEIGE

Version Number 1.1
Revision Date 03/04/2016

Page 10 of 12
Print Date 04/06/2016

| | | | |
|------------------|--|------------------------------------|------|
| | Acute LC50 61.547 mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h |
| Titanium dioxide | | | |
| | Acute LC50 > 1,000,000 µg/l Marine water | Fish - Fish | 96 h |
| | Acute LC50 > 1,000 mg/l Fresh water | Fish - Fish | 96 h |
| | Acute LC50 13 mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h |
| | Acute LC50 6.5 mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h |
| | Acute LC50 3 mg/l Fresh water | Aquatic invertebrates. Crustaceans | 48 h |
| | Acute LC50 15.9 mg/l Fresh water | Aquatic invertebrates. Crustaceans | 48 h |
| | Acute LC50 3.6 mg/l Fresh water | Aquatic invertebrates. Crustaceans | 48 h |
| | Acute LC50 11 mg/l Fresh water | Aquatic invertebrates. Crustaceans | 48 h |
| | Acute LC50 13.4 mg/l Fresh water | Aquatic invertebrates. Crustaceans | 48 h |
| | Acute EC50 27.8 mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h |
| | Acute EC50 19.3 mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h |
| | Acute EC50 35.306 mg/l Fresh water | Aquatic invertebrates. Daphnia | 48 h |

Conclusion/Summary : Not available.

Persistence and degradability

Conclusion/Summary : Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|--------|-----------|
| Titanium dioxide | | 352.00 | low |

Mobility in soil

Soil/water partition coefficient (KOC) : Not available.

Other adverse effects :

SAFETY DATA SHEET

STAN-TONE DB-34332 HL9 DARK FOREST BEIGE

Version Number 1.1
Revision Date 03/04/2016

Page 11 of 12
Print Date 04/06/2016

Section 13. Disposal considerations**Section 14. Transport information**

U.S. DOT Classification : Not regulated for transportation.
ICAO/IATA : Consult mode specific transport rules
IMO/IMDG (maritime) : Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations :
DEA List I Chemicals (Precursor :
Chemicals)
DEA List II Chemicals (Essential :
Chemicals)

US. EPA CERCLA Hazardous Substances (40 CFR 302)**SARA 311/312**

Classification : Acute Health Hazard
Chronic Health Hazard

Composition/information on ingredients

| Name | % | Classification |
|------------------|--------|----------------|
| Carbon black | 8.2606 | CH |
| Titanium dioxide | 9.3744 | F |

SARA 313

Not applicable.

State regulations**International regulations**

SAFETY DATA SHEET

STAN-TONE DB-34332 HL9 DARK FOREST BEIGE

Version Number 1.1
Revision Date 03/04/2016

Page 12 of 12
Print Date 04/06/2016

International lists :
Chemical Weapons Convention :
List Schedule I Chemicals :
Chemical Weapons Convention :
List Schedule II Chemicals :
Chemical Weapons Convention :
List Schedule III Chemicals :

| |
|--------------------------------------|
| Section 16. Other information |
|--------------------------------------|

History

Date of printing : 04/06/2016
Date of issue/Date of revision : 03/04/2016
Date of previous issue : 01/23/2013
Version : 1.1

Key to abbreviations

: ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

References : Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.