AQUAMIX 1284

Version Number 1.1 Revision Date 04/13/2018

ne

Page 1 of 18 Print Date 04/29/2018

SAFETY DATA SHEET

AQUAMIX 1284

Section 1. Identification		
GHS product identifier Chemical name	:	AQUAMIX 1284 Mixture
CAS number Other means of identification Product type	:	Mixture FO20030854 liquid
Relevant identified uses of the substance or mixture and uses advised against		
Product use Supplier's details	:	Industrial applications. Plastics. POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)	•	accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2 Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 46.3 %

GHS label elements

AQUAMIX 1284

Version I	Numb	er 1.1
Revision	Date	04/13/2018

PolyOne

Page 2 of 18 Print Date 04/29/2018

Hazard pictograms	:	
Signal word Hazard statements	:	Warning Harmful if swallowed. Causes serious eye irritation. Causes skin irritation. Suspected of causing cancer.
Precautionary statements		
General Prevention	:	Not applicable. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Response	:	IF exposed or concerned: Get medical attention. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	:	Store locked up.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20030854

CAS number/other identifiers



AQUAMIX 1284

Version Number 1.1 Revision Date 04/13/2018 Page 3 of 18 Print Date 04/29/2018

Ingredient name	%	CAS number
1,4-Benzenediamine, N-(1,3-dimethylbutyl)-N'-phenyl-	10 - 25	793-24-8
Oleic acid	1 - 3	112-80-1
Diethanolamine	0 - 0.3	111-42-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the

AQUAMIX 1284

Version Number 1.1 Revision Date 04/13/2018



Page 4 of 18 Print Date 04/29/2018

head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	 Causes serious eye irritation. No known significant effects or critical hazards. Causes skin irritation. Harmful if swallowed. 	
Over-exposure signs/symptoms		
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness	
Inhalation	: No specific data.	
Skin contact	: Adverse symptoms may include the following: irritation redness	
Ingestion	: No specific data.	
Indication of immediate medical a	ntion and special treatment needed, if necessary	
Notes to physician	: In case of inhalation of decomposition products in a fire, symptom may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.	IS
Specific treatments	: No specific treatment.	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid t give mouth-to-mouth resuscitation.	to

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

AQUAMIX 1284

PolyOne

Version Number 1.1 Revision Date 04/13/2018	Page 5 of 18 Print Date 04/29/2018
	 In case of fire, use water spray (fog), foam, dry chemical or CO₂. None known. In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate.
For emergency responders	:	inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for contain	ment a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach
		5/18

AQUAMIX 1284

Version Number 1.1 Revision Date 04/13/2018



Page 6 of 18 Print Date 04/29/2018

release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters



AQUAMIX 1284

Version Number 1.1 Revision Date 04/13/2018 Page 7 of 18 Print Date 04/29/2018

Occupational exposure limits

Ingredient name		Exposure limits
Diethanolamine		OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 15 mg/m3 3 ppm NIOSH REL (1994-06-01) Time Weighted Average (TWA) 15 mg/m3 3 ppm ACGIH TLV (2008-11-24) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 1 mg/m3 Form: Inhalable fraction and vapor
Oleic acid		
1,4-Benzenediamine, N-(1,3- dimethylbutyl)-N'-phenyl-		
Appropriate engineering controls Environmental exposure controls	:	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		

AQUAMIX 1284

ŀ	bl	vOne.
_		

Version Number 1.1	Page 8 of 18
Revision Date 04/13/2018	Print Date 04/29/2018

Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [liquid]
Color	:	NO PIGMENT
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.



AQUAMIX 1284

Version Number 1.1 Revision Date 04/13/2018 Page 9 of 18 Print Date 04/29/2018

Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure			
Remarks - Oral:	No applicable toxicity data						
Remarks - Inhalation:	No applicable toxi	city data					
Remarks - Dermal:	No applicable toxi	city data					
Oleic acid							
	LD50 Oral	Rat	25,000 mg/kg	-			
Remarks - Inhalation:	nalation: No applicable toxicity data						
Remarks - Dermal:	No applicable toxicity data						
1,4-Benzenediamine, N-(1,3-dimethylbutyl)-N'-phenyl-							
	LD50 Oral	Rat	271 mg/kg	-			
Remarks - Inhalation:	No applicable toxi	city data					
	LD50 Dermal Rabbit		2,806 mg/kg	-			

AQUAMIX 1284

Version Number 1.1 Revision Date 04/13/2018 Page 10 of 18 Print Date 04/29/2018

<u>One</u>

Conclusion/Summary

Mixture.Not fully tested.

:

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Diethanolamine	Skin - Mild	Rabbit			-
	irritant				
	Eyes - Severe	Rabbit		24 hrs	-
	irritant				
	Eyes - Severe	Rabbit			-
	irritant				
	Skin - Mild	Rabbit		24 hrs	-
	irritant				
Oleic acid	Eyes - Mild	Rabbit			-
	irritant				
	Skin -	Human		72 hrs	-
	Moderate				
	irritant				
	Skin - Mild	Rabbit			-
	irritant				
1,4-Benzenediamine, N-	Skin - Severe	Rabbit			-
(1,3-dimethylbutyl)-N'-	irritant				
phenyl-					
	Skin -	Rabbit			-
	Moderate				
	irritant				
	Eyes - Severe	Rabbit			-
	irritant				
	Skin - Mild	Rabbit			-
	irritant				
	Eyes - Mild	Rabbit			-
	irritant				

Conclusion/Summary Skin

: Mixture.Not fully tested.

Mixture.Not fully tested.Mixture.Not fully tested.

:

Sensitization

Respiratory

Eyes

Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.

Mutagenicity



AQUAMIX 1284

Revision Date 04/13/20	18			Page 11 of 18 Print Date 04/29/2018
Conclusion/Summary	:	Miz	xture.Not fully	tested.
<u>Carcinogenicity</u>				
Conclusion/Summary Classification	:	Miz	xture.Not fully	tested.
	OSHA		IARC	NTP
name				
Diethanolamine			2B	
<u>Reproductive toxicity</u>				
Conclusion/Summary	:	Miz	xture.Not fully	tested.
<u>Teratogenicity</u>				
Conclusion/Summary	:	Miz	xture.Not fully	tested.
Specific target organ toxicity Not available.	(single exp	osure	<u>e)</u>	
Specific target organ toxicity Not available.	(repeated	expos	<u>sure)</u>	
Not available. <u>Aspiration hazard</u> Not available. Information on likely routes of			s ure) t available.	
Not available. <u>Aspiration hazard</u> Not available. Information on likely routes of exposure				
Not available. <u>Aspiration hazard</u> Not available. Information on likely routes of exposure <u>Potential acute health effects</u>	f :	Not	t available.	irritation.
Not available. <u>Aspiration hazard</u> Not available. Information on likely routes of exposure <u>Potential acute health effects</u> Eye contact		Not Cau	t available. uses serious eye	irritation. ant effects or critical hazards.
Not available. <u>Aspiration hazard</u> Not available. Information on likely routes of exposure <u>Potential acute health effects</u> Eye contact Inhalation	f :	Not Cau No	t available. uses serious eye	ant effects or critical hazards.
Not available. <u>Aspiration hazard</u> Not available. Information on likely routes of exposure <u>Potential acute health effects</u> Eye contact Inhalation Skin contact	f :	Not Cau No Cau	t available. uses serious eye known signific	ant effects or critical hazards. on.
Not available. <u>Aspiration hazard</u> Not available. Information on likely routes of exposure <u>Potential acute health effects</u> Eye contact Inhalation Skin contact Ingestion	f : : : :	Not Cau No Cau Har	t available. uses serious eye known signific uses skin irritati rmful if swallov	ant effects or critical hazards. on. ved.
<u>Aspiration hazard</u> Not available. Information on likely routes of exposure <u>Potential acute health effects</u> Eye contact Inhalation Skin contact Ingestion <u>Symptoms related to the physi</u>	f : : : :	Not Cau No Cau Har ical an Adv pair wat	t available. uses serious eye known signific uses skin irritati rmful if swallov <u>nd toxicologica</u> verse symptoms n or irritation ering	ant effects or critical hazards. on. ved.
Not available. <u>Aspiration hazard</u> Not available. Information on likely routes of exposure <u>Potential acute health effects</u> Eye contact Inhalation Skin contact Ingestion <u>Symptoms related to the physi</u> Eye contact	f : : : : : :	Not Cau No Cau Har ical an Adv pair wat redr	t available. uses serious eye known signific uses skin irritati rmful if swallov nd toxicologica verse symptoms n or irritation ering ness	ant effects or critical hazards. on. ved. <u>Il characteristics</u>
Not available. <u>Aspiration hazard</u> Not available. Information on likely routes of exposure <u>Potential acute health effects</u> Eye contact Inhalation	f : : : : : : :	Not Cau No Cau Har ical an Adv pair wat redr No Adv	t available. uses serious eye known signific uses skin irritati rmful if swallov nd toxicologica verse symptoms n or irritation tering ness specific data.	ant effects or critical hazards. on. ved. <u>Il characteristics</u>

AQUAMIX 1284

PolyOne

Version Number 1.1 Revision Date 04/13/2018 Page 12 of 18 Print Date 04/29/2018

Ingestion	:	redness No specific data.
-	ell as	chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity	:	No known significant effects or critical hazards. Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity Teratogenicity Developmental effects Fertility effects	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	1,249.2 mg/kg
Route	ATE value
Dermal	16,034 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Diethanolamine			
	Acute LC50 1.48 Mg/l Fresh water	Fish - Fish	96 h
	12/18		



AQUAMIX 1284

Version Number 1.1 Revision Date 04/13/2018

Page 13 of 18 Print Date 04/29/2018

Remarks - Acute - Fish:	Acute		
	Acute LC50 28.8 Mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute LC50 0.00215 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:		n	
	Acute EC50 12 Mg/l Fresh water	Aquatic plants - Algae	96 h
Remarks - Acute - Aquatic	Acute		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Oleic acid			
	Acute LC50 205 Mg/l Fresh water	Fish - Fish	96 h
Remarks - Acute - Fish:	Acute		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
1,4-Benzenediamine, N-(1,3-d			
Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic	No applicable toxicity data		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Conclusion/Summary	: Not available.		

Conclusion/Summary

Not available.

Persistence and degradability

Conclusion/Summary Not available. :

Bioaccumulative potential



AQUAMIX 1284

Version Number 1.1 Revision Date 04/13/2018 Page 14 of 18 Print Date 04/29/2018

Product/ingredient name	LogPow	BCF	Potential
Ethanol, 2,2'-iminobis-	-1.43	-	low
9-Octadecenoic acid (9Z)-	7.73	-	high
1,4-Benzenediamine, N1-(1,3-	2.46	17.00	low
dimethylbutyl)-N4-phenyl-			

Mobility in soil

Disposal methods

Soil/water partition coefficient	:	Not available.
(KOC) Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules

AQUAMIX 1284

Version Number 1.1 Revision Date 04/13/2018

<u>PolyOne</u>

Page 15 of 18 Print Date 04/29/2018

International Water IMO/IMDG : Consult mode specific transport rules

Section 15. Regulatory information

	United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Listed Triethanolamine
I :	Listed Not listed Not listed
	s) I :



AQUAMIX 1284

Version Number 1.1 Revision Date 04/13/2018 Page 16 of 18 Print Date 04/29/2018

DEA List I Chemicals (Precursor:Not listedChemicals)DEA List II Chemicals (Essential:Not listedChemicals):Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

SARA 311/312

Classification

Immediate (acute) health hazard Delayed (chronic) health hazard

Composition/information on ingredients

Name	%	Classification
Diethanolamine	0 - 0.3	AH, CH
Oleic acid	1 - 3	AH
1,4-Benzenediamine, N-(1,3-	10 - 25	AH
dimethylbutyl)-N'-phenyl-		

<u>SARA 313</u>

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed:
		Diethanolamine
New Jersey	:	The following components are listed:
		Diethanolamine
Pennsylvania	:	The following components are listed:
		Oleic acid
		Diethanolamine

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.

International regulations

AQUAMIX 1284

Version Number 1.1 Revision Date 04/13/2018



Page 17 of 18 Print Date 04/29/2018

Inventory list

Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	Not determined.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

110001		
Date of printing	:	04/29/2018
Date of issue/Date of revision	:	04/13/2018
Date of previous issue	:	02/15/2013
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
-		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient

AQUAMIX 1284

Version Number 1.1 Revision Date 04/13/2018

Page 18 of 18 Print Date 04/29/2018

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.