PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-34444 LIMESTONE CANADA

Version Number 1.0 Revision Date 05/02/2013 Page 1 of 7 Print Date 5/2/2013

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-34444 LIMESTONE CANADA
Product code	:	FO20031211
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Calcium carbonate	1317-65-3	1 - 5
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-34444 LIMESTONE CANADA

Version Number 1.0 Revision Date 05/02/2013 Page 2 of 7 Print Date 5/2/2013

Medical Conditions	: None known.				
Aggravated by Exposure:					
	4. FIRST AID MEASURES				
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.				
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.				
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.				
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.				
	5. FIREFIGHTING MEASURES				
Flash point	: no data available				
Flammable Limits					
Upper explosion limit	: no data available				
Lower explosion limit	: no data available				
Auto-ignition temperature	: Not applicable				
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.				
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive				
Procedures	pressure mode should be worn to prevent inhalation of airborne				
	contaminants.				
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen				
Hazards	(NOx), other hazardous materials, and smoke are all possible.				
	6. ACCIDENTAL RELEASE MEASURES				
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.				
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.				
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.				
	7. HANDLING AND STORAGE				

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-34444 LIMESTONE CANADA

sion Number 1.0 vision Date 05/02/2013		Page 3 of Print Date 5/2/201
Handling	:	Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.
8. EX	POSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	Under normal handling conditions a respirator may not be required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-34444 LIMESTONE CANADA

Version Number 1.0 Revision Date 05/02/2013 Page 4 of 7 Print Date 5/2/2013

: Not established

:

:

:

:

Not determined

Not applicable

Not determined

Heavier than air.

: Not determined

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Silica, amorphous	6 mg/m3	Recommended exposure limit (REL):		NIOSH
	0.8 mg/m3	Time Weighted Average (TWA):		Z3
	10 mg/m3	Time Weighted Average (TWA):	Inhalable particulate.	MX OEL
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Evapouration rate

Specific Gravity

Vapour pressure

Vapour density

Bulk density

pН

Form	: liquid
Appearance	: liquid, Viscous liquid
	dispersion
Colour	: GREY
Odour	: very faint
Melting point/range	: not applicable
Boiling Point:	: not applicable
Water solubility	: immiscible

immiscible

10. STABILITY AND REACTIVITY

:	The product is stable if stored and handled as prescribed.
:	Will not occur.
:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
:	Incompatible with strong acids and oxidizing agents.
:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	:

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-34444 LIMESTONE CANADA

Version Number 1.0 Revision Date 05/02/2013

Page 5 of 7 Print Date 5/2/2013

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory
			system.
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	Environmental toxicity has not been established for this mixture as a whole.	
Bioaccumulation Potential	no data available	
Additional advice	no data available	
	13. DISPOSAL CONSIDERATIONS	T
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-34444 LIMESTONE CANADA

sion Number 1.0 vision Date 05/02/2013		Page 6 of 7 Print Date 5/2/2013	
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	1	4. TRANSPORT INFORMATION	
U.S. DOT Classification	:	Refer to specific regulation.	
ICAO/IATA	:	Refer to specific regulation.	
IMO/IMDG (maritime)	:	Refer to specific regulation.	
	15	5. REGULATORY INFORMATION	
US Regulations:			
OSHA Status	:	Classified as hazardous based on components.	
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)	
not applicable			
California Proposition 65	:	Not applicable	
SARA Title III Section 302 Ext	rem	ely Hazardous Substance	
Unless specific chemicals are id	lenti	fied under this section, this product is Not Applicable under this regulation	
SARA Title III Section 313 Tox	tic C	Chemicals:	
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation			
Canadian Regulations:			
National Pollutant Relea	se Iı	nventory (NPRI)	
not applicable			
WHMIS Classification	:	D2A	

PolvOne

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-34444 LIMESTONE CANADA

Version Number 1.0 Revision Date 05/02/2013 Page 7 of 7 Print Date 5/2/2013

WHMIS Ingredient Disclosure List

CAS-NO.	
7631-86-9	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

		1(07
Philippines PICCS	:	Listed
Korea KECI	:	Listed
Japan ENCS	:	Listed
Jaman ENCS		Listed
Europe EINECS	:	Listed
China IECS	:	Listed
~		
Australia AICS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.