PolyOne

### MATERIAL SAFETY DATA SHEET AQUAMIX 1287

Version Number 1.0 Revision Date 05/14/2013 Page 1 of 6 Print Date 5/14/2013

POLYONE CORPORATI 8155 Cobb Center Drive,		aw, GA 30152
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	AQUAMIX 1287
Product code	:	FO20031337
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	•	Industrial Applications

Components	CAS-No.	Weight percent
Disodium hexafluorosilicate	16893-85-9	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This product has not been evaluated as a whole for health effects. Information provided on the health effects of this product is based on individual components. In addition, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Skin contact, Inhalation, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	:
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

## MATERIAL SAFETY DATA SHEET AQUAMIX 1287

Version Number 1.0 Revision Date 05/14/2013 Page 2 of 6 Print Date 5/14/2013

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of vapors or fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Never give anything by mouth to an unconscious person. Seek medical attention if necessary. Do not induce vomiting without medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>no data available</li> <li>no data available</li> <li>no data available</li> <li>Carbon dioxide (CO2), Water, Foam, Dry chemical.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
Unusual Fire/Explosion Hazards	<ul> <li>Burning dry latex produces dense black smoke with the possibility of toxic vapors. Residual latex material contained in empty drums may decompose when burned producing toxic or irritating fumes. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Ensure response personnel are properly protected (see section 8 for respiratory or other protection guidelines.) Use caution as floors may be slippery.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid



# MATERIAL SAFETY DATA SHEET AQUAMIX 1287

ision Date 05/14/2013		Print Date 5/14/2
	binder, universal binder, sawdu containers for disposal.	st). Sweep up and shovel into suitable
	7. HANDLING AND STORA	GE
Handling	Prolonged heating may result in	appropriate exhaust ventilation. n product degradation. Material may nixing without introduction of air may
Storage		nust be carefully resealed and kept ep in a dry, cool place. Keep from mes.
8. EX	OSURE CONTROLS/PERSONAL	PROTECTION
Respiratory protection	in areas of good general ventila processing equipment during ro	uired for routine handling of product ation and adequate local exhaust at putine operation. Airborne naintained below the occupational
Eye/Face Protection	: Safety glasses with side-shields operations that present a splash	s Wear goggles or face shield during potential.
Hand protection	: Impervious gloves such as rubb	per or PVC
Skin and body protection	Where operations present a spla	ants are adequate for normal handling. ash or spill potential, employees nt clothing, boots, apron, gloves, and
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations	: Wash hands before breaks and product. Handle in accordance safety practices.	immediately after handling the with good industrial hygiene and
Engineering measures		propriate respiratory protection may employee exposure to processing
Exposure limit(s)		
9	PHYSICAL AND CHEMICAL PRO	OPERTIES
Form	: liquid Evapo	ouration rate : Slower than But

PolyOne.

### MATERIAL SAFETY DATA SHEET AQUAMIX 1287

Version Number 1.0 Revision Date 05/14/2013 Page 4 of 6 Print Date 5/14/2013

Appearance Colour Odour Melting point/range Boiling Point: Water solubility	Acetate: liquidSpecific Gravity: Not determined: NO PIGMENTBulk density: Not applicable: slightVapour pressure: Not established: not applicableVapour density: Heavier than air.: Not establishedpH: Not determined: completely miscible:
	10. STABILITY AND REACTIVITY
Stability	: The product is stable if stored and handled as prescribed.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Extremes of temperature and direct sunlight. Keep from freezing.
Incompatible Materials	: Acids, metal salts, and solvents
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
16893-85-9	Disodium	Irritant	Eyes, Respiratory system.
	hexafluorosilicate		
		Systemic effects	central nervous system (CNS),
			Liver, Kidney.
		Toxic	Refer to LC50 / LD50 Data on
			MSDS

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
16893-85-9	Disodium hexafluorosilicate	Oral LD50Oral LD50	125 mg/kg125 mg/kg	ratrat

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability

: no data available

Environmental Toxicity

: no data available



# MATERIAL SAFETY DATA SHEET **AQUAMIX 1287**

Version Number 1.0 Revision Date 05/14/2013 Page 5 of 6 Print Date 5/14/2013

Additional advice	: no data available
Additional advice	
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	
	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	is Substances (40 CFR 302)
not applicable	
California Proposition 65	n : Not applicable
	Extremely Hazardous Substance

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET AQUAMIX 1287

Version Number 1.0	Page 6 of 6
Revision Date 05/14/2013	Print Date 5/14/2013

SARA Title III Section 313 Tox	ic (	Chemicals:
Unless specific chemicals are ide	enti	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Releas	e Iı	nventory (NPRI)
not applicable		
WHMIS Classification	:	D1B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.