## MATERIAL SAFETY DATA SHEET XDW01537J XP FLOURESCENT PINK PC

Version Number 1.0 Revision Date 08/27/2013 Page 1 of 6 Print Date 8/28/2013

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	XDW01537J XP FLOURESCENT PINK PC
Product code	:	FO20031909
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne

# MATERIAL SAFETY DATA SHEET XDW01537J XP FLOURESCENT PINK PC

Version Number 1.0 Revision Date 08/27/2013 Page 2 of 6 Print Date 8/28/2013

	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptor persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIREFIGHTING MEASURES		
Flash point	: no data available		
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>no data available</li> <li>no data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.		
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.		
	7. HANDLING AND STORAGE		
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue.		



## MATERIAL SAFETY DATA SHEET XDW01537J XP FLOURESCENT PINK PC

Version Number 1.0 Revision Date 08/27/2013 Page 3 of 6 Print Date 8/28/2013

Storage	accu : Keej	odically clean hoods, ducts, and other surfaces to minimize mulation of these materials. o containers dry and tightly closed to avoid moisture absorption contamination. Store in a cool dry place.	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION			
Respiratory protection	: No p	personal respiratory protective equipment normally required.	
Eye/Face Protection	: Safe	ty glasses with side-shields	
Hand protection	: Prot	ective gloves	
Skin and body protection	: Long	g sleeved clothing	
Additional Protective Measures	: Safe	ty shoes	
General Hygiene Considerations		dle in accordance with good industrial hygiene and safety tice. Wash hands before breaks and at the end of workday.	
Engineering measures		only in areas with appropriate exhaust ventilation. Provide opriate exhaust ventilation at machinery.	
Exposure limit(s)			
There are no known hazardous components above regulatory thresholds in this product.			
9. PHYSICAL AND CHEMICAL PROPERTIES			

Form	: liquid
Appearance	: viscous, liquid
Colour	: PINK
Odour	: very faint
Melting point/range	: not applicable
Boiling Point:	: not applicable
Water solubility	: immiscible

#### Specific Gravity Bulk density Vapour pressure Vapour density pН

Evapouration rate

: Not established : Not determined : Not applicable : Not determined : Not determined

: Not applicable

### **10. STABILITY AND REACTIVITY**

Stability	:	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.

PolyOne

## MATERIAL SAFETY DATA SHEET XDW01537J XP FLOURESCENT PINK PC

Version Number 1.0 Revision Date 08/27/2013 Page 4 of 6 Print Date 8/28/2013

Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

#### **11. TOXICOLOGICAL INFORMATION**

There are no known hazardous components above regulatory thresholds in this product.

Not readily biodegradable. Environmental toxicity has not been established for this mixture as a vhole. To data available to data available <b>DISPOSAL CONSIDERATIONS</b> Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste naterial has the responsibility for proper waste classification, ransportation and disposal in accordance with applicable federal, tate/provincial and local regulations.
whole. to data available to data available <b>DISPOSAL CONSIDERATIONS</b> Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with upplicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste naterial has the responsibility for proper waste classification, ransportation and disposal in accordance with applicable federal,
to data available <b>DISPOSAL CONSIDERATIONS</b> Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with upplicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste naterial has the responsibility for proper waste classification, ransportation and disposal in accordance with applicable federal,
DISPOSAL CONSIDERATIONS Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste naterial has the responsibility for proper waste classification, ransportation and disposal in accordance with applicable federal,
Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste naterial has the responsibility for proper waste classification, ransportation and disposal in accordance with applicable federal,
generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste naterial has the responsibility for proper waste classification, ransportation and disposal in accordance with applicable federal,
naterial has the responsibility for proper waste classification, ransportation and disposal in accordance with applicable federal,
TRANSPORT INFORMATION
Refer to specific regulation.
Refer to specific regulation.
Refer to specific regulation.
REGULATORY INFORMATION
There are no known hazardous components above regulatory hresholds in this product.

PolyOne

## MATERIAL SAFETY DATA SHEET XDW01537J XP FLOURESCENT PINK PC

Version Number 1.0 Revision Date 08/27/2013 Page 5 of 6 Print Date 8/28/2013

TSCA Status

: All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
2-[6-(ethylamino)-3-(ethylimino)-2,7-dimethyl-	989-38-8	0.10 - 1.00	
3H-xanthine-9-yl] benzoic acid ethyl ester			
monohydrochloride (C.I. basic red 1)			

WHMIS Classification : Not controlled. DSL DSL status has not been determined. Quantity use in Canada may be : restricted by regulations. National Inventories: Australia AICS : Not determined China IECS : Not determined Europe EINECS : Not determined Japan ENCS : Not determined Korea KECI : Not determined

PolyOne

# MATERIAL SAFETY DATA SHEET XDW01537J XP FLOURESCENT PINK PC

Version Number 1.0 Revision Date 08/27/2013 Page 6 of 6 Print Date 8/28/2013

Philippines PICCS

: Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.