

## MATERIAL SAFETY DATA SHEET

# **DB-34571 HL9 DARK FROST BEIGE**

Version Number 1.0 Page 1 of 8 Revision Date 09/09/2013 Print Date 9/9/2013

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION

Telephone

Emergency telephone : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure

number or accident).

Product name : DB-34571 HL9 DARK FROST BEIGE

Product code : FO20031935 Chemical Name : Mixture CAS-No. : Mixture

Product Use :

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Calcium carbonate	1317-65-3	1 - 5
Silica, amorphous	7631-86-9	1 - 5
Iron oxide	1309-37-1	5 - 10
Carbon black	1333-86-4	10 - 30
Titanium dioxide	13463-67-7	30 - 60

### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

#### POTENTIAL HEALTH EFFECTS

**Routes of Exposure:** :

Acute exposure

Inhalation:Ingestion:Eyes:Skin:

**Chronic exposure** : Refer to Section 11 for Toxicological Information.

Medical Conditions
Aggravated by Exposure:



# MATERIAL SAFETY DATA SHEET

# **DB-34571 HL9 DARK FROST BEIGE**

 Version Number 1.0
 Page 2 of 8

 Revision Date 09/09/2013
 Print Date 9/9/2013

		4. FIRST AID MEASURES	
L	7.1.1.2		
	Inhalation		
	Ingestion	:	
	Eyes	:	
	Skin	:	
		5. FIREFIGHTING MEASURES	
	Flash point		
	_	•	
	Flammable Limits		
	Upper explosion limit Lower explosion limit	·	
	Auto-ignition temperature		
	Suitable extinguishing media	:	
	Special Fire Fighting	:	
	Procedures		
	Unusual Fire/Explosion	:	
	Hazards		
	6	5. ACCIDENTAL RELEASE MEASURES	
	Personal precautions	5. ACCIDENTAL RELEASE MEASURES :	_
	Personal precautions	· ·	
	Personal precautions  Environmental precautions		
	Personal precautions	· ·	
	Personal precautions  Environmental precautions	· ·	_
	Personal precautions  Environmental precautions  Methods for cleaning up	: :	
	Personal precautions  Environmental precautions  Methods for cleaning up  Handling	: :	
	Personal precautions  Environmental precautions  Methods for cleaning up	: :	
	Personal precautions  Environmental precautions  Methods for cleaning up  Handling  Storage	: :	
	Personal precautions  Environmental precautions  Methods for cleaning up  Handling  Storage	: : : 7. HANDLING AND STORAGE : :	_
	Personal precautions  Environmental precautions  Methods for cleaning up  Handling  Storage  8. EXPO	: : : 7. HANDLING AND STORAGE : : : : SURE CONTROLS/PERSONAL PROTECTION	
	Personal precautions Environmental precautions Methods for cleaning up  Handling Storage  8. EXPO Respiratory protection Eye/Face Protection	: : : 7. HANDLING AND STORAGE : : : : SURE CONTROLS/PERSONAL PROTECTION	
	Personal precautions Environmental precautions Methods for cleaning up  Handling Storage  8. EXPO Respiratory protection Eye/Face Protection Hand protection	: : : 7. HANDLING AND STORAGE : : : : SURE CONTROLS/PERSONAL PROTECTION : : :	
	Personal precautions Environmental precautions Methods for cleaning up  Handling Storage  8. EXPO Respiratory protection Eye/Face Protection	: : : 7. HANDLING AND STORAGE : : : : SURE CONTROLS/PERSONAL PROTECTION	



# MATERIAL SAFETY DATA SHEET

# **DB-34571 HL9 DARK FROST BEIGE**

Version Number 1.0 Page 3 of 8 Revision Date 09/09/2013 Print Date 9/9/2013

Additional Protective

Measures

General Hygiene Considerations

Engineering measures :

Exposure limit(s)



# MATERIAL SAFETY DATA SHEET

# **DB-34571 HL9 DARK FROST BEIGE**

Version Number 1.0 Revision Date 09/09/2013 Page 4 of 8 Print Date 9/9/2013

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Carbon black	3.5 mg/m3	Recommended exposure limit (REL):		NIOSH
	0.1 mg/m3	Recommended exposure limit (REL):		NIOSH
	3.5 mg/m3	PEL:		OSHA Z1
	3.5 mg/m3	Time Weighted Average (TWA):		OSHA Z1A
	3.5 mg/m3	Time Weighted Average (TWA):		MX OEL
	7 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
	3 mg/m3	Time Weighted Average (TWA):	Inhalable fraction.	ACGIH
Iron oxide	10 mg/m3	PEL:	Fume.	OSHA Z1
	5 mg/m3	Time Weighted Average (TWA):	as Fe	MX OEL
	10 mg/m3	Short Term Exposure Limit (STEL):	as Fe	MX OEL
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
Silica, amorphous	6 mg/m3	Recommended exposure limit (REL):		NIOSH
	0.8 mg/m3	Time Weighted Average (TWA):		Z3
	10 mg/m3	Time Weighted Average (TWA):	Inhalable particulate.	MX OEL
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : Evapouration rate : Appearance : Specific Gravity :



## MATERIAL SAFETY DATA SHEET

## **DB-34571 HL9 DARK FROST BEIGE**

Version Number 1.0 Page 5 of 8 Revision Date 09/09/2013 Print Date 9/9/2013

Colour : BROWN Bulk density : Odour : Vapour pressure : Melting point/range : Vapour density : Boiling Point: : pH :

Water solubility :

### 10. STABILITY AND REACTIVITY

Stability :

Hazardous Polymerization :

Conditions to avoid :

Incompatible Materials :

Hazardous decomposition

products

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.	
		Systemic effects	Eyes, Skin, Respiratory	
			system.	
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.	
1309-37-1	Iron oxide	Systemic effects	Respiratory system.	
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	> 15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

#### Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no



#### MATERIAL SAFETY DATA SHEET

## DB-34571 HL9 DARK FROST BEIGE

 Version Number 1.0
 Page 6 of 8

 Revision Date 09/09/2013
 Print Date 9/9/2013

#### IARC Carcinogen Classifications:

- 1 The component is carcinogenic to humans.
- 2A The component is probably carcinogenic to humans.
- 2B The component is possibly carcinogenic to humans.

#### NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

#### **Additional Health Hazard Information:**

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	:
Environmental Toxicity	:
Bioaccumulation Potential	:
Additional advice	:
	13. DISPOSAL CONSIDERATIONS
Product	:
Contaminated packaging	:
	14. TRANSPORT INFORMATION
U.S. DOT Classification	:
ICAO/IATA	:
IMO/IMDG (maritime)	:
	15. REGULATORY INFORMATION
US Regulations:	



### MATERIAL SAFETY DATA SHEET

## **DB-34571 HL9 DARK FROST BEIGE**

 Version Number 1.0
 Page 7 of 8

 Revision Date 09/09/2013
 Print Date 9/9/2013

OSHA Status : Classified as hazardous based on components.

TSCA Status : All components of this product are listed on or exempt from the

TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition

: Not applicable

65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1333-86-4	
1309-37-1	
7631-86-9	

DSL : All components of this product are on the Canadian Domestic

Substances List (DSL) or are exempt.

National Inventories:

Australia AICS : Listed

China IECS : Listed

Europe EINECS : Listed



### MATERIAL SAFETY DATA SHEET

# **DB-34571 HL9 DARK FROST BEIGE**

 Version Number 1.0
 Page 8 of 8

 Revision Date 09/09/2013
 Print Date 9/9/2013

Japan ENCS : Not determined

Korea KECI : Listed

Philippines PICCS : Listed

### 16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.