### MATERIAL SAFETY DATA SHEET Geon™ DB4682 Clear Green 360

Version Number 1.0 Revision Date 12/10/2013

Page 1 of 6 Print Date 12/10/2013

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Geon <sup>™</sup> DB4682 Clear Green 360
Product code	:	FO20032427
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET Geon™ DB4682 Clear Green 360

Version Number 1.0 Revision Date 12/10/2013 Page 2 of 6 Print Date 12/10/2013

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>no data available</li> <li>no data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue.

POLYONE CORPORATION

PolyOne

## **MATERIAL SAFETY DATA SHEET** Geon<sup>™</sup> DB4682 Clear Green 360

Version Number 1.0 Revision Date 12/10/2013		Page 3 of 6 Print Date 12/10/2013
Storage	:	Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

#### Exposure limit(s)

There are no known hazardous components above regulatory thresholds in this product.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: liquid
Appearance	: viscous, liquid
Colour	: GREEN
Odour	: very faint
Melting point/range	: not applicable
Boiling Point:	: not applicable
Water solubility	: immiscible

#### Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pН

: Not established : Not determined : Not applicable : Not determined : Not determined

: Not applicable

### **10. STABILITY AND REACTIVITY**

Stability	:	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.

PolyOne.

## MATERIAL SAFETY DATA SHEET Geon™ DB4682 Clear Green 360

Version Number 1.0 Revision Date 12/10/2013 Page 4 of 6 Print Date 12/10/2013

Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

#### **11. TOXICOLOGICAL INFORMATION**

There are no known hazardous components above regulatory thresholds in this product.

erator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with dicable federal, state/provincial and local regulations. eycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification, asportation and disposal in accordance with applicable federal,
ble. data available data available <b>SPOSAL CONSIDERATIONS</b> there possible recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with dicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification, has the responsibility for proper waste classification, has the responsibility for proper waste classification, has portation and disposal in accordance with applicable federal,
data available <b>SPOSAL CONSIDERATIONS</b> there possible recycling is preferred to disposal or incineration. The terator of waste material has the responsibility for proper waste stification, transportation and disposal in accordance with the displayer of the state/provincial and local regulations. Cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification, asportation and disposal in accordance with applicable federal,
SPOSAL CONSIDERATIONS ere possible recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with dicable federal, state/provincial and local regulations. eycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification, asportation and disposal in accordance with applicable federal,
tere possible recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with dicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification, asportation and disposal in accordance with applicable federal,
erator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with dicable federal, state/provincial and local regulations. eycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification, asportation and disposal in accordance with applicable federal,
terial has the responsibility for proper waste classification, asportation and disposal in accordance with applicable federal,
e/provincial and local regulations.
RANSPORT INFORMATION
Fer to specific regulation.
Fer to specific regulation.
er to specific regulation.
GULATORY INFORMATION
ere are no known hazardous components above regulatory

PolyOne

## MATERIAL SAFETY DATA SHEET Geon™ DB4682 Clear Green 360

Version Number 1.0 Revision Date 12/10/2013

**TSCA Status** 

Page 5 of 6 Print Date 12/10/2013

: All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Bis (2-ethylhexyl) adipate	103-23-1	30.00 - 60.00	
2-Ethylhexanoic acid zinc salt	136-53-8	0.10 - 1.00	

	WHMIS Classification	:	Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Nationa	l Inventories:		
	Australia AICS	:	Not determined
	China IECS	:	Not determined
]	Europe EINECS	:	Not determined
	Japan ENCS	:	Not determined
	Korea KECI	:	Not determined



### MATERIAL SAFETY DATA SHEET Geon™ DB4682 Clear Green 360

Version Number 1.0 Revision Date 12/10/2013 Page 6 of 6 Print Date 12/10/2013

Philippines PICCS

: Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.