

Geon™ 83701609 STATIC DISSIPATIVE FR OR

Version Number 1.5 Page 1 of 19 Revision Date 01/09/2020 Print Date 01/23/2020

SAFETY DATA SHEET

Geon™ 83701609 STATIC DISSIPATIVE FR OR

Section 1. Identification

GHS product identifier : Geon™ 83701609 STATIC DISSIPATIVE FR OR

Chemical name: MixtureCAS number: MixtureOther means of identification: FO20032620Product type: liquid

Relevant identified uses of the substance or mixture and uses advised against

Product use : Industrial applications. Plastics.

Supplier's details : POLYONE CORPORATION

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (866) POLYONE

Emergency telephone number (with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

EYE IRRITATION - Category 2B

SKIN SENSITIZATION - Category 1 CARCINOGENICITY - Category 2

GHS label elements



Geon™ 83701609 STATIC DISSIPATIVE FR OR

 Version Number 1.5
 Page 2 of 19

 Revision Date 01/09/2020
 Print Date 01/23/2020

Hazard pictograms

(!)

Signal word : Warning

Hazard statements : Causes eye irritation.

May cause an allergic skin reaction. Suspected of causing cancer.

Precautionary statements

General : Not applicable.

Prevention: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Avoid

breathing vapor. Wash hands thoroughly after handling. Contaminated

work clothing must not be allowed out of the workplace.

Response: IF exposed or concerned: Get medical attention. IF ON SKIN: Wash

with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical attention.

Storage : Store locked up.

Disposal: Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Supplemental label elements Hazards not otherwise classified None known.None known.

Not available.

Section 3. Composition/information on ingredients

Substance/mixture: MixtureChemical name: MixtureOther means of identification: FO20032620

CAS number/other identifiers

| Ingredient name | % | CAS number |
|---------------------|----------|------------|
| Diundecyl phthalate | 25 - 50 | 3648-20-2 |
| | | |
| | | |



Geon™ 83701609 STATIC DISSIPATIVE FR OR

 Version Number 1.5
 Page 3 of 19

 Revision Date 01/09/2020
 Print Date 01/23/2020

| Chlorinated Paraffins | 5 - 10 | 63449-39-8 | |
|---------------------------------|---------|----------------|--|
| Antimony trioxide | 3 - 5 | 1309-64-4 | |
| Proprietary Hazardous Compounds | 0.3 - 1 | Not available. | |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
|--------------|---|--|
| Inhalation | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | : | Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting |



Geon™ 83701609 STATIC DISSIPATIVE FR OR

Version Number 1.5 Page 4 of 19 Revision Date 01/09/2020 Print Date 01/23/2020

unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes eye irritation.

Inhalation : No known significant effects or critical hazards.

Skin contact : May cause an allergic skin reaction.

Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

irritation watering redness

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Firefighting measures



Geon™ 83701609 STATIC DISSIPATIVE FR OR

 Version Number 1.5
 Page 5 of 19

 Revision Date 01/09/2020
 Print Date 01/23/2020

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media In case of fire, use water spray (fog), foam, dry chemical or CO_2 .

None known.

Specific hazards arising from the chemical

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

May emit Hydrogen Chloride (HCl).

Decomposition products may include the following materials:

carbon dioxide carbon monoxide phosphorus oxides halogenated compounds carbonyl halides metal oxide/oxides

Special protective actions for firefighters Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. But on appropriate personal protective equipment.

inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialized clothing is required to deal with the spillage, tak

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with



Geon™ 83701609 STATIC DISSIPATIVE FR OR

Version Number 1.5 Revision Date 01/09/2020 Page 6 of 19 Print Date 01/23/2020

Large spill

water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.



Geon™ 83701609 STATIC DISSIPATIVE FR OR

Version Number 1.5 Revision Date 01/09/2020

Page 7 of 19 Print Date 01/23/2020

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---------------------------------|---|
| Diundecyl phthalate | None. |
| Chlorinated Paraffins | None. |
| Antimony trioxide | NIOSH REL (1994-06-01) TWA 0.5 mg/m3 OSHA PEL 1989 (1989-03-01) TWA 0.5 mg/m3 (as antimony) OSHA PEL (1993-06-30) TWA 0.5 mg/m3 (as antimony) |
| Proprietary Hazardous Compounds | None. |

Appropriate engineering controls If user operations generate dust, fumes, gas, vapor or mist, use process

enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any

recommended or statutory limits.

Environmental exposure controls Emissions from ventilation or work process equipment should be

checked to ensure they comply with the requirements of

environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be

necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical

> products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations

and safety showers are close to the workstation location.

Safety eyewear complying with an approved standard should be used Eye/face protection

when a risk assessment indicates this is necessary to avoid exposure to

liquid splashes, mists, gases or dusts. If contact is possible, the



Geon™ 83701609 STATIC DISSIPATIVE FR OR

Version Number 1.5 Revision Date 01/09/2020 Page 8 of 19 Print Date 01/23/2020

following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves

cannot be accurately estimated.

Body protection: Personal protective equipment for the body should be selected based

on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

Respiratory protection: Based on the hazard and potential for exposure, select a respirator that

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper

fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state liquid [liquid] Color **ORANGE** Odor Not available. **Odor threshold** Not available. Not available. pН **Melting point** Not available. **Boiling point** Not available. Flash point Not available. **Burning time** Not available. **Burning rate** Not available. Not available. **Evaporation rate** Not available. Flammability (solid, gas)

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressure : Not available.



Geon™ 83701609 STATIC DISSIPATIVE FR OR

Version Number 1.5 Page 9 of 19 Revision Date 01/09/2020 Print Date 01/23/2020

Vapor density: Not available.Relative density: Not available.Solubility: Not available.Solubility in water: Not available.Partition coefficient: n-: Not available.

octanol/water

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

Aerosol product

Heat of combustion : Not available.

Ignition distance : Not available. **Enclosed space ignition - Time** : Not available.

equivalent

Enclosed space ignition -

Deflagration density

Flame height : Not available.
Flame duration : Not available.

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or

its ingredients.

Not available.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will

not occur

Conditions to avoid : Keep away from extreme heat and oxidizing agents.

Incompatible materials : Avoid contact with acetal homopolymers and acetyl homopolymers

during processing.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects



Geon™ 83701609 STATIC DISSIPATIVE FR OR

 Version Number 1.5
 Page 10 of 19

 Revision Date 01/09/2020
 Print Date 01/23/2020

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------------------------|-----------|--------------|----------|
| Remarks - Oral: | No applicable toxicity data | | | |
| Remarks - Inhalation: | No applicable toxi | city data | | |
| Remarks - Dermal: | No applicable toxi | city data | | |
| Antimony trioxide | | | | |
| | LD50 Oral | Rat | 34,000 mg/kg | = |
| Remarks - Inhalation: | No applicable toxi | city data | | |
| Remarks - Dermal: | No applicable toxi | city data | | |
| Chlorinated Paraffins | | | | |
| | LD50 Oral | Rat | 26,100 mg/kg | - |
| Remarks - Inhalation: | No applicable toxi | city data | | |
| Remarks - Dermal: | No applicable toxi | city data | | |
| Diundecyl phthalate | | | | |
| Remarks - Oral: | No applicable toxicity data | | | |
| Remarks - Inhalation: | No applicable toxicity data | | | |
| Remarks - Dermal: | No applicable toxi | city data | | |

Conclusion/Summary: Mixture.Not fully tested.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|-------------|---------|-------|----------|-------------|
| Antimony trioxide | Eyes - Mild | Rabbit | | | - |
| | irritant | | | | |
| Chlorinated Paraffins | Eyes - Mild | Rabbit | | | - |
| | irritant | | | | |
| | Skin - Mild | Rat | | 24 hrs | - |
| | irritant | | | | |
| Diundecyl phthalate | Eyes - Mild | Rabbit | | | - |
| | irritant | | | | |

Conclusion/Summary

Skin: Mixture.Not fully tested.Eyes: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Sensitization

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Mutagenicity



Geon™ 83701609 STATIC DISSIPATIVE FR OR

Version Number 1.5 Page 11 of 19 Revision Date 01/09/2020 Print Date 01/23/2020

Conclusion/Summary : Mixture. Not fully tested.

Carcinogenicity

Conclusion/Summary : Mixture.Not fully tested.

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| Antimony trioxide | - | 2B | - |

Reproductive toxicity

Conclusion/Summary : Mixture. Not fully tested.

Teratogenicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of

Not available.

exposure

Potential acute health effects

Eye contact : Causes eye irritation.

Inhalation : No known significant effects or critical hazards.

Skin contact : May cause an allergic skin reaction.

Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Adverse symptoms may include the following: irritation, watering,

redness

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following: irritation, redness

Ingestion : No specific data.



Geon™ 83701609 STATIC DISSIPATIVE FR OR

Version Number 1.5 Revision Date 01/09/2020 Page 12 of 19 Print Date 01/23/2020

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Mixture.Not fully tested.

General : Once sensitized, a severe allergic reaction may occur when

subsequently exposed to very low levels.

Carcinogenicity : Suspected of causing cancer. Risk of cancer depends on duration and

level of exposure.

Mutagenicity: No known significant effects or critical hazards.Teratogenicity: No known significant effects or critical hazards.Developmental effects: No known significant effects or critical hazards.Fertility effects: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-----------------------------|-----------------------------|---------|----------|
| Proprietary Hazardous Compo | unds | | |
| Remarks - Acute - Fish: | No applicable toxicity data | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | |
| invertebrates.: | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | |



Geon™ 83701609 STATIC DISSIPATIVE FR OR

Version Number 1.5 Revision Date 01/09/2020 Page 13 of 19 Print Date 01/23/2020

| plants: | | | | | |
|-----------------------------------|--|-----------------------------|-------|--|--|
| Remarks - Chronic - Fish: | No applicable toxicity data | | | | |
| Remarks - Chronic - | No applicable toxicity data No applicable toxicity data | | | | |
| Aquatic invertebrates.: | Two applicable toxicity data | | | | |
| Antimony trioxide | | | | | |
| Timemony trovide | Acute LC50 > 530 Mg/l Fresh | Fish - Fish | 96 h | | |
| | water | | | | |
| Remarks - Acute - Fish: | Acute | • | • | | |
| | Acute EC50 560 Mg/l Fresh water | Aquatic invertebrates. | 48 h | | |
| | _ | Crustaceans | | | |
| Remarks - Acute - Aquatic | Acute | | | | |
| invertebrates.: | | | _ | | |
| | Acute EC50 423.45 Mg/l Fresh | Aquatic invertebrates. | 48 h | | |
| | water | Daphnia | | | |
| Remarks - Acute - Aquatic | Acute | | | | |
| invertebrates.: | A | T 4 | 72.1 | | |
| | Acute EC50 0.73 Mg/l Fresh water | Aquatic plants - Algae | 72 h | | |
| Remarks - Acute - Aquatic | Acute | | | | |
| plants: | A cuto EC50 0.74 Mg/l Engels victor | A quotio planta Algas | 96 h | | |
| Domonica Acuta Acuatia | Acute EC50 0.74 Mg/l Fresh water | Aquatic plants - Algae | 90 11 | | |
| Remarks - Acute - Aquatic plants: | Acute | | | | |
| piants. | Acute NOEC 0.2 Mg/l Fresh water | Aquatic plants - Algae | 96 h | | |
| Remarks - Acute - Aquatic | Chronic | riquatic plants rigae | 70 H | | |
| plants: | Cinome | | | | |
| Remarks - Chronic - Fish: | No applicable toxicity data | | | | |
| Remarks - Chronic - | No applicable toxicity data | | | | |
| Aquatic invertebrates.: | J 11 | | | | |
| Chlorinated Paraffins | | | | | |
| | Acute LC50 > 5,000 Mg/l Marine | Fish - Fish | 96 h | | |
| | water | | | | |
| Remarks - Acute - Fish: | Acute | | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | | | |
| invertebrates.: | | | | | |
| Remarks - Acute - Aquatic | No applicable toxicity data | | | | |
| plants: | | | | | |
| Remarks - Chronic - Fish: | | No applicable toxicity data | | | |
| Remarks - Chronic - | No applicable toxicity data | | | | |
| Aquatic invertebrates.: | | | | | |
| Diundecyl phthalate | No applicable tovicity data | | | | |
| Remarks - Acute - Fish: | No applicable toxicity data Acute EC50 12 Mg/l Fresh water | Aquatic invertebrates. | 48 h | | |
| | Acute EC30 12 Mg/1 Flesh Water | Daphnia | 40 11 | | |
| Remarks - Acute - Aquatic | Acute | | | | |
| | | | | | |



Geon™ 83701609 STATIC DISSIPATIVE FR OR

Version Number 1.5 Revision Date 01/09/2020 Page 14 of 19 Print Date 01/23/2020

| invertebrates.: | | | |
|---------------------------|-----------------------------|------------------------|------|
| Remarks - Acute - Aquatic | No applicable toxicity data | | |
| plants: | | | |
| Remarks - Chronic - Fish: | No applicable toxicity data | | |
| | Chronic NOEC 0.000059 Mg/l | Aquatic invertebrates. | 21 d |
| | Fresh water | Daphnia | |
| Remarks - Chronic - | Chronic | | |
| Aquatic invertebrates.: | | | |

Conclusion/Summary : Not available.

Persistence and degradability

Conclusion/Summary : Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------------|-----|-----------|
| Chlorinated Paraffins | 7.46 - 11.48 | - | high |

Mobility in soil

Soil/water partition coefficient

(KOC)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



Geon™ 83701609 STATIC DISSIPATIVE FR OR

Version Number 1.5 Revision Date 01/09/2020 Page 15 of 19 Print Date 01/23/2020

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water : Not regulated for transportation.

International Air ICAO/IATA

: Consult mode specific transport rules

International Water

IMO/IMDG

: Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations : United States - TSCA 12(b) - Chemical export notification: The

following components are listed: Chlorinated Paraffins

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules:

Listed 4-Nonylphenol, branched

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Listed

Chlorinated Paraffins

United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Listed

Lead

United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not

determined

United States - TSCA 8(a) - Preliminary assessment report



Geon™ 83701609 STATIC DISSIPATIVE FR OR

Version Number 1.5 Revision Date 01/09/2020 Page 16 of 19 Print Date 01/23/2020

(PAIR): Listed 4-Nonylphenol, branched (2-Methoxymethylethoxy)propanol Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched

United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Lead

Arsenic

Vinyl chloride monomer

Phenol

2-Ethylhexanoic acid zinc salt

Antimony trioxide

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

United States - Department of commerce - Precursor chemical:

Not listed

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I

Substances

Clean Air Act Section 602 Class II

Substances

DEA List I Chemicals (Precursor

Chemicals)

DEA List II Chemicals (Essential

Chemicals)

Listed

Not listed

Not listed

Not listed

tial : Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

| Chemical Name | CAS-No. | RQ for component |
|-------------------|-----------|------------------|
| Arsenic | 7440-38-2 | 1 lb(s) |
| | | 0.454 kg |
| | | |
| Antimony trioxide | 1309-64-4 | 1,000 lb(s) |
| | | 454 kg |
| | | |



Geon™ 83701609 STATIC DISSIPATIVE FR OR

 Version Number 1.5
 Page 17 of 19

 Revision Date 01/09/2020
 Print Date 01/23/2020

SARA 311/312

Classification : EYE IRRITATION - Category 2B SKIN SENSITIZATION - Category 1

CARCINOGENICITY - Category 2

Composition/information on ingredients

| Name | % | Classification |
|-----------------------|---------------|--|
| Proprietary Hazardous | >= 0.3 - < 1 | FLAMMABLE LIQUIDS - Category 4 |
| Compounds | | ACUTE TOXICITY - oral - Category 4 |
| | | ACUTE TOXICITY - dermal - Category 4 |
| | | ACUTE TOXICITY - inhalation - Category 4 |
| | | SKIN CORROSION - Category 1B |
| | | SERIOUS EYE DAMAGE - Category 1 |
| | | SKIN SENSITIZATION - Category 1A |
| | | |
| Antimony trioxide | >= 3 - <= 5 | EYE IRRITATION - Category 2B |
| | | CARCINOGENICITY - Category 2 |
| | | |
| Chlorinated Paraffins | >= 5 - <= 10 | EYE IRRITATION - Category 2B |
| | | |
| Diundecyl phthalate | >= 25 - <= 50 | EYE IRRITATION - Category 2B |
| | | |

SARA 313

Form R - Reporting requirements

| Product name | CAS number | % |
|-------------------|------------|-------------|
| Antimony trioxide | 1309-64-4 | >= 3 - <= 5 |
| Lead | 7439-92-1 | > 0 - < 0.1 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts: None of the components are listed.New York: The following components are listed:

Antimony trioxide



Geon™ 83701609 STATIC DISSIPATIVE FR OR

Version Number 1.5 Page 18 of 19 Revision Date 01/09/2020 Print Date 01/23/2020

New Jersey : The following components are listed:

Antimony trioxide

Ethene, chloro-, homopolymer

Pennsylvania : The following components are listed:

Antimony trioxide

California Prop. 65

WARNING: This product can expose you to chemicals including Antimony trioxide, which is known to the State of California to cause cancer, and Diisodecyl phthalate (mixed isomers), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

| Ingredient name | No significant risk level | Maximum acceptable | |
|--------------------------------------|---------------------------|--------------------|--|
| | | dosage level | |
| Diisodecyl phthalate (mixed isomers) | - | Yes. | |
| Antimony trioxide | - | - | |

United States inventory (TSCA 8b) : All components are active or exempted.

Canada inventory : All components are listed or exempted.

International regulations

Inventory list

Australia : Not determined.

Canada : All components are listed or exempted.

China Not determined. **Europe inventory** Not determined. Not determined. Japan **New Zealand** Not determined. **Philippines** Not determined. Republic of Korea Not determined. Taiwan Not determined. **Turkey** Not determined.

United States : All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

| Health | * | 2 |
|--------------|---|------|
| Flammability | | 0 |
| | 1 | 8/19 |



Geon™ 83701609 STATIC DISSIPATIVE FR OR

 Version Number 1.5
 Page 19 of 19

 Revision Date 01/09/2020
 Print Date 01/23/2020

| Physical hazards | 0 |
|------------------|---|
| | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

History

Date of printing: 01/23/2020Date of issue/Date of revision: 01/09/2020Date of previous issue: 02/19/2018

Version : 1.5

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

References : Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.