### Geon™ DB5035 Clear 5001-XLC

Version Number 1.2 Revision Date 05/17/2017 Page 1 of 15 Print Date 05/19/2017

# SAFETY DATA SHEET

Geon<sup>™</sup> DB5035 Clear 5001-XLC

Section 1. Identification		
GHS product identifier		Geon <sup>™</sup> DB5035 Clear 5001-XLC
Chemical name	:	Mixture
CAS number		Mixture
Other means of identification	:	F020032658
Product type	:	liquid
<u>Relevant identified uses of the subs</u> Product use	stance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
<b>Emergency telephone number</b> (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

### Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	EYE IRRITATION - Category 2B
<b>GHS label elements</b>		
Signal word Hazard statements	:	Warning Causes eye irritation.



### Geon™ DB5035 Clear 5001-XLC

Version Number 1.2 Revision Date 05/17/2017 Page 2 of 15 Print Date 05/19/2017

#### **Precautionary statements**

General	:	Not applicable.
Prevention	:	Wash hands thoroughly after handling.
Response	:	IF IN EYES: Rinse cautiously with water for several minutes.
-		Remove contact lenses, if present and easy to do. Continue rinsing. If
		eye irritation persists: Get medical attention.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

# Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20032658

#### CAS number/other identifiers

Ingredient name	%	CAS number
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	30 - 60	68515-48-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory



## Geon™ DB5035 Clear 5001-XLC

Version Number 1.2	Page 3 of 15
Revision Date 05/17/2017	Print Date 05/19/2017

	arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash
Ingestion	<ul> <li>clothing before reuse. Clean shoes thoroughly before reuse.</li> <li>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious,</li> </ul>
	place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	Causes eye irritation.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	Adverse symptoms may include the following: irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

### Geon™ DB5035 Clear 5001-XLC

Version Number 1.2 Revision Date 05/17/2017 Page 4 of 15 Print Date 05/19/2017

Specific treatments:No specific treatment.Protection of first-aiders:No action shall be taken involving any personal risk or without<br/>suitable training. It may be dangerous to the person providing aid to<br/>give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

### Section 5. Firefighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds
Special protective actions for fire- fighters Special protective equipment for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated
		in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

<u>vOne</u>

## Geon™ DB5035 Clear 5001-XLC

Version Number 1.2	Page 5 of 15
Revision Date 05/17/2017	Print Date 05/19/2017

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use

<u>lyOne</u>

### Geon™ DB5035 Clear 5001-XLC

Version Number 1.2 Revision Date 05/17/2017 Page 6 of 15 Print Date 05/19/2017

appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

1,2-Benzenedicarboxylic acid, di-C8-10- branched alkyl esters, C9-rich       Good general ventilation should be sufficient to control worker exposure to airborne contaminants.         Environmental exposure controls       : Good general ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.         Individual protection measures       : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the e of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.         Eye/face protection       : Safety eyewar complying with an approved standard should be use when a risk assessment indicates this is necessary to avoid exposure liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates higher degree of protection: chemical splash goggles.         Skin protection       : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical produ if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use the the gloves are still retaining ther protective properties. It should be	Ingredient name	Exposure limits
Environmental exposure controlsexposure to airborne contaminants.Environmental exposure controls:Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.Individual protection measures:Hygiene measures:Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the e of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection:Safety eyewear complying with an approved standard should be use when a risk assessment indicates this is necessary to avoid exposure liquid splashes, mists, gases or dusts. If contact is possible, the following protection: should be worn, unless the assessment indicate higher degree of protection: chemical splash goggles.Skin protection:Hand protection:Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical produ if a risk assessment indicates this is necessary. Considering the parameter specified by the glove manufacturer, check during use the the gloves are still retaining their protective properties. It should be the gloves are still retaining their protective properties. It should be		
Environmental exposure controls:Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers filters or engineering modifications to the process equipment will be 	Appropriate engineering controls :	•
Hygiene measures:Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the e of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection:Safety eyewear complying with an approved standard should be use when a risk assessment indicates this is necessary to avoid exposure liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicate higher degree of protection: chemical splash goggles.Skin protection:Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical produ if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use th the gloves are still retaining their protective properties. It should be	Environmental exposure controls :	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be
Final Products, before eating, smoking and using the lavatory and at the e of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.Eye/face protection: Safety eyewear complying with an approved standard should be use when a risk assessment indicates this is necessary to avoid exposure liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicate higher degree of protection: chemical splash goggles.Skin protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical produ 	Individual protection measures	
Skin protection       : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical produ if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use the gloves are still retaining their protective properties. It should be		<ul> <li>products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.</li> <li>Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a</li> </ul>
standard should be worn at all times when handling chemical produ if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use th the gloves are still retaining their protective properties. It should be	Skin protection	inglici degree of protection, enclined sphish goggres.
		parameters specified by the glove manufacturer, check during use that



## Geon™ DB5035 Clear 5001-XLC

Version Number 1.2	Page 7 of 15
Revision Date 05/17/2017	Print Date 05/19/2017

	different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### Appearance

Physical state	:	liquid [liquid]
Color	:	NO PIGMENT
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
(flammable) limits Vapor pressure	:	<b>Upper:</b> Not available. Not available.
	:	
Vapor pressure	:	Not available.
Vapor pressure Vapor density	:	Not available. Not available.
Vapor pressure Vapor density Relative density	:	Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility	: : : : : : : : : : : : : : : : : : : :	Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water	:::::::::::::::::::::::::::::::::::::::	Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-	: : : : : : : : : : : : : : : : : : : :	Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	: : : : : : : : : : : : : : : : : : : :	Not available. Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature		Not available. Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature		Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature SADT		Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.



### Geon™ DB5035 Clear 5001-XLC

Version Number 1.2 Revision Date 05/17/2017

### Page 8 of 15 Print Date 05/19/2017

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
1,2-Benzenedicarboxylic acid,	edicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich				
LD50 Oral Rat 10,000 mg/kg -					
Conclusion/Summary	: Mixtu	re.Not fully tested.			

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	Eyes - Mild irritant	Rabbit			-
Conclusion/Summary					
Skin	: N	lixture.Not ful	ly tested.		
Eyes	: N	lixture.Not ful	ly tested.		
Respiratory	: N	lixture.Not ful	ly tested.		

#### **Sensitization**

**Conclusion/Summary** 

<u>PolyOne</u>

### Geon™ DB5035 Clear 5001-XLC

Version Number 1.2 Revision Date 05/17/2017 Page 9 of 15 Print Date 05/19/2017

Skin	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.
<b>Mutagenicity</b>		
Conclusion/Summary	:	Mixture.Not fully tested.
<b>Carcinogenicity</b>		
Conclusion/Summary	:	Mixture.Not fully tested.
Reproductive toxicity		
Conclusion/Summary	:	Mixture.Not fully tested.
<u>Teratogenicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
Specific target organ toxicity (sing Not available. Specific target organ toxicity (rep		
Not available.	<u>cutcu</u>	
Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	Causes eye irritation.
Eye contact Inhalation	:	No known significant effects or critical hazards.
Eye contact Inhalation Skin contact	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Potential acute health effects Eye contact Inhalation Skin contact Ingestion	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact Inhalation Skin contact Ingestion	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact Inhalation Skin contact Ingestion	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. <b>Ical and toxicological characteristics</b> Adverse symptoms may include the following:
Eye contact Inhalation Skin contact Ingestion Symptoms related to the physical,	chemi	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. <b>Ical and toxicological characteristics</b> Adverse symptoms may include the following: irritation
Eye contact Inhalation Skin contact Ingestion Symptoms related to the physical,	chemi	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. <b>Ical and toxicological characteristics</b> Adverse symptoms may include the following: irritation watering
Eye contact Inhalation Skin contact Ingestion <u>Symptoms related to the physical,</u> Eye contact	: : <u>chemi</u> :	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. <b>Ical and toxicological characteristics</b> Adverse symptoms may include the following: irritation watering redness
Eye contact Inhalation Skin contact Ingestion Symptoms related to the physical,	chemi	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. <b>Ical and toxicological characteristics</b> Adverse symptoms may include the following: irritation watering

<u>One</u>

### Geon™ DB5035 Clear 5001-XLC

Version Number 1.2 Revision Date 05/17/2017 Page 10 of 15 Print Date 05/19/2017

Ingestion	:	No specific data.
Delayed and immediate effects as	well as	chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity Mutagenicity	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Teratogenicity Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity	•	No known significant effects of critical nazarus.
Acute toxicity estimates		

Not available.

# Section 12. Ecological information

#### **Toxicity**

**Conclusion/Summary** : Not available.

### Persistence and degradability

**Conclusion/Summary** : Not available.



### Geon™ DB5035 Clear 5001-XLC

Version Number 1.2 Revision Date 05/17/2017

### Page 11 of 15 Print Date 05/19/2017

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
1,2-Benzenedicarboxylic	8.8	3.00	low
acid, di-C8-10-branched			
alkyl esters, C9-rich			

#### Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

### Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water	:	Consult mode specific transport rules

<u>olyOne</u>

### Geon™ DB5035 Clear 5001-XLC

Version Number 1.2 Revision Date 05/17/2017 Page 12 of 15 Print Date 05/19/2017

IMO/IMDG

# Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Listed 1,2- Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Vinyl chloride monomer United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Substances	:	Listed Not listed

<u>olyOne</u>

### Geon™ DB5035 Clear 5001-XLC

Version Number 1.2 Revision Date 05/17/2017

Page 13 of 15 Print Date 05/19/2017

Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

Immediate (acute) health hazard :

#### **Composition/information on ingredients**

Name	%	Classification
1,2-Benzenedicarboxylic acid, di-	30 - 60	AH
C8-10-branched alkyl esters, C9-		
rich		

SARA 313 Not applicable.

<u>State regulations</u> Massachusetts New York New Jersey	:	None of the components are listed. None of the components are listed. The following components are listed: Ethene, chloro-, homopolymer
Pennsylvania	:	None of the components are listed.
<u>California Prop. 65</u>		
WARNING: This product contains a c	hemi	cal known to the State of California to cause cancer.
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	All components are listed or exempted.

### Geon™ DB5035 Clear 5001-XLC

Version Number 1.2 Revision Date 05/17/2017 Page 14 of 15 Print Date 05/19/2017

New Zealand	: No	t determined.
Philippines	: Al	l components are listed or exempted.
Republic of Korea	: Al	l components are listed or exempted.
Taiwan	: Al	l components are listed or exempted.
Turkey	: No	t determined.
United States	: Al	l components are listed or exempted.
Republic of Korea Taiwan Turkey	Al Al No	l components are listed or exempted. l components are listed or exempted. ot determined.

## Section 16. Other information

#### Hazardous Material Information System (U.S.A.) :

Health	*	1
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868. The customer is responsible for determining the PPE code for this material.

History

<b>History</b>		
Date of printing	:	05/19/2017
Date of issue/Date of revision	:	05/17/2017
Date of previous issue	:	12/22/2014
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		$\hat{U}N = United Nations$
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the

Ine.

### Geon™ DB5035 Clear 5001-XLC

Version Number 1.2 Revision Date 05/17/2017 Page 15 of 15 Print Date 05/19/2017

sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.