## Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9 Revision Date 05/03/2018 Page 1 of 18 Print Date 11/28/2018

# SAFETY DATA SHEET

#### Geon<sup>TM</sup> V1074-20 Anti-Microbial Anti-Fatig

Section 1. Identification	n	
GHS product identifier	:	Geon <sup>™</sup> V1074-20 Anti-Microbial Anti-Fatig
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	FO20035271
Product type	:	liquid
	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
	•	33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	RESPIRATORY SENSITIZATION - Category 1 SKIN SENSITIZATION - Category 1

#### **GHS label elements**



# Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9	Page 2 of 18
Revision Date 05/03/2018	Print Date 11/28/2018

Hazard pictograms	:	
Signal word Hazard statements	:	Danger May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Wear protective gloves. Wear respiratory protection. Avoid breathing vapor. Contaminated work clothing must not be allowed out of the workplace.
Response	:	IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or physician. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

# Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20035271

CAS number/other identifiers

%	CAS number
0.1 - 1	26530-20-1
0.1 - 1	13463-67-7
	0.1 - 1



## Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9 Revision Date 05/03/2018 Page 3 of 18 Print Date 11/28/2018

Quartz	0.1 - 1	14808-60-7
Azodicarbonamide	0.1 - 1	123-77-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

**Description of necessary first aid measures** 

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In the event of any complaints or symptoms, avoid further exposure.
Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the



## Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9	Page 4 of 18
Revision Date 05/03/2018	Print Date 11/28/2018

head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact :	No known significant effects or critical hazards.
Inhalation :	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin contact :	May cause an allergic skin reaction.
Ingestion :	No known significant effects or critical hazards.
<b>Over-exposure signs/symptoms</b>	
Eye contact :	No specific data.
Inhalation :	Adverse symptoms may include the following: wheezing and breathing difficulties asthma
Skin contact :	Adverse symptoms may include the following: irritation redness
Ingestion :	No specific data.
Indication of immediate medical attent	ion and special treatment needed, if necessary
Notes to physician :	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments :	No specific treatment.
Protection of first-aiders :	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

## **Section 5. Firefighting measures**



# Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9	Page 5 of 18
Revision Date 05/03/2018	Print Date 11/28/2018

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters Special protective equipment for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containn	<u>nent a</u>	nd cleaning up

Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with
		water and mop up if water-soluble. Alternatively, or if water-



## Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9	Page 6 of 18
Revision Date 05/03/2018	Print Date 11/28/2018

insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency
		contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection



# Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9 Revision Date 05/03/2018 Page 7 of 18 Print Date 11/28/2018

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Azodicarbonamide	
2-n-Octyl-4-isothiazolin-3-one	
Quartz	OSHA PEL 1989 (1989-03-01) Calculated as Quartz
	PEL: Permissible Exposure Level 0.1 mg/m3 Form: Respirable dust
	OSHA PEL Z3 (1997-09-03)
	Time Weighted Average (TWA) Form: Respirable <b>Time Weighted Average (TWA)</b> 10 mg/m3 Form: Respirable
	<b>Time Weighted Average (TWA)</b> 10 mg/m3 Form: Respirate <b>Time Weighted Average (TWA)</b> 30 mg/m3 Form: Total dust
	NIOSH REL (1994-06-01)
	Time Weighted Average (TWA) 0.05 mg/m3 Form: Respirable dust
	ACGIH TLV (2005-12-09) TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 0.025 mg/m3 Form: Respirable fraction
	OSHA PEL (2016-06-23)
	PEL: Permissible Exposure Level 0.05 mg/m3 Form: Respirable dust
Titanium dioxide	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust
	OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust
	NIOSH REL (1994-06-01)
	ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 10 mg/m3
Appropriate engineering controls	Use only with adequate ventilation. If user operations generate dust,
	fumes, gas, vapor or mist, use process enclosures, local exhaust
	ventilation or other engineering controls to keep worker exposure to
Environmental exposure controls	airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be
La monification exposure controls	checked to ensure they comply with the requirements of
	environmental protection legislation. In some cases, fume scrubbers,
	7/18



# Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9	Page 8 of 18
Revision Date 05/03/2018	Print Date 11/28/2018

		filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used
		when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

**Appearance** 



# Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9 Revision Date 05/03/2018 Page 9 of 18 Print Date 11/28/2018

Physical state	:	liquid [liquid]
Color	:	BLACK
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	•	Lower: Not available.
Bower und apper emprosite	•	
(flammable) limits	•	<b>Upper:</b> Not available.
	:	
(flammable) limits	:	Upper: Not available.
(flammable) limits Vapor pressure	:	<b>Upper:</b> Not available. Not available.
(flammable) limits Vapor pressure Vapor density	:	<b>Upper:</b> Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density	:	<b>Upper:</b> Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility		<b>Upper:</b> Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water	•	Upper: Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-	•	Upper: Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	:	Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	:	Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature	:	Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition
products		products should not be produced.
		Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F). Do not use this pigment in polymers at temperatures over 200°C (392°F). Decomposition of diarylide pigments in



## Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9	Page 10 of 18
Revision Date 05/03/2018	Print Date 11/28/2018

polymers at temperatures over 200°C (392°F) may produce trace amounts of monoazo dyes, which in turn can decompose to produce aromatic amines. The amount and type of degradation products formed depend on the dwell time, formulation and processing conditions as well as temperature. As conditions become more severe, as when temperatures move into the 240-300°C (464-572°F) range, trace quantities of 3,3'-dichlorobenzidine can be generated. 3,3'dichlorobenzidine is classified as a suspect carcinogen by NTP and IARC, is classified as Acute Toxicity category 4 and Carcinogen Category 1B according to 1272/2008EC (CLP), and is regulated by OSHA as a suspect carcinogen. In order to avoid the generation of and exposure to 3,3'-dichlorobenzidine, do not use diarylide pigments in polymers when temperatures exceed 200°C (392°F). Handle with care. Organic dusts have the potential to be explosive with static spark or flame initiation.

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result Species		Dose	Exposure					
2-n-Octyl-4-isothiazolin-3-one	;								
	LD50 Oral	Rat	550 mg/kg	-					
<b>Remarks - Inhalation:</b>	No applicable toxicity data								
	LD50 Dermal	Rabbit	690 mg/kg	-					
Titanium dioxide									
Remarks - Oral:	No applicable toxic	city data							
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h					
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-					
Quartz									
Remarks - Oral:	No applicable toxicity data								
<b>Remarks - Inhalation:</b>	No applicable toxicity data								
<b>Remarks - Dermal:</b>	No applicable toxicity data								
Azodicarbonamide									
	LD50 Oral	Rat	6,400 mg/kg	-					
<b>Remarks - Inhalation:</b>	No applicable toxicity data								
Remarks - Dermal:	No applicable toxicity data								
Conclusion/Summary	: Mixture.Not fully tested.								



# Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9 Revision Date 05/03/2018 Page 11 of 18 Print Date 11/28/2018

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
2-n-Octyl-4-isothiazolin-3-	Eyes - Severe	Rabbit			-
one	irritant				
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin		ixture.Not fu			
Eyes		ixture.Not fu			
Respiratory	: M	ixture.Not fu	lly tested.		
<b>Sensitization</b>					
Conclusion/Summary					
Skin		ixture.Not fu			
Respiratory	: M	ixture.Not fu	lly tested.		
<u>Mutagenicity</u>					
Conclusion/Summary	: Mixture.Not fully tested.				
<b>Carcinogenicity</b>					
Conclusion/Summary <u>Classification</u>	: Mixture.Not fully tested.				
Product/ingredient	OSHA	IARC	NTP		
name	OBIIA	IAKC			
Titanium dioxide		2B			
Quartz		1			
Reproductive toxicity					
Conclusion/Summary	: M	ixture.Not fu	lly tested.		
<b>Teratogenicity</b>					
Conclusion/Summary	: M	ixture.Not fu	lly tested.		
Specific target organ toxici Not available.	ty (single exposu	<u>re)</u>			
Specific target organ toxici				<b>TF</b> (	



# Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9 Revision Date 05/03/2018 Page 12 of 18 Print Date 11/28/2018

Aspiration hazard Not available.				
Information on likely routes of exposure	:	Not available.		
Potential acute health effects				
Eye contact Inhalation	:	No known significant effects or critical hazards. May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
Skin contact Ingestion	:	May cause an allergic skin reaction. No known significant effects or critical hazards.		
Symptoms related to the physical	l, chemi	ical and toxicological characteristics		
Eye contact Inhalation	:	No specific data. Adverse symptoms may include the following: wheezing and breathing difficulties		
Skin contact	:	asthma Adverse symptoms may include the following: irritation		
Ingestion	:	redness No specific data.		
Delayed and immediate effects as	s well as	s chronic effects from short and long-term exposure		
Short term exposure				
Potential immediate effects Potential delayed effects	:	Not available. Not available.		
Long term exposure				
Potential immediate effects Potential delayed effects	:	Not available. Not available.		
Potential chronic health effects				
Conclusion/Summary	:	Mixture.Not fully tested.		
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.		



## Geon™ V1074-20 Anti-Microbial Anti-Fatig

:

:

Version Number 1.9 Revision Date 05/03/2018 Page 13 of 18 Print Date 11/28/2018

Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects : No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

: No known significant effects or critical hazards.

: No known significant effects or critical hazards.

#### Numerical measures of toxicity

Acute toxicity estimates

Not available.

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
2-n-Octyl-4-isothiazolin-3-one			
	Acute LC50 0.047 Mg/l Fresh	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute		
	Acute EC50 0.107 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
	Chronic NOEC 0.0085 Mg/l	Fish - Fish	35 d
Remarks - Chronic - Fish:	Chronic		
	Chronic NOEC 0.074 Mg/l Fresh	Aquatic invertebrates.	21 d
	water	Daphnia	
Remarks - Chronic -	Chronic		
Aquatic invertebrates.:			
Titanium dioxide			
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute		
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h
	_	Crustaceans	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h
	· · · · · · · · · · · · · · · · · · ·	·	•



## Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9 Revision Date 05/03/2018 Page 14 of 18 Print Date 11/28/2018

	Daphnia
Remarks - Acute - Aquatic	Acute
invertebrates.:	
Remarks - Acute - Aquatic	No applicable toxicity data
plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	
Quartz	
Remarks - Acute - Fish:	No applicable toxicity data
Remarks - Acute - Aquatic	No applicable toxicity data
invertebrates.:	
Remarks - Acute - Aquatic	No applicable toxicity data
plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	
Azodicarbonamide	
Remarks - Acute - Fish:	No applicable toxicity data
Remarks - Acute - Aquatic	No applicable toxicity data
invertebrates.:	
Remarks - Acute - Aquatic	No applicable toxicity data
plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	
<b>Conclusion/Summary</b>	: Not available.

#### Persistence and degradability

**Conclusion/Summary** : Not available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
3(2H)-Isothiazolone, 2-octyl-	2.45	-	low
1,2-Diazenedicarboxamide	1	-	low

#### Mobility in soil

**Soil/water partition coefficient** : Not available.

14/18



## Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9 Revision Date 05/03/2018

#### Page 15 of 18 Print Date 11/28/2018

(KOC) Other adverse effects

: No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** 

The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

### Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	: Not regulated for transportation.
International Air ICAO/IATA	: Consult mode specific transport rules
International Water IMO/IMDG	: Consult mode specific transport rules

## Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed
	15/18



## Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9	Page 16 of 18
Revision Date 05/03/2018	Print Date 11/28/2018

United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Styrenated phenol United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed 2-Ethylhexanoic acid zinc salt Vinyl chloride monomer United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed Clean Air Act Section 112(b) Listed : Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Not listed : **Clean Air Act Section 602 Class II** Not listed : **DEA List I Chemicals (Precursor** • Not listed

**Chemicals**)

**DEA List II Chemicals (Essential** 

Substances

Substances

Chemicals)

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

(	Chemical Name	CAS-No.	RQ for component
		16/18	

Not listed

:



## Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9 Revision Date 05/03/2018 Page 17 of 18 Print Date 11/28/2018

Vinyl chloride monomer	75-01-4	1 lb(s) 0.454 kg	
------------------------	---------	---------------------	--

#### SARA 311/312

Classification

: Immediate (acute) health hazard

#### **Composition/information on ingredients**

Name	%	Classification
2-n-Octyl-4-isothiazolin-3-one	0.1 - 1	AH
Titanium dioxide	0.1 - 1	СН
Quartz	0.1 - 1	СН

#### SARA 313

Not applicable.

State regulations	
Massachusetts :	None of the components are listed.
New York :	None of the components are listed.
New Jersey :	The following components are listed:
	Quartz Magnesium carbonate Calcium carbonate Ethene, chloro-, homopolymer
Pennsylvania :	The following components are listed: Calcium carbonate

Quartz

#### California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b)	:	: All components are listed or exempted.	
Canada inventory	:	All components are listed or exempted.	
International regulations			
Inventory list			
Australia	:	Not determined.	
		17/18	



## Geon™ V1074-20 Anti-Microbial Anti-Fatig

Version Number 1.9 Revision Date 05/03/2018 Page 18 of 18 Print Date 11/28/2018

Canada	:	All components are listed or exempted.
China	:	Not determined.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

## Section 16. Other information

History		
Date of printing	:	11/28/2018
Date of issue/Date of revision	:	05/03/2018
Date of previous issue	:	12/29/2016
Version	:	1.9
Key to abbreviations	:	ATE = Acute Toxicity Estimate
		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.