#### CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number 1.0 Revision Date 05/11/2022



Page 1 of 17 Print Date 05/12/2022

# SAFETY DATA SHEET

CORE™ SK308 SGTF Charcoal MB NP

Section 1. Identification	on	
CHIS maduat identifian		CORE <sup>™</sup> SK308 SGTF Charcoal MB NP
GHS product identifier	:	
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	FO20049133
Product type	:	liquid
••		•
Relevant identified uses of the subs	stance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
	•	
(with hours of operation)		accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	CARCINOGENICITY - Category 2
GHS label elements		
Hazard pictograms	:	

# **ÄVIENT**

## CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number 1.0 Revision Date 05/11/2022 Page 2 of 17 Print Date 05/12/2022

Signal word	:	Warning
Hazard statements	:	Suspected of causing cancer.
Precautionary statements		
	:	Not applicable.
Prevention	:	Obtain special instructions before use. Wear protective gloves. Wear protective clothing. Wear eye or face protection.
Response	:	IF exposed or concerned: Get medical advice or attention.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20049133

CAS number/other identifiers

Ingredient name	%	CAS number
Antimony trioxide	>= 5 - < 10	1309-64-4
Carbon black	>= 5 - <= 10	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

:

## Section 4. First aid measures

Description of necessary first aid measures

Eye contact

Immediately flush eyes with plenty of water, occasionally lifting the



## CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number	er 1.0
<b>Revision Date</b>	05/11/2022

Page 3 of 17 Print Date 05/12/2022

		upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

# **XAVIENT**

## CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number 1.0 Revision Date 05/11/2022 Page 4 of 17 Print Date 05/12/2022

Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## **Section 5. Fire-fighting measures**

#### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the
		4/17

CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number 1.0 Revision Date 05/11/2022



Page 5 of 17 Print Date 05/12/2022

product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must

### CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number 1.0 Revision Date 05/11/2022



Page 6 of 17 Print Date 05/12/2022

be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Antimony trioxide	NIOSH REL (1994-06-01)
	TWA 0.5 mg/m3
	OSHA PEL 1989 (1989-03-01)
	TWA 0.5 mg/m3 (as antimony)
	OSHA PEL (1993-06-30)
	TWA 0.5 mg/m3 (as antimony)
	ACGIH TLV (2021-01-07)
	TWA 0.02 mg/m3 Form: Inhalable fraction
Carbon black	OSHA PEL 1989 (1989-03-01)
	TWA 3.5 mg/m3
	OSHA PEL (1993-06-30)
	TWA 3.5 mg/m3
	NIOSH REL (1994-06-01)
	TWA 3.5 mg/m3
	NIOSH REL (1994-06-01)
	TWA 0.1 mgPAH/m <sup>3</sup>
	ACGIH TLV (2010-12-06)
	TWA 3 mg/m3 Form: Inhalable fraction

Appropriate engineering controls	:	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		

#### 6/17



### CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number 1.0 Revision Date 05/11/2022 Page 7 of 17 Print Date 05/12/2022

Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state	:	liquid [liquid]
Color	:	BLACK
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.

## CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number 1.0 Revision Date 05/11/2022



Page 8 of 17 Print Date 05/12/2022

Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature		Not available.
Decomposition temperature	•	riot available.
SADT	:	Not available.
	:	Not available. <b>Dynamic:</b> Not available.
SADT	-	Not available.
SADT	-	Not available. <b>Dynamic:</b> Not available.
SADT Viscosity <u>Aerosol product</u>	:	Not available. <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available.
SADT Viscosity	-	Not available. <b>Dynamic:</b> Not available.
SADT Viscosity <u>Aerosol product</u> Heat of combustion	:	Not available. <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available.
SADT Viscosity <u>Aerosol product</u> Heat of combustion Ignition distance	:	Not available. <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available. Not available.
SADT Viscosity <u>Aerosol product</u> Heat of combustion	:	Not available. <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available. Not available. Not available.
SADT Viscosity <u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time	:	Not available. <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available. Not available. Not available.
SADT Viscosity <u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent	:	Not available. <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available. Not available. Not available. Not available.
SADT Viscosity <u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition -	:	Not available. <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available. Not available. Not available. Not available.
SADT Viscosity <u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition - Deflagration density	:	Not available. <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available. Not available. Not available. Not available. Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.



### CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number 1.0 Revision Date 05/11/2022 Page 9 of 17 Print Date 05/12/2022

# Section 11. Toxicological information

#### Information on toxicological effects

<u>Acute toxicity</u> Product/ingredient name	Result	Spec	iog	Dose		E,	xposure
Antimony oxide	Result	Spec	les	Dose		E.2	xposure
Antimolity oxide	LD50 Oral	Rat		34.000	mg/kg	-	
Carbon black	LD30 Ofai	Kat		34,000	mg/kg	-	
Carbon black	LD50 Oral	Rat		15 /00	mg/kg	-	
	LD30 Oldi	Kat		15,400	IIIg/ Kg		
Conclusion/Summary	: Mix	ture.Not f	fully tested.				
-			•				
Irritation/Corrosion							
Product/ingredient name	Result		Species	Score	Exposu	ıre	Observation
Antimony oxide	Eyes - Mild irrit	ant	Rabbit	-			-
<b>Conclusion/Summary</b>							
Skin			fully tested.				
Eyes	: Mixture.Not fully tested.						
Respiratory	: Miz	xture.Not	fully tested.				
<u>Sensitization</u>							
Conclusion/Summary							
Skin			fully tested.				
Respiratory	: Miz	xture.Not	fully tested.				
Mutagenicity							
Conclusion/Summary	: Miz	xture.Not	fully tested.				
<u>Carcinogenicity</u>							
Conclusion/Summary	: Miz	xture.Not	fully tested.				
Classification			-				
L'Inscittiontion							

Product/ingredient name	OSHA	IARC	NTP
Antimony oxide	-	2B	-
Carbon black	-	2B	-

#### **Reproductive toxicity**



## CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number 1.0 Revision Date 05/11/2022 Page 10 of 17 Print Date 05/12/2022

Conclusion/Summary	:	Mixture.Not fully tested.
<b>Teratogenicity</b>		
Conclusion/Summary	:	Mixture.Not fully tested.
Specific target organ toxicity (single Not available.	expo	<u>osure)</u>
Specific target organ toxicity (repear Not available.	<u>ted e</u>	<u>xposure)</u>
Aspiration hazard Not available.		
Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physical, cl	nemio	cal and toxicological characteristics
Eye contact Inhalation Skin contact Ingestion	::	No specific data. No specific data. No specific data. No specific data.
Delayed and immediate effects and a	also c	chronic effects from short and long term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		

# **ÄVIENT**

## CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number 1.0 Revision Date 05/11/2022

#### Page 11 of 17 Print Date 05/12/2022

Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Numerical measures of toxicity		
<u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the
		individual components which comprise the mixture.

## Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Antimony oxide			
	Acute LC50 > 530 Mg/l Fresh water	Fish - Lepomis macrochirus	96 h
	Acute EC50 560 Mg/l Fresh water	Crustaceans - Cypris subglobosa	48 h
	Acute EC50 3.01 Mg/l Fresh water	Daphnia - Daphnia magna	48 h
Carbon black			
	Acute EC50 37.563 Mg/l Fresh water	Daphnia - Daphnia magna	48 h

**Conclusion/Summary** 

: Not available.

:

#### Persistence and degradability

**Conclusion/Summary** 

Not available.

# **ÄVIENT**

## CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number 1.0 Revision Date 05/11/2022 Page 12 of 17 Print Date 05/12/2022

Bioaccumulative potential		
Not available.		
<u>Mobility in soil</u>		
Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

## Section 13. Disposal considerations

:

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

## CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number 1.0 Revision Date 05/11/2022

#### Page 13 of 17 Print Date 05/12/2022

# Section 15. Regulatory information

U.S. Federal regulations	:	<ul> <li>United States - TSCA 12(b) - Chemical export notification: None of the components are listed.</li> <li>United States - TSCA 4(a) - Final Test Rules: Not listed</li> <li>United States - TSCA 4(a) - ITC Priority list: Not listed</li> <li>United States - TSCA 4(a) - Proposed test rules: Not listed</li> <li>United States - TSCA 4(f) - Priority risk review: Not listed</li> <li>United States - TSCA 5(a)2 - Final significant new use rules: Not listed</li> <li>United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed</li> <li>United States - TSCA 5(e) - Substances consent order: Not listed</li> <li>United States - TSCA 6 - Final risk management: Not listed</li> <li>United States - TSCA 6 - Proposed risk management: Listed</li> <li>Lead</li> </ul>
		United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc sulfide
		Boric acid, zinc salt Antimony trioxide Arsenic Lead
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Listed Not listed
Substances		

# **ÀVIENT**



## CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number 1.0 Revision Date 05/11/2022 Page 14 of 17 Print Date 05/12/2022

Clean Air Act Section 602 Class II:Not listedSubstancesDEA List I Chemicals (Precursor:Not listedChemicals)DEA List II Chemicals (Essential<br/>Chemicals):Not listed

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

Chemical Name	CAS-No.	RQ for component
Arsenic	7440-38-2	1 lb(s)
		0.454 kg
Antimony trioxide	1309-64-4	1,000 lb(s)
	1005 01 1	454 kg

#### SARA 311/312

Classification

CARCINOGENICITY - Category 2

#### **Composition/information on ingredients**

Name	%	Classification
Antimony oxide	>= 5 - < 10	EYE IRRITATION - Category 2B CARCINOGENICITY - Category 2
Carbon black	>= 5 - <= 10	CARCINOGENICITY - Category 2

#### Form R - Reporting requirements

Product name	CAS number	%
Zinc sulfide	1314-98-3	>= 10 - <= 25
Boric acid, zinc salt	138265-88-0	>= 5 - <= 10
Antimony trioxide	1309-64-4	>= 5 - < 10
Lead	7439-92-1	> 0 - < 0.1

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

# **ÄVIENT**

## CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number 1.0 Revision Date 05/11/2022 Page 15 of 17 Print Date 05/12/2022

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed: Antimony trioxide
New Jersey	:	The following components are listed: Zinc sulfide Boric acid, zinc salt Antimony trioxide Carbon black
Pennsylvania	:	The following components are listed: Zinc sulfide
		Boric acid, zinc salt
		Antimony trioxide
		Carbon black

#### California Prop. 65

**WARNING:** This product can expose you to chemicals including Antimony trioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Antimony trioxide	-	-
Carbon black	-	-

United States inventory (TSCA 8b)	:	Not determined.
Canada inventory	:	Not determined.
International regulations		
Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	Not determined.
China	:	All components are listed or exempted.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	Not determined.
<b>Republic of Korea</b>	:	Not determined.
		4 - 14 - 7

#### CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number 1.0 Revision Date 05/11/2022



« AVIENT

Print Date 05/12/2022

Taiwan	
Turkey	
United States	

- All components are listed or exempted. Not determined.
- Not determined.

:

•

## Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	*	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<b>HISTOL</b>		
Date of printing	:	05/12/2022
Date of issue/Date of revision	:	05/11/2022
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that

## CORE<sup>™</sup> SK308 SGTF Charcoal MB NP

Version Number 1.0 Revision Date 05/11/2022 Page 17 of 17 Print Date 05/12/2022

exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

