AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023



Page 1 of 19 Print Date 12/06/2023

SAFETY DATA SHEET

AQUAMIX 2291

Section 1. Identification	n	
GHS product identifier Chemical name CAS number Other means of identification Product type	:::::::::::::::::::::::::::::::::::::::	AQUAMIX 2291 Mixture FO20050363 liquid
		or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION 1675 Navarre Road SW, Massillon, Ohio USA 44646
		1 330 837 8679
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. Some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	EYE IRRITATION - Category 2A TOXIC TO REPRODUCTION - Category 2

GHS label elements

AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023

ÀVIENT

Page 2 of 19 Print Date 12/06/2023

Hazard pictograms	:	
Signal word Hazard statements	:	Warning Causes serious eye irritation. Suspected of damaging fertility or the unborn child.
Precautionary statements		
Prevention	:	Not applicable. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Wash thoroughly after handling.
Response	:	IF exposed or concerned: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
Storage	:	Store locked up.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known. Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20050363

CAS number/other identifiers

Ingredient name	%	CAS number
Zinc oxide	>= 10 - <= 25	1314-13-2
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	>= 5 - <= 10	68610-51-5
Zinc diethyl dithiocarbamate	>= 5 - <= 7.1	14324-55-1
Tetramethyl thiuram disulfide (Thiram)	>= 5 - <= 5.2	137-26-8

AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023



Page 3 of 19 Print Date 12/06/2023

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation	:	Causes serious eye irritation. No known significant effects or critical hazards.

AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023

ÀVIENT

Page 4 of 19 Print Date 12/06/2023

Skin contact Ingestion	No known significant effects or critical hazards.No known significant effects or critical hazards.		
Over-exposure signs/symptoms			
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness		
Inhalation	 Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations 		
Skin contact	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations		
Ingestion	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations		
Indication of immediate medical attention and special treatment needed, if necessary			
Notes to physician	: In case of inhalation of decomposition products in a fire, symptor may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.	ns	
Specific treatments	No specific treatment.		
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid give mouth-to-mouth resuscitation.	to	

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO ₂ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide

AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023



Page 5 of 19 Print Date 12/06/2023

		carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.
		See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containm	ent a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the
		5/10

AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023



Page 6 of 19 Print Date 12/06/2023

same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Zinc oxide	OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust TWA 5 mg/m3 Form: Respirable fraction NIOSH REL (1994-06-01) TWA 5 mg/m3 Form: Dust and fumes	
6/19		

AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023



Page 7 of 19 Print Date 12/06/2023

	 STEL 10 mg/m3 Form: Fume CEIL 15 mg/m3 Form: Dust ACGIH TLV (2003-01-01) TWA 2 mg/m3 Form: Respirable fraction STEL 10 mg/m3 Form: Respirable fraction OSHA PEL (1993-06-30) TWA 5 mg/m3 Form: Fume OSHA PEL 1989 (1989-03-01) TWA 5 mg/m3 Form: Fume STEL 10 mg/m3 Form: Fume TEL 10 mg/m3 Form: Total dust TWA 5 mg/m3 Form: Respirable fraction
Zinc diethyl dithiocarbamate	None.
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	None.
Tetramethyl thiuram disulfide (Thiram)	ACGIH TLV (2008-01-01) Skin sensitizer TWA 0.05 mg/m3 Form: Inhalable fraction and vapor NIOSH REL (1994-06-01) TWA 5 mg/m3 OSHA PEL 1989 (1989-03-01) TWA 5 mg/m3 OSHA PEL (1993-06-30) TWA 5 mg/m3
Appropriate engineering controls : Environmental exposure controls :	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023

ÀVIENT

Page 8 of 19 Print Date 12/06/2023

Eye/face protection	 showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [liquid]
Color	:	NO PIGMENT
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.

AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023

ÀVIENT

Page 9 of 19 Print Date 12/06/2023

Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not applicable.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Result	Species	Dose	Exposure
thioatokappa.S,.ka	appa.S')-, (T-4)-		
LD50 Oral	Rat	700 mg/kg	-
lucts with dicyclope	entadiene and isobutyl	ene	
LD50 Oral	Rat	16,000 mg/kg	-
LD50 Dermal	Rabbit	5,010 mg/kg	-
([(H2N)C(S)]2S2),]	N,N,N',N'-tetramethyl	-	
LD50 Oral	Rat	560 mg/kg	-
LC50 Inhalation	Rat	4.42 Mg/l	4 h
Vapor		_	
LD50 Dermal	Rat	5,000 mg/kg	-
	thioatokappa.S,.ka LD50 Oral lucts with dicyclope LD50 Oral LD50 Dermal ([(H2N)C(S)]2S2), 1 LD50 Oral LC50 Inhalation Vapor	thioatokappa.S,.kappa.S')-, (T-4)- LD50 Oral Rat lucts with dicyclopentadiene and isobutyle LD50 Oral Rat LD50 Dermal Rabbit ([(H2N)C(S)]2S2), N,N,N',N'-tetramethyl LD50 Oral Rat LC50 Inhalation Rat Vapor	thioatokappa.S,.kappa.S')-, (T-4)- LD50 Oral Rat 100 mg/kg 100 mg/kg

AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023

ÀVIENT

Page 10 of 19 Print Date 12/06/2023

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	esult Species Score		Exposure	Observation	
Zinc oxide	Eyes - Mild irritant	Rabbit	-	24 hrs	-	
	Skin - Mild irritant	Rabbit	-	24 hrs	-	
Zinc, bis(N,N- diethylcarbamodithioato- .kappa.S,.kappa.S')-, (T-4)-	Eyes - Moderate irritant	Rabbit	-	24 hrs	-	
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	Eyes - Mild irritant	Rabbit	-		-	
Thioperoxydicarbonic diamide ([(H2N)C(S)]2S2), N,N,N',N'-tetramethyl-	Eyes - Moderate irritant	Rabbit	-	24 hrs	-	
-	Eyes - Mild irritant	Rabbit	-		-	
	Skin - Mild irritant	Rabbit	-		-	

Conclusion/Summary Skin Eyes Respiratory	: N	Aixture.Not fully tested. Aixture.Not fully tested. Aixture.Not fully tested.
Sensitization		
Conclusion/Summary Skin Respiratory		Aixture.Not fully tested. Aixture.Not fully tested.
Mutagenicity		
Conclusion/Summary	: N	Aixture.Not fully tested.
Carcinogenicity		
Conclusion/Summary	: N	Aixture.Not fully tested.

Classification

Product/ingredient name	OSHA	IARC	NTP
Thioperoxydicarbonic	-	3	-
diamide			

AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023



Page 11 of 19 Print Date 12/06/2023

([(H2N)C(S)]2S2), N,N,N',N'-tetramethyl-		
<u>Reproductive toxicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
Teratogenicity		
Conclusion/Summary	:	Mixture.Not fully tested.
Specific target organ toxicity (so Not available.	single expo	<u>isure)</u>
Specific target organ toxicity (I Not available.	repeated ex	<u>xposure)</u>
Aspiration hazard Not available.		
Information on the likely route exposure	es of 🛛 :	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	:	Causes serious eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physic	cal, chemic	cal and toxicological characteristics
Eye contact	:	Adverse symptoms may include the following: pain or irritation, watering, redness
Inhalation	:	Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations
Skin contact	:	Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations
Ingestion	:	Adverse symptoms may include the following: reduced fetal weight, increase in fetal deaths, skeletal malformations
Delayed and immediate effects	and also c	chronic effects from short and long term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.

AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023

AVIENT

Page 12 of 19 Print Date 12/06/2023

Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	Not available.
Developmental effects	:	Not available.
Fertility effects	:	Suspected of damaging fertility or the unborn child.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
AQUAMIX 2291	5107.8 mg/kg	97314.1 mg/kg	N/A	86 Mg/l	N/A
Zinc, bis(N,N- diethylcarbamodithioato- .kappa.S,.kappa.S')-, (T-4)-	700 mg/kg	N/A	N/A	N/A	N/A
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	16000 mg/kg	5010 mg/kg	N/A	N/A	N/A
Thioperoxydicarbonic diamide ([(H2N)C(S)]2S2), N,N,N',N'- tetramethyl-	560 mg/kg	5000 mg/kg	N/A	4.42 Mg/l	N/A

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

:

AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023

Page 13 of 19 Print Date 12/06/2023

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Zinc oxide			
	Acute LC50 1.1 Mg/l Fresh	Fish - Oncorhynchus mykiss	96 h
	water		
	Acute LC50 0.098 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water		
	Acute IC50 1.85 Mg/l Marine	Algae - Skeletonema costatum	96 h
	water		
Zinc, bis(N,N-diethylcarbamc	odithioatokappa.S,.kappa.S')-, (T-4)-		
	Acute LC50 0.00049 Mg/l Fresh	Fish - Poecilia reticulata	96 h
	water		
	Acute LC50 0.00024 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water		
	Acute EC50 0.0011 Mg/l Fresh	Algae - Chlorella pyrenoidosa	96 h
	water		
Thioperoxydicarbonic diamid	e ([(H2N)C(S)]2S2), N,N,N',N'-tetran	nethyl-	<u>.</u>
	Acute LC50 0.007 Mg/l Fresh	Fish - Rasbora heteromorpha	96 h
	water	-	
	Acute LC50 0.02 Mg/l Marine	Crustaceans - Artemia	48 h
	water	franciscana	
	Acute LC50 0.00021 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water		
	Acute EC50 0.001 Mg/l Fresh	Algae - Chlorella pyrenoidosa	96 h
	water		
	Acute EC50 0.0055 Mg/l Fresh	Algae - Chlorella vulgaris	72 h
	water	_	
	Chronic NOEC 0.0011 Mg/l	Fish - Pimephales promelas	210 d
	Fresh water		

Conclusion/Summary

Not available.

Persistence and degradability

Conclusion/Summary

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Zinc oxide	-	28,960.00	high



:

:

AQUAMIX 2291

ÀVIENT

Version Number 1.1 Revision Date 12/05/2023

Page 14 of 19 Print Date 12/06/2023

	1	1	
Thioperoxydicarbonic diamide	1.8	3.39	low
([(H2N)C(S)]2S2), N,N,N',N'-			
tetramethyl-			

Mobility in soil

Soil/water partition coefficient
(KOC): Not available.Other adverse effects: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Listed

emieu states iterar rome naza	Tuous music e Liste		
Ingredient	CAS #	Status	Reference number
Tetramethyl thiuram disulfide	137-26-8	Listed	
(Thiram)			

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules

AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023

AVIENT

Page 15 of 19 Print Date 12/06/2023

International Water IMO/IMDG : Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	:	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a) - Proposed significant new use rules: Not listed United States - TSCA 5(a) - Proposed significant new use rules: Not listed United States - TSCA 5(a) - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(c) - Health and safety studies: Not listed United States - TSCA 8(c) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc oxide Zinc diethyl dithiocarbamate United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - Department of commerce - Precursor chemical:
		release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Substances	:	Not listed

ÄVIENT

SAFETY DATA SHEET

AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023 Page 16 of 19 Print Date 12/06/2023

Clean Air Act Section 602 Class II:Not listedSubstancesDEA List I Chemicals (Precursor:Not listedChemicals)DEA List II Chemicals (Essential:Not listedChemicals)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

Chemical Name	CAS-No.	RQ for component
Tetramethyl thiuram disulfide	137-26-8	10 lb(s)
(Thiram)		4.54 kg

SARA 311/312

Classification

EYE IRRITATION - Category 2A TOXIC TO REPRODUCTION - Category 2

Composition/information on ingredients

Name	%	Classification
Zinc oxide	>= 10 - <= 25	EYE IRRITATION - Category 2B
Zinc, bis(N,N-	>= 5 - <= 7.1	ACUTE TOXICITY - oral - Category 4
diethylcarbamodithioato-		EYE IRRITATION - Category 2A
.kappa.S,.kappa.S')-, (T-4)-		
Phenol, 4-methyl-, reaction	>= 5 - <= 10	TOXIC TO REPRODUCTION - Category 2
products with		
dicyclopentadiene and		
isobutylene		
Thioperoxydicarbonic	>= 5 - <= 5.2	ACUTE TOXICITY - oral - Category 4
diamide ([(H2N)C(S)]2S2),		ACUTE TOXICITY - inhalation - Category 3
N,N,N',N'-tetramethyl-		EYE IRRITATION - Category 2A
· · · ·		

<u>SARA 313</u>

Form R - Reporting requirements

Product name	CAS number	%
Zinc oxide	1314-13-2	>= 10 - < 30
Zinc diethyl dithiocarbamate	14324-55-1	>= 3 - < 7

AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023

Page 17 of 19 Print Date 12/06/2023

Tetramethyl thiuram disulfide (Thiram)	137-26-8	>= 3 - < 7	
--	----------	------------	--

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

<u>State regulations</u> Massachusetts	:	The following components are listed: Zinc oxide Sulfur Tetramethyl thiuram disulfide (Thiram)
New York	:	The following components are listed: Tetramethyl thiuram disulfide (Thiram)
New Jersey	:	The following components are listed: Zinc oxide Sulfur Zinc diethyl dithiocarbamate Tetramethyl thiuram disulfide (Thiram)
Pennsylvania	:	The following components are listed: Zinc oxide
		Sulfur
		Zinc diethyl dithiocarbamate
<u>California Prop. 65</u> This product does not require a Safe H United States inventory (TSCA 8b)	arboi :	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
<u>International regulations</u> Inventory list		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China Eurasian Economic Union	:	All components are listed or exempted.
Japan	:	Russian Federation inventory: Not determined. Japan inventory (CSCL) : Not determined.
Japan	•	Japan inventory (ISHL): Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	Not determined.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Thailand	:	Not determined.



ÀVIENT



AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023

ÀVIENT

Page 18 of 19 Print Date 12/06/2023

Turkey	:	Not determined.
United States	:	All components are active or exempted.
Viet Nam	:	Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	*	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

110001		
Date of printing	:	12/06/2023
Date of issue/Date of revision	:	12/05/2023
Date of previous issue	:	10/16/2023
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other

AQUAMIX 2291

Version Number 1.1 Revision Date 12/05/2023



Page 19 of 19 Print Date 12/06/2023

materials or in any process, unless specified in the text.