

### CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Page 1 of 18 Revision Date 12/13/2023 Print Date 12/14/2023

## SAFETY DATA SHEET

#### CORETM MB3305 BLACK FILTER ADHESIVE NP

## **Section 1. Identification**

GHS product identifier : CORE™ MB3305 BLACK FILTER ADHESIVE NP

Chemical name: MixtureCAS number: MixtureOther means of identification: FO20050514Product type: liquid

Relevant identified uses of the substance or mixture and uses advised against

**Product use** : Industrial applications. Plastics.

Supplier's details : AVIENT CORPORATION

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (844) 4AVIENT

**Emergency telephone number** (with hours of operation)

**number**: CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

SERIOUS EYE DAMAGE - Category 1 CARCINOGENICITY - Category 1A

#### GHS label elements



## CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Page 2 of 18 Revision Date 12/13/2023 Print Date 12/14/2023

Hazard pictograms

Signal word : Danger

**Hazard statements** : Causes serious eye damage.

May cause cancer.

**Precautionary statements** 

Not applicable.

**Prevention** : Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Wear protective gloves,

protective clothing and eye or face protection.

**Response**: IF exposed or concerned: Get medical advice or attention. IF IN

EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor.

**Storage** : Store locked up.

**Disposal** : Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Supplemental label elements

**Hazards not otherwise classified** : None known.

Not available.

None known.

## Section 3. Composition/information on ingredients

Substance/mixture:MixtureChemical name:MixtureOther means of identification:FO20050514

### **CAS** number/other identifiers

| Ingredient name | %             | CAS number |
|-----------------|---------------|------------|
| Calcium oxide   | >= 5 - <= 8.8 | 1305-78-8  |
| Resorcinol      | >= 1 - <= 1.1 | 108-46-3   |
| Quartz          | >= 0.3 - < 1  | 14808-60-7 |
| Carbon black    | > 0 - <= 0.3  | 1333-86-4  |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.



## CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Revision Date 12/13/2023

Page 3 of 18 Print Date 12/14/2023

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

#### Description of necessary first aid measures

Skin contact

**Ingestion** 

| Eye contact | : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the |
|-------------|---|
|             | upper and lower eyelids. Check for and remove any contact lenses.   |
|             | Continue to rinse for at least 10 minutes. Chemical burns must be   |
|             | treated promptly by a physician.  |
| Inhalation  | : Get medical attention immediately. Call a poison center or physician.   |
|             | Remove victim to fresh air and keep at rest in a position comfortable   |
|             | for breathing. If it is suspected that fumes are still present, the rescuer   |

r should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed



## CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Page 4 of 18 Revision Date 12/13/2023 Print Date 12/14/2023

#### Potential acute health effects

**Eye contact** : Causes serious eye damage.

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following:

pain watering redness

**Inhalation** : No specific data.

**Skin contact** : Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

**Ingestion** : Adverse symptoms may include the following:

stomach pains

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without

suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

## **Section 5. Fire-fighting measures**

## Extinguishing media

**Suitable extinguishing media**: In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.

**Unsuitable extinguishing media** : None known.

Specific hazards arising from the

chemical

In a fire or if heated, a pressure increase will occur and the container

may burst.

**Hazardous thermal** : May emit Hydrogen Chloride (HCl).



## CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Page 5 of 18 Revision Date 12/13/2023 Print Date 12/14/2023

decomposition products Decomposition products may include the following materials:

> carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides

Special protective actions for fire-

fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

For emergency responders

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

No action shall be taken involving any personal risk or without For non-emergency personnel

> suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is

inadequate. Put on appropriate personal protective equipment.

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

See also the information in "For non-emergency personnel".

**Environmental precautions** Avoid dispersal of spilled material and runoff and contact with soil,

> waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

#### Methods and materials for containment and cleaning up

Small spill Stop leak if without risk. Move containers from spill area. Dilute with

water and mop up if water-soluble. Alternatively, or if water-

insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal

contractor.

Stop leak if without risk. Move containers from spill area. Approach Large spill

release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste

5/18



## CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Revision Date 12/13/2023 Page 6 of 18 Print Date 12/14/2023

disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

#### Protective measures

Put on appropriate personal protective equipment (see Section 8).

Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

## Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### Control parameters

### Occupational exposure limits

| Calcium oxide  NIOSH REL (199 TWA 2 mg/m3 OSHA PEL 1989 TWA 5 mg/m3 | * |
|---|---|



## **CORE™ MB3305 BLACK FILTER ADHESIVE NP**

Version Number 1.0 Revision Date 12/13/2023 Page 7 of 18 Print Date 12/14/2023

|              | OSHA PEL (1993-06-30)<br>TWA 5 mg/m3   |
|--------------|--|
| Resorcinol   | ACGIH TLV (1996-05-18) TWA 45 mg/m3 10 ppm STEL 90 mg/m3 20 ppm NIOSH REL (1994-06-01) TWA 45 mg/m3 10 ppm STEL 90 mg/m3 20 ppm OSHA PEL 1989 (1989-03-01) TWA 45 mg/m3 10 ppm STEL 90 mg/m3 20 ppm  |
| Quartz       | OSHA PEL 1989 (1989-03-01) TWA 0.1 mg/m3 (Calculated as Quartz) Form: Respirable dust OSHA PEL Z3 (1997-09-03) TWA 250 MPPCF / (%SiO2+5) Form: Respirable TWA 10 MG /M3 / (%SiO2+2) Form: Respirable OSHA PEL Z3 (1997-09-03) TWA 30 MG /M3 / (%SiO2+2) Form: Total dust NIOSH REL (1994-06-01) TWA 0.05 mg/m3 Form: Respirable dust ACGIH TLV (2005-12-09) TWA 0.025 mg/m3 Form: Respirable fraction OSHA PEL (2016-06-23) TWA 0.05 mg/m3 Form: Respirable dust |
| Carbon black | OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction  |

Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.



## CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Revision Date 12/13/2023 Page 8 of 18 Print Date 12/14/2023

**Environmental exposure controls** 

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

**Hygiene measures** 

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

#### Skin protection

Hand protection

chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties



## CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Page 9 of 18 Revision Date 12/13/2023 Print Date 12/14/2023

#### **Appearance**

Physical state liquid [liquid] Color **BLACK** Odor Not available. **Odor threshold** Not available. Not available. pН Not available. **Melting point Boiling** point Not available. Flash point Not available. **Burning time** Not available. **Burning** rate Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.SolubilityNot available.Solubility in waterNot available.Partition coefficient: n-Not applicable.

octanol/water

products

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.
Kinematic: Not available.

## Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or

its ingredients.

**Chemical stability** : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

**Conditions to avoid** : Keep away from extreme heat and oxidizing agents.

Incompatible materials : Avoid contact with acetal homopolymers and acetyl homopolymers

during processing.

**Hazardous decomposition**: Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

## Section 11. Toxicological information





## CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Page 10 of 18 Revision Date 12/13/2023 Print Date 12/14/2023

### **Information on toxicological effects**

#### **Acute toxicity**

| Product/ingredient name | Result      | Species | Dose         | Exposure |  |  |  |
|-------------------------|-------------|---------|--------------|----------|--|--|--|
| 1,3-Benzenediol         |             |         |              |          |  |  |  |
|                         | LD50 Oral   | Rat     | 202 mg/kg    | -        |  |  |  |
|                         | LD50 Dermal | Rabbit  | 3,360 mg/kg  | -        |  |  |  |
| Carbon black            |             |         |              |          |  |  |  |
|                         | LD50 Oral   | Rat     | 15,400 mg/kg | -        |  |  |  |

**Conclusion/Summary** : Mixture.Not fully tested.

#### **Irritation/Corrosion**

| Product/ingredient name | Result                   | Species | Score | Exposure | Observation |
|-------------------------|--------------------------|---------|-------|----------|-------------|
| 1,3-Benzenediol         | Skin - Moderate irritant | Rabbit  | -     | 24 hrs   | -           |
|                         | Skin - Severe irritant   | Rabbit  | -     |          | -           |
|                         | Eyes - Severe irritant   | Rabbit  | -     |          | -           |
|                         | Eyes - Severe irritant   | Rabbit  | -     |          | -           |

**Conclusion/Summary** 

Skin:Mixture.Not fully tested.Eyes:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.

#### **Sensitization**

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

**Mutagenicity** 

**Conclusion/Summary**: Mixture.Not fully tested.

Carcinogenicity

**Conclusion/Summary**: Mixture.Not fully tested.

#### Classification

| Product/ingredient name | OSHA | IARC | NTP                             |
|-------------------------|------|------|---------------------------------|
| 1,3-Benzenediol         | -    | 3    | -                               |
| Quartz (SiO2)           | -    | 1    | Known to be a human carcinogen. |



## CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Page 11 of 18 Revision Date 12/13/2023 Print Date 12/14/2023

| Carbon black | - | 2B | - |
|--------------|---|----|---|
|--------------|---|----|---|

**Reproductive toxicity** 

**Conclusion/Summary** : Mixture.Not fully tested.

**Teratogenicity** 

**Conclusion/Summary** : Mixture.Not fully tested.

#### **Specific target organ toxicity (single exposure)**

| Name          | Category   | Route of exposure | Target organs                |  |
|---------------|------------|-------------------|------------------------------|--|
| Calcium oxide | Category 3 | -                 | Respiratory tract irritation |  |

#### Specific target organ toxicity (repeated exposure)

| Name          | Category   | Route of exposure | Target organs |
|---------------|------------|-------------------|---------------|
| Quartz (SiO2) | Category 1 | -                 | -             |

#### **Aspiration hazard**

Not available.

**Information on the likely routes of** : N

exposure

Not available.

#### Potential acute health effects

**Eye contact** : Causes serious eye damage.

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following: pain, watering, redness

**Inhalation** : No specific data.

**Skin contact** : Adverse symptoms may include the following: pain or irritation,

redness, blistering may occur

**Ingestion**: Adverse symptoms may include the following: stomach pains

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### **Short term exposure**

**Potential immediate effects** : Not available.



## CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Page 12 of 18 Revision Date 12/13/2023 Print Date 12/14/2023

**Potential delayed effects** : Not available.

Long term exposure

Potential immediate effects: Not available.Potential delayed effects: Not available.

Potential chronic health effects

**Conclusion/Summary** : Mixture.Not fully tested.

**General** : No known significant effects or critical hazards.

**Carcinogenicity** : May cause cancer. Risk of cancer depends on duration and level of

exposure.

Mutagenicity : No known significant effects or critical hazards.

**Teratogenicity** : Not available. **Developmental effects** : Not available.

**Fertility effects** : No known significant effects or critical hazards.

### Numerical measures of toxicity

#### **Acute toxicity estimates**

| Product/ingredient name                  | Oral          | Dermal            | Inhalation<br>(gases) | Inhalation<br>(vapors) | Inhalation<br>(dusts and<br>mists) |
|--|---------------|-------------------|-----------------------|------------------------|------------------------------------|
| CORE™ MB3305 BLACK<br>FILTER ADHESIVE NP | 18967.6 mg/kg | 315500.6<br>mg/kg | N/A                   | N/A                    | N/A                                |
| 1,3-Benzenediol                          | 202 mg/kg     | 3360 mg/kg        | N/A                   | N/A                    | N/A                                |
| Carbon black                             | 15400 mg/kg   | N/A               | N/A                   | N/A                    | N/A                                |

Other information : This mixture has not been evaluated as a whole for health effects.

Exposure effects listed are based on existing health data for the

individual components which comprise the mixture.

## Section 12. Ecological information

### **Toxicity**



Page 13 of 18

## CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Revision Date 12/13/2023 Print Date 12/14/2023

| Calcium oxide   |                                |                              |      |
|-----------------|--------------------------------|------------------------------|------|
|                 | Chronic NOEC 100 Mg/l Fresh    | Fish - Oreochromis niloticus | 46 d |
|                 | water                          |                              |      |
| 1,3-Benzenediol |                                |                              |      |
|                 | Acute LC50 40 Mg/l Fresh water | Fish - Pimephales promelas   | 96 h |
|                 | Acute LC50 78 Mg/l Marine      | Crustaceans - Palaemonetes   | 48 h |
|                 | water                          | pugio                        |      |
|                 | Acute LC50 > 100 Mg/l Fresh    | Daphnia - Daphnia pulicaria  | 48 h |
|                 | water                          |                              |      |
| Carbon black    |                                |                              |      |
|                 | Acute EC50 37.563 Mg/l Fresh   | Daphnia - Daphnia magna      | 48 h |
|                 | water                          |                              |      |

**Conclusion/Summary** Not available.

Persistence and degradability

Conclusion/Summary Not available.

#### **Bioaccumulative potential**

| Product/ingredient name | LogPow | BCF  | Potential |
|-------------------------|--------|------|-----------|
| Calcium oxide           | -      | 2.34 | low       |
| 1,3-Benzenediol         | 0.8    | 3.16 | low       |

#### Mobility in soil

Soil/water partition coefficient

(KOC)

Not available.

Other adverse effects No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** The generation of waste should be avoided or minimized wherever

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered



## CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Page 14 of 18 Revision Date 12/13/2023 Print Date 12/14/2023

when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### United States - RCRA Acute hazardous waste "P" List: Not listed

#### United States - RCRA Toxic hazardous waste "U" List: Listed

| Ingredient | CAS#     | Status | Reference number |
|------------|----------|--------|------------------|
| Resorcinol | 108-46-3 | Listed |                  |
|            |          |        |                  |

## **Section 14. Transport information**

U.S.DOT 49CFR : Not regulated for transportation.

Ground/Air/Water

International Air ICAO/IATA

: Consult mode specific transport rules

International Water

IMO/IMDG

: Consult mode specific transport rules

## Section 15. Regulatory information

U.S. Federal regulations : United States - TSCA 12(b) - Chemical export notification: None

of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a) - Priority risk review: Not listed

United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not

determined



## CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Revision Date 12/13/2023

Page 15 of 18 Print Date 12/14/2023

United States - TSCA 8(a) - Preliminary assessment report

(PAIR): Not listed

United States - TSCA 8(c) - Significant adverse reaction (SAR):

Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority

pollutants: Listed Phenol Vinyl chloride monomer

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

**United States - Department of commerce - Precursor chemical:** 

Not listed

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I

**Substances** 

Clean Air Act Section 602 Class II

**Substances** 

**DEA List I Chemicals (Precursor** 

Chemicals)

**DEA List II Chemicals (Essential** 

**Chemicals**)

Listed

Not listed

Not listed

Not listed

Not listed

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

**SARA 311/312** 

Classification SERIOUS EYE DAMAGE - Category 1 CARCINOGENICITY - Category 1A

#### **Composition/information on ingredients**

| Name            | %             | Classification  |
|-----------------|---------------|---|
| Calcium oxide   | >= 5 - <= 8.8 | SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Respiratory tract irritation - Category 3 |
| 1,3-Benzenediol | >= 1 - <= 1.1 | ACUTE TOXICITY - oral - Category 3  |



## CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Revision Date 12/13/2023 Page 16 of 18 Print Date 12/14/2023

|               |              | SKIN IRRITATION - Category 2<br>EYE IRRITATION - Category 2A   |
|---------------|--------------|--|
| Quartz (SiO2) | >= 0.3 - < 1 | CARCINOGENICITY - inhalation - Category 1A<br>SPECIFIC TARGET ORGAN TOXICITY (REPEATED<br>EXPOSURE) - Category 1 |
| Carbon black  | > 0 - <= 0.3 | CARCINOGENICITY - Category 2   |

Not applicable.

**State regulations** 

Massachusetts : The following components are listed:

Calcium carbonate Calcium oxide Resorcinol

**New York** : The following components are listed:

Resorcinol

**New Jersey**: The following components are listed:

Calcium carbonate Calcium oxide Resorcinol Quartz

Paraffins, petroleum, normal C5-20

Carbon black

**Pennsylvania**: The following components are listed:

Calcium carbonate

Calcium oxide

Resorcinol

### California Prop. 65

**WARNING:** This product can expose you to chemicals including Quartz, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Ingredient name | No significant risk level | Maximum acceptable |
|-----------------|---------------------------|--------------------|
|                 |                           | dosage level       |
| Quartz          | -                         | -                  |
| Carbon black    | -                         | -                  |

United States inventory (TSCA 8b) : All components are active or exempted.



### CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Page 17 of 18 Revision Date 12/13/2023 Print Date 12/14/2023

Canada inventory : At least one component is not listed in DSL but all such components

are listed in NDSL.

**International regulations** 

**Inventory list** 

Australia : Not determined.

Canada : At least one component is not listed in DSL but all such components

are listed in NDSL.

**China** : All components are listed or exempted.

Eurasian Economic Union
Japan
: Russian Federation inventory: Not determined.
Japan inventory (CSCL): Not determined.
Japan inventory (ISHL): Not determined.

New Zealand : Not determined.

Philippines: All components are listed or exempted.Republic of Korea: All components are listed or exempted.Taiwan: All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : All components are active or exempted.

Viet Nam : Not determined.

## Section 16. Other information

#### Hazardous Material Information System (U.S.A.)

| Health           | * | 3 |
|------------------|---|---|
| Flammability     |   | 0 |
| Physical hazards |   | 0 |
|                  |   |   |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

**History** 

Date of printing: 12/14/2023Date of issue/Date of revision: 12/13/2023Date of previous issue: 00/00/0000Version: 1.0

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor



## CORE™ MB3305 BLACK FILTER ADHESIVE NP

Version Number 1.0 Revision Date 12/13/2023 Page 18 of 18 Print Date 12/14/2023

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

**References** : Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.