

MATERIAL SAFETY DATA SHEET

RT3870MS GREEN 6139 DNU

Version Number 1.0 Revision Date 06/11/2002 Page 1 of 5 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RT3870MS GREEN 6139 DNU
Product code	:	J3870MSA5139
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET

RT3870MS GREEN 6139 DNU

ion Number 1.0 sion Date 06/11/2002	Page 2 Print Date 11/5/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant water, dry powder, foam, carbon dioxide (CO2).
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.



MATERIAL SAFETY DATA SHEET

RT3870MS GREEN 6139 DNU

Version Number 1.0 Revision Date 06/11/2002 Page 3 of 5 Print Date 11/5/2011

8. EXF	POSURE CONTROLS / PERSONAL PROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required		
Eye/Face Protection	: Safety glasses with side-shields.		
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved clothing.		
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety provide Wash hands before breaks and at the end of workday.	actice	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	e	
Exposure limit(s)			
There are no known hazardous components above regulatory thresholds in this product.			
9			
9	. PHYSICAL AND CHEMICAL PROPERTIES		
9. Form	PHYSICAL AND CHEMICAL PROPERTIES Solid Evaporation rate : Not applica	ble.	
Form Appearance	. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Pellets, slabs Specific Gravity : Not determine	ned	
Form Appearance Color	. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Pellets, slabs Specific Gravity : GREEN Bulk density	ned hed	
Form Appearance Color Odor	. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Pellets, slabs Specific Gravity : GREEN Bulk density : Very faint Vapor pressure	ned hed ble	
Form Appearance Color Odor Melting point/range	PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Pellets, slabs Specific Gravity : GREEN Bulk density : Very faint Vapor pressure : Not determined Vapor density	ned hed ble ble	
Form Appearance Color Odor Melting point/range Boiling Point:	. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Pellets, slabs Specific Gravity : GREEN Bulk density : Very faint Vapor pressure : Not determined Vapor density : Not applicable pH	ned hed ble ble	
Form Appearance Color Odor Melting point/range	PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Pellets, slabs Specific Gravity : GREEN Bulk density : Very faint Vapor pressure : Not determined Vapor density	ned hed ble ble	
Form Appearance Color Odor Melting point/range Boiling Point:	. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Pellets, slabs Specific Gravity : GREEN Bulk density : Very faint Vapor pressure : Not determined Vapor density : Not applicable pH	ned hed ble ble	
Form Appearance Color Odor Melting point/range Boiling Point:	PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Pellets, slabs Specific Gravity : GREEN Bulk density : Very faint Vapor pressure : Not determined Vapor density : Not applicable pH : Insoluble Not applica	ned hed ble ble	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Pellets, slabs Specific Gravity : GREEN Bulk density : Very faint Vapor pressure : Not determined Vapor density : Not applicable pH : Insoluble 10. STABILITY AND REACTIVITY	ned hed ble ble	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applica : Pellets, slabs Specific Gravity : Not determine : GREEN Bulk density : Not establis : Very faint Vapor pressure : Not applica : Not determined Vapor density : Not applica : Not applicable pH : Not applica : Insoluble Insoluble : Stable.	ned hed ble ble	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applica : Pellets, slabs Specific Gravity : Not determined : GREEN Bulk density : Not establis : Very faint Vapor pressure : Not applica : Not determined Vapor density : Not applica : Not applicable pH : Not applica : Insoluble IO. STABILITY AND REACTIVITY : Stable. : Will not occur.	ned hed ble ble	

There are no known hazardous components above regulatory thresholds in this product.



MATERIAL SAFETY DATA SHEET

RT3870MS GREEN 6139 DNU

Version Number 1.0 Revision Date 06/11/2002 Page 4 of 5 Print Date 11/5/2011

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



5 1

MATERIAL SAFETY DATA SHEET

RT3870MS GREEN 6139 DNU

Version Number 1.0	Page 5 of 5
Revision Date 06/11/2002	Print Date 11/5/201

California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Not determined.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Not determined.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.