

MATERIAL SAFETY DATA SHEET

IT51-015 GREY 6324 - DNU

Version Number 1.0 Revision Date 06/13/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	IT51-015 GREY 6324 - DNU
Product code	:	J510150A2324
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Decabromodiphenyl oxide	1163-19-5	10 - 30
Antimony trioxide	1309-64-4	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



MATERIAL SAFETY DATA SHEET

IT51-015 GREY 6324 - DNU

Version Number 1.0 Revision Date 06/13/2002 Page 2 of 6 Print Date 11/5/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting	:	Not applicable Not applicable Not relevant water, dry powder, foam, carbon dioxide (CO2). Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures Unusual Fire/Explosion Hazards	:	pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage		Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

IT51-015 GREY 6324 - DNU

Version Number 1.0 Revision Date 06/13/2002

Version Number 1.0 Revision Date 06/13/2002				Pi	Page 3 of 6 rint Date 11/5/2011
and contamination. Keep in a dry, cool place.					
8. 1	EXPOSURE	CONTROLS / PER	SONAL	PROTECTION	
Respiratory protection	: N	o personal respirator	v protecti	ve equipment norma	lly required.
Eye/Face Protection	: S	: Safety glasses with side-shields.			
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance v ash hands before bre			
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			on. Provide
Exposure limit(s)					
	TT 1				
Components Antimony trioxide	Value 0.5 mg/m3	Exposure tim PEL:	e	Exposure type as Sb	List: OSHA Z1
T memory trioxide	0.5 mg/m5	T LL.		a 5 50	OSIME
	9. PHYSIC	CAL AND CHEMIC	AL PRO	PERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: GRE : Very : Not o	ts, slabs Y faint letermined applicable	Specifi Bulk d Vapor	c Gravity : ensity : pressure : density :	Not applicable. Not determined Not established Not applicable Not applicable Not applicable
	10. 8	TABILITY AND R	EACTIV	TTY	
Stability	: S	table.			
Hazardous Polymerizatio	n : W	/ill not occur.			
Conditions to avoid	: T	o avoid thermal decor	mpositior	n, do not overheat.	
Incompatible Materials	: V	ery strong acids, oxi	dizing ar	nd reducing agents.	
Hazardous decomposition products		arbon dioxide (CO2). NOx), other hazardou			



MATERIAL SAFETY DATA SHEET

IT51-015 GREY 6324 - DNU

Version Number 1.0

Revision Date 06/13/2002

Page 4 of 6 Print Date 11/5/2011

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1163-19-5	Decabromodiphenyl oxide	Systemic effects	Liver, Kidney.
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1163-19-5	Decabromodiphenyl oxide	Oral LD50	> 5 gm/kg	rat
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Decabromodiphenyl oxide 1163-19-5 A halogenated aromatic with some potential for hazardous exposure via inhalation or ingestion. Acute toxicity is low - oral LD50 in rats >50 mg/L. Animal studies at high feeding levels indicate some potential for liver effects form chronic overexposure.

Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.



MATERIAL SAFETY DATA SHEET

IT51-015 GREY 6324 - DNU

ersion Number 1.0 evision Date 06/13/2002				Page 5 of 6 Print Date 11/5/201	
Environmental Toxicity	: Chemica of the po		v available as they are l	bound within the matrix	
Bioaccumulation Potential	: Chemica of the po		v available as they are l	bound within the matrix	
Additional advice	: Not app	licable			
	13. DISPO	SAL CONSIDE	ERATIONS		
Product	possible generato classific	, recycling is pre or of waste mater ation, transportat	s the product can be re- ferred to disposal or in ial has the responsibili- tion and disposal in ac provincial and local re-	ncineration. The ity for proper waste cordance with	
Contaminated packaging	ontaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRAN	SPORT INFOR	RMATION		
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regu	ilated for transpo	ortation.		
ICAO/IATA	ATA : Not regulated for transportation.				
IMO / IMDG	: Not regu	lated for transpo	ortation.		
	15. REGUI	ATORY INFO	RMATION		
US Regulations:					
OSHA Status	OSHA Status : Classified as hazardous based on components.				
TSCA Status	: All comp exempt.	ponents of this p	roduct are listed on the	TSCA inventory or are	
US. EPA CERCLA Hazardo	ous Substances (4	0 CFR 302)			
Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Product	
	1309-64-4		1,000lbs	13,481 LB	



MATERIAL SAFETY DATA SHEET

IT51-015 GREY 6324 - DNU

Version Number 1.0 Revision Date 06/13/2002 Page 6 of 6 Print Date 11/5/2011

California Proposition 65

: WARNING! This product contains a chemical known in the State of California to cause cancer.

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
ANTIMONY COMPOUNDS	1309-64-4	7.41
DECABROMODIPHENYL OXIDE	1163-19-5	22.27

Canadian Regulations:

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1309-64-4	
1333-86-4	

DSL

: Listed.

National Inventories:

Australia AICS	:	Not determined.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.