MATERIAL SAFETY DATA SHEET GEON L1534 GREEN 5430

Version Number 1.0 Revision Date 07/16/2003 Page 1 of 7 Print Date *11/11/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON L1534 GREEN 5430
Product code	:	L1534J0A5430
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	0.1 - 1
Rutile, antimony chromium buff	68186-90-3	0.1 - 1

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET GEON L1534 GREEN 5430

Version Number 1.0 Revision Date 07/16/2003 Page 2 of 7 Print Date 11/11/2011

Medical Conditions	:	None known.
Aggravated by Exposure:	•	
		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable.
Suitable extinguishing media	:	water, dry powder, foam, carbon dioxide (CO2).
Special Fire Fighting	:	Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures		pressure mode should be worn to prevent inhalation of airborne
		contaminants.
Unusual Fire/Explosion Hazards	:	May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.



MATERIAL SAFETY DATA SHEET GEON L1534 GREEN 5430

Version Number 1.0 Revision Date 07/16/2003 Page 3 of 7 Print Date 11/11/2011

	7.]	HANDLING AND STORA	GE	
Handling	on co cle	ake measures to prevent the bally in areas with appropriate e ordensates may contain combined and hoods, ducts, and other surese materials.	xhaust ventilation. Proce ustible or toxic residue. I	essing fume Periodically
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.			
8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: No	o personal respiratory protect	ive equipment normally r	equired.
Eye/Face Protection	: Sa	fety glasses with side-shields		
Hand protection	: Pr	rotective gloves.		
Skin and body protection	: Lo	: Long sleeved clothing.		
Additional Protective Measures	: Sa	afety shoes.		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures <u>Exposure limit(s)</u>		eat only in areas with appropr propriate exhaust ventilation		Provide
Components	Value	Exposure time	Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH
	3.5 mg/m3	PEL:	Total dust. as carbon black	OSHA Z1
Rutile, antimony chromium buff	1 mg/m3	PEL:		OSHA Z1
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):		ACGIH
	0.5 mg/m3	Time Weighted Average (TWA):		ACGIH
	9. PHYSIC	AL AND CHEMICAL PRO	OPERTIES	
Form	: Solid	Γ	ration rate : Not	applicable.

MATERIAL SAFETY DATA S	НЕЕТ		
GEON L1534 GREEN	 5430		
Version Number 1.0 Revision Date 07/16/2003			Page 4 of 7 Print Date 11/11/2011
Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Pellets, powder GREEN Very faint Not determined Not applicable Insoluble 	Specific Gravity Bulk density Vapor pressure Vapor density pH	
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o decomposition, do	oxidizing agents and open f o not overheat.	flame. To avoid thermal
Incompatible Materials		strong acids and oxidizing oolymers and acetal copoly	
Hazardous decomposition products	(NOx), other haza Prolonged heating (200 °C) or short t	CO2), carbon monoxide (Cordous materials, and smoke (approximately 30 minute) erm heating at 482 °F (250) d evolution of carbon mono	e are all possible. es or more) above 392 °F °C) may result in product

<u>PolyOne</u>

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

POLYONE CORPORATION

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
68186-90-3	Rutile, antimony chromium buff	Irritant	Eyes, Skin, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	> 15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which, in their pure form, have the following carcinogenicity data:

MATERIAL SAFETY DATA SHEET GEON L1534 GREEN 5430

Version Number 1.0

Revision Date 07/16/2003

Page 5 of 7 Print Date 11/11/2011

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no
68186-90-3	Rutile, antimony chromium buff	no	3	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

Additional Health Hazard Information:

Rutile, antimony chromium buff 68186-90-3 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use
Bioaccumulation Potential	: No data available.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.



MATERIAL SAFETY DATA SHEET GEON L1534 GREEN 5430

Version Number 1.0 Revision Date 07/16/2003 Page 6 of 7 Print Date 11/11/2011

has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

14. TRANSPORT INFORMATION

U.S. DOT Classification	: Not regula	ted for transportation.	
ΙCΑΟ/ΙΑΤΑ	-	ted for transportation.	
	. not regula	ice for transportation.	
IMO / IMDG	: Not regula	ted for transportation.	
	15. REGULA	TORY INFORMATION	
US Regulations:			
OSHA Status	: Classified	as hazardous based on com	ponents.
TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardou	s Substances (40	CFR 302)	
Not applicable			
California Proposition		-	chemical known to the State o
65	Cantornia	to cause cancer.	
SARA Title III Section 302 E	axtremely Hazardo	ous Substance	
SARA Title III Section 302 E Not applicable	xtremely Hazardo	bus Substance	
		ous Substance	
Not applicable		ous Substance	
Not applicable SARA Title III Section 313 T Not applicable		ous Substance	
Not applicable SARA Title III Section 313 T		ous Substance	
Not applicable SARA Title III Section 313 T Not applicable		ous Substance	
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rele	oxic Chemicals:	PRI)	
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: <u>National Pollutant Rel</u> Chemical Name	oxic Chemicals: ease Inventory (N	PRI) CAS-No.	Weight % NPRI ID#
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rele	oxic Chemicals: ease Inventory (N um buff	PRI)	Weight % NPRI ID# 0.45 68 0.45 17



MATERIAL SAFETY DATA SHEET GEON L1534 GREEN 5430

Version Number 1.0 Revision Date 07/16/2003 Page 7 of 7 Print Date *11/11/2011*

DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.