

MATERIAL SAFETY DATA SHEET GEON L5310 WHITE 1034

Version Number 1.1 Revision Date 07/16/2003

Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON L5310 WHITE 1034
Product code	:	L5310G0A1034
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	471-34-1	1 - 5
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET GEON L5310 WHITE 1034

Version Number 1.1 Revision Date 07/16/2003 Page 2 of 6 Print Date 11/11/2011

Medical Conditions Aggravated by Exposure:	None known.	
	4. FIRST AID MEASUR	RES
Inhalation		f accidental inhalation of fumes from . When symptoms persist or in all cases of
Ingestion	Do not induce vomiting wi persist or in all cases of do	thout medical advice. When symptoms ubt seek medical advice.
Eyes		enty of water, also under the eyelids, for at itation persists, seek medical attention.
Skin	Wash off with soap and ple medical attention.	enty of water. If skin irritation persists seek
	. FIRE-FIGHTING MEA	SURES
Flash point	Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	Not applicable Not applicable Not applicable. water, dry powder, foam, c	arbon dioxide (CO2).
Special Fire Fighting Procedures		athing apparatus (SCBA) used in positive yorn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	May emit Hydrogen Chlori fire conditions.	ide (HCl) or Carbon Monoxide (CO) under
	CIDENTAL RELEASE N	MEASURES
Personal precautions	Wear appropriate personal impervious gloves, boots a	protection during cleanup, such as nd coveralls.
Environmental precautions	Should not be released into be allowed to enter drains,	the environment. The product should not water courses or the soil.
Methods for cleaning up		eping or vacuum. Package all material in containers for disposal. Refer to Section 13



MATERIAL SAFETY DATA SHEET **GEON L5310 WHITE 1034**

Version Number 1.1 Revision Date 07/16/2003 Page 3 of 6 Print Date 11/11/2011

	7.	HANDLING AND STORAG	ЪЕ	
Handling Storage	or cc cl th : K	ake measures to prevent the bundle in areas with appropriate econdensates may contain combute ean hoods, ducts, and other sublese materials.	xhaust ventilation. Proce ustible or toxic residue. I urfaces to minimize accur closed to avoid moisture	essing fume Periodically nulation of
	aı	nd contamination. Keep in a d	lry, cool place.	
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	· N	o personal respiratory protecti	ve equipment normally r	required
Respiratory protection	. 1	o personal respiratory protecti	ive equipment normany i	equirea.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good ash hands before breaks and a		afety practice
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color

: Solid : Pellets, powder : WHITE

Bulk density

Evaporation rate : Not applicable. Specific Gravity : Not determined : Not established



MATERIAL SAFETY DATA SHEET **GEON L5310 WHITE 1034**

Version Number 1.1 Revision Date 07/16/2003

Page 4 of 6 Print Date 11/11/2011

Odor Melting point/range Boiling Point: Water solubility	: Very faint: Not determined: Not applicable: Insoluble	Vapor pressure Vapor density pH	Not applicableNot applicableNot applicable
	10. STABILITY	Y AND REACTIVITY	
Stability	: Stable.		
Hazardous Polymeri	zation : Will not occu	ır.	
Conditions to avoid	1 1	rom oxidizing agents and open on, do not overheat.	flame. To avoid thermal
Incompatible Materi		with strong acids and oxidizin omopolymers and acetal copol	
Hazardous decompo products	(NOx), other Prolonged he (200 °C) or sl	de (CO2), carbon monoxide (hazardous materials, and smo eating (approximately 30 minu- hort term heating at 482 °F (25 on and evolution of carbon mor	ke are all possible. tes or more) above 392 °F 0 °C) may result in product

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
471-34-1	Calcium carbonate	Irritant	Eyes, Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
471-34-1	Calcium carbonate	Oral LD50	6,450 mg/kg	rat

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.

Environmental Toxicity	:	Adverse ecological impact is not known or expected under normal use.
------------------------	---	--

Bioaccumulation Potential : No data available.



MATERIAL SAFETY DATA SHEET GEON L5310 WHITE 1034

Version Number 1.1 Revision Date 07/16/2003 Page 5 of 6 Print Date 11/11/2011

Additional advice	:	Not applicable
	13	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	ubs	tances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Extra	eme	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Toxi	c C	hemicals:
Not applicable		

PolyOne.

MATERIAL SAFETY DATA SHEET **GEON L5310 WHITE 1034**

Version Number 1.1 Revision Date 07/16/2003 Page 6 of 6 Print Date *11/11/2011*

Canadian Regulations:							
National Pollutant Release Inventory (NPRI)							
Not applicable							
WHMIS Classification	:	D2B					
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.					
National Inventories:							
Australia AICS	:	Listed.					
China IECS	:	Not determined.					
Europe EINECS	:	Not determined.					
Japan ENCS	:	Not determined.					
Korea KECI	:	Not determined.					
Philippines PICCS	:	Not determined.					
		16. OTHER INFORMATION					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.