PolvOne

MATERIAL SAFETY DATA SHEET **GEON M4605 RED TNS 9750**

Version Number 1.6 Revision Date 03/12/2014 Page 1 of 6 Print Date 3/17/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON M4605 RED TNS 9750
Product code	:	M460500B9750
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
8-Oxa-3,5-dithia-4-stannatetradecanoic acid, 10-ethyl-4,4-dimethyl-7-oxo-, 2-ethylhexyl ester	57583-35-4	1 - 5
Stannane, methyltris(2- ethylhexyloxycarbonylmethylthio)-	57583-34-3	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or processing. The end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET **GEON M4605 RED TNS 9750**

Version Number 1.6 Revision Date 03/12/2014 Page 2 of 6 Print Date 3/17/2014

Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cas doubt seek medical advice.	ses of
Ingestion	: Do not induce vomiting without medical advice. When symptor persist or in all cases of doubt seek medical advice.	ns
Eyes	: Rinse immediately with plenty of water, also under the eyelids, f least 15 minutes. If eye irritation persists, seek medical attention	
Skin	: Wash off with soap and plenty of water. If skin irritation persist seek medical attention.	S
	5. FIREFIGHTING MEASURES	
Flash point	: not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 not applicable not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. 	
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in posi pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) of fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke all possible. 	under
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	d not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all materia plastic, cardboard or metal containers for disposal.	l in

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET GEON M4605 RED TNS 9750

Version Number 1.6 Revision Date 03/12/2014 Page 3 of 6 Print Date 3/17/2014

Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. E CONTROLS/PERSONAL PROTECTION No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection. Safety glasses with side-shields Protective gloves Long sleeved clothing	
and contamination. Keep in a dry, cool place. E CONTROLS/PERSONAL PROTECTION No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection. Safety glasses with side-shields Protective gloves	
No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection. Safety glasses with side-shields Protective gloves	
dusty conditions occur wear appropriate respiratory protection. Safety glasses with side-shields Protective gloves	
Protective gloves	
Long sleeved clothing	
Safety shoes	
Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). It is unlikely, under normal working conditions with adequate ventilation, that the exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.	
Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	
ICAL AND CHEMICAL PROPERTIES	
id Evapouration rate : Not applicable	

Appearance Colour

: penets, powder : TRANSPARENT

Bulk density : Not determined Bulk density : Not established

MATERIAL SAFETY DATA SHEET GEON M4605 RED TNS 9750

Version Number 1.6 Revision Date 03/12/2014

Odour

_

Melting point/range Boiling Point: Water solubility	: Not determined : not applicable : insoluble	Vapour density pH	: not applicable : not applicable
	10. STABILITY AND	REACTIVITY	
Stability	: The product is stabl	e if stored and handled as	s prescribed.
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from ox decomposition, do n	idizing agents and open f not overheat.	lame. To avoid thermal
Incompatible Materials	: Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing		
Hazardous decomposition products	(NOx), other hazard Prolonged heating ((200 °C) or short te	D2), carbon monoxide (C0 lous materials, and smoke approximately 30 minute rm heating at 482 °F (250 ion and evolution of carb	e are all possible. s or more) above 392 °F) °C) may result in

: very faint

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
57583-35-4	8-Oxa-3,5-dithia-4- stannatetradecanoic acid, 10-ethyl-4,4-dimethyl-7- oxo-, 2-ethylhexyl ester	Irritant	Eyes, Skin.
57583-34-3	Stannane, methyltris(2- ethylhexyloxycarbonylmet hylthio)-	Irritant	Eyes, Skin.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
57583-34-3	Stannane, methyltris(2- ethylhexyloxycarbonylmet hylthio)-	Oral LD50	920 mg/kg	rat

12. ECOLOGICAL INFORMATION

Page 4 of 6 Print Date 3/17/2014

: not applicable



Vapour pressure

PolyOne.

MATERIAL SAFETY DATA SHEET **GEON M4605 RED TNS 9750**

Version Number 1.6 Revision Date 03/12/2014 Page 5 of 6 Print Date 3/17/2014

: Not readily biodegradable.	
: Adverse ecological impact is not known or expected under normal use.	
: no data available	
: not applicable	
13. DISPOSAL CONSIDERATIONS	
: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
14. TRANSPORT INFORMATION	
: Not regulated for transportation.	
: Not regulated for transportation.	
: Not regulated for transportation.	
15. REGULATORY INFORMATION	
: Classified as hazardous based on components.	
: All components of this product are listed on or exempt from the TSCA Inventory.	
Substances (40 CFR 302)	
: Not applicable	

PolyOne.

MATERIAL SAFETY DATA SHEET GEON M4605 RED TNS 9750

Version Number 1.6 Revision Date 03/12/2014 Page 6 of 6 Print Date 3/17/2014

	Extremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regu
SARA Title III Section 313 T	'oxic Chemicals:
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regu
Canadian Regulations:	
National Pollutant Rel	ease Inventory (NPRI)
not applicable	
WHMIS Classificatio	n : D2B
WHMIS Ingredient Di	sclosure List
CAS-No. 57583-34-3	
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined
	16. OTHER INFORMATION
	afety Data Sheet is correct to the best of our knowledge, information and be

combination with any other materials or in any process, unless specified in the text.