

MATERIAL SAFETY DATA SHEET

JJP610LF NATURAL 1000

Version Number 1.0 Revision Date 04/19/2002 Page 1 of 7 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	JJP610LF NATURAL 1000
Product code	:	VC10000333
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Zinc stearate	557-05-1	1 - 5
Barium dilaurate	4696-57-5	1 - 5
Molybdate (Mo8O264-), tetraammonium	12411-64-2	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that OSHA exposure levels will be exceeded for residual VCM. However, it is recommended that the user take necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	



MATERIAL SAFETY DATA SHEET

JJP610LF NATURAL 1000

Version Number 1.0 Revision Date 04/19/2002 Page 2 of 7 Print Date 11/4/2011

Medical Conditions	:	None known.
Aggravated by Exposure:		
		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable.
Suitable extinguishing media	:	water, dry powder, foam, carbon dioxide (CO2).
Special Fire Fighting	:	Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures		pressure mode should be worn to prevent inhalation of airborne
		contaminants.
Unusual Fire/Explosion Hazards	:	May emit Hydogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.



MATERIAL SAFETY DATA SHEET

JJP610LF NATURAL 1000

Version Number 1.0 Revision Date 04/19/2002 Page 3 of 7 Print Date 11/4/2011

Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXI	POSUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		



MATERIAL SAFETY DATA SHEET

JJP610LF NATURAL 1000

Version Number 1.0 Revision Date 04/19/2002

Page 4 of 7 Print Date 11/4/2011

Components	Value	Exposure time	Exposure type	List:
Molybdate (Mo8O264-), tetraammonium	0.5 mg/m3	Time Weighted Average (TWA):	as Mo	ACGIH
Molybdate (Mo8O264-), tetraammonium	5 mg/m3	PEL:	as Mo	OSHA Z1
Zinc stearate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Zinc stearate	10 mg/m3	Time Weighted Average (TWA):	as stearates	ACGIH
Barium dilaurate	0.5 mg/m3	Time Weighted Average (TWA):	as Ba	ACGIH
Barium dilaurate	0.5 mg/m3	PEL:	as Ba	OSHA Z1
Barium dilaurate	0.5 mg/m3	Time Weighted Average (TWA):	as Ba	OSHA Z1A
Barium dilaurate	0.5 mg/m3	Time Weighted Average (TWA):	as Ba	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form
Appearance
Color
Odor
Melting point/range
Boiling Point:
Water solubility

Solid
Pellets, powder
NO PIGMENT
Very faint
Not determined
Not applicable
Insoluble

Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH Not applicable.
Not determined
Not established
Not applicable
Not applicable
Not applicable
Not applicable

10. STABILITY AND REACTIVITY

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 Deg F (200 deg C) or short term heating at 482 Deg F (250 deg C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION



MATERIAL SAFETY DATA SHEET

JJP610LF NATURAL 1000

Version Number 1.0 Revision Date 04/19/2002 Page 5 of 7 Print Date 11/4/2011

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
557-05-1	Zinc stearate	Systemic effects	Eyes, Skin, Respiratory system.
12411-64-2	Molybdate (Mo8O264-),	Irritant	Eyes, Skin.
	tetraammonium		

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
557-05-1	Zinc stearate	Oral LD50	> 10 gm/kg	rat
	12. ECOLOGI	CAL INFORMAT	ION	
Persistence and degrada	ability : Not readily b	viodegradable.		
Environmental Toxicity	Adverse ecol	logical impact is not	known or expected	d under normal use
Bioaccumulation Poten	tial : No data avai	lable.		
Additional advice	: Not applicab	le		
	13. DISPOSAL	CONSIDERATIO	ONS	
Product Contaminated packagin	g : Recycling is has the response	ermoplastics the pr ycling is preferred t waste material has t a, transportation and deral, state/provinc preferred when pos onsibility for proper in accordance with ulations.	o disposal or incine the responsibility for disposal in accord ial and local regula sible. The generato waste classification	eration. The or proper waste lance with tions. or of waste materia n, transportation
	14. TRANSPO	ORT INFORMATI	ON	
U.S. D.O.T. / CA T.D. Classification (Non-bul ground)	U	d for transportation.		
ICAO/IATA	: Not regulated	d for transportation.		
IMO / IMDG	: Not regulated	d for transportation.		



MATERIAL SAFETY DATA SHEET

JJP610LF NATURAL 1000

Version Number 1.0 Revision Date 04/19/2002 Page 6 of 7 Print Date 11/4/2011

15. REGULAT	ORY INFORMATI	ON			
US Regulations:					
OSHA Status : Classified as					
OSHA Status : Classified as	hazardous based on o	components.			
TSCA Status : All compone exempt.	ents of this product are	e listed on the TSCA inventory or			
US. EPA CERCLA Hazardous Substances (40 Cl	FR 302)				
Chemical Name CAS-No.	RO for M	lixture/Product			
Barium dilaurate 4696-57-5	60,990 L				
65 SARA Title III Section 302 Extremely Hazardous	Substance				
Chemical Name	CAS-No.	RQ for component			
Hydrofluoric acid	7664-39-3	100 lbs			
SARA Title III Section 313 Toxic Chemicals: Chemical Name	CAS-No.	Weight %			
ZINC COMPOUNDS	557-05-1	1.31			
ZINC COMPOUNDS	Proprietary	0.04			
BARIUM COMPOUNDS	Proprietary	0.10			
BARIUM COMPOUNDS	4696-57-5	1.63			
Canadian Regulations: WHMIS Classification : Not controlle	ed.				
WHMIS Ingredient Disclosure List					
CAS-No. 141-32-2 353-50-4 112-34-5 12411-64-2					

DSL

7664-39-3 4696-57-5

: Listed.



MATERIAL SAFETY DATA SHEET

JJP610LF NATURAL 1000

Version Number 1.0 Revision Date 04/19/2002 Page 7 of 7 Print Date 11/4/2011

National Inventories:

Not determined.
Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.