MATERIAL SAFETY DATA SHEET **EXP CP 15024200401 WHITE**

Version Number 1.0 Revision Date 10/27/2003 Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440) 930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	EXP CP 15024200401 WHITE
Product code	:	VC10000372
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	471-34-1	5 - 10
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that the OSHA action level and the OSHA exposure limits will be exceeded for residual VCM. However, the user should take the necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET EXP CP 15024200401 WHITE

Version Number 1.0 Revision Date 10/27/2003 Page 2 of 6 Print Date 11/12/2011

Medical Conditions Aggravated by Exposure:	: No	ne known.
	4	FIRST AID MEASURES
Inhalation	ove	ove to fresh air in case of accidental inhalation of fumes from erheating or combustion. When symptoms persist or in all cases of ubt seek medical advice.
Ingestion		not induce vomiting without medical advice. When symptoms sist or in all cases of doubt seek medical advice.
Eyes		ase immediately with plenty of water, also under the eyelids, for at st 15 minutes. If eye irritation persists, seek medical attention.
Skin		ash off with soap and plenty of water. If skin irritation persists seek dical attention.
	5. F	IRE-FIGHTING MEASURES
Flash point	: No	t applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: No : No	t applicable t applicable t applicable ter, foam, carbon dioxide (CO2), dry powdernone.
Special Fire Fighting Procedures	pre	Ilface self-contained breathing apparatus (SCBA) used in positive essure mode should be worn to prevent inhalation of airborne ntaminants.
Unusual Fire/Explosion Hazards		ay emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under e conditions.
	. ACCI	DENTAL RELEASE MEASURES
Personal precautions		ear appropriate personal protection during cleanup, such as pervious gloves, boots and coveralls.
Environmental precautions		ould not be released into the environment. The product should not allowed to enter drains, water courses or the soil.
Methods for cleaning up	pla	ean up promptly by sweeping or vacuum. Package all material in stic, cardboard or metal containers for disposal. Refer to Section 13 this MSDS for proper disposal methods.



MATERIAL SAFETY DATA SHEET EXP CP 15024200401 WHITE

Version Number 1.0 Revision Date 10/27/2003 Page 3 of 6 Print Date 11/12/2011

	7.	HANDLING AND STO	RAGE		
Handling		ake measures to prevent the nly in areas with appropriation ondensates may contain contain contain lean hoods, ducts, and othe nese materials.	ate exhaust ventilation ombustible or toxic re	n. Proce sidue. I	essing fume Periodically
Storage		eep containers dry and tig nd contamination. Keep i		noisture	absorption
8. E	XPOSURE	CONTROLS / PERSON	AL PROTECTION		
Respiratory protection	: N	o personal respiratory pro	tective equipment not	rmally r	equired.
Eye/Face Protection	: S	afety glasses with side-shi	elds.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with ash hands before breaks			afety practice
Engineering measures		eat only in areas with app ppropriate exhaust ventila		ilation.	Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposure ty	pe	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable frac	ction.	OSHA Z1
	15 mg/m3 10 mg/m3	PEL: Time Weighted Averag	Total dust	t .	OSHA Z1 ACGIH
Titanium dioxide	10 mg/m3	(TWA): Time Weighted Averag			ACGIH
	15 mg/m3	(TWA): PEL:	Total dust	t.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Form	: Solid		vaporation rate	· Not	applicable
Appearance			becific Gravity		determined
Color	: WHI		alk density		established
Odor			apor pressure		applicable
Melting point/range			apour density		applicable



MATERIAL SAFETY DATA SHEET **EXP CP 15024200401 WHITE**

Version Number 1.0 Revision Date 10/27/2003 Page 4 of 6 Print Date 11/12/2011

			ot applicable soluble	рН	: Not applicable
		1(). STABILITY AND RE	CACTIVITY	
S	tability	:	Stable.		
Н	Iazardous Polymerization	:	Will not occur.		
C	Conditions to avoid	:	Keep away from oxidizide decomposition, do not o	00	me. To avoid thermal
Ir	ncompatible Materials	:	Incompatible with stron with acetal homopolyme		-
	Iazardous decomposition roducts	:	Carbon dioxide (CO2), (NOx), other hazardous Prolonged heating (appr (200 °C) or short term h decomposition and evol chloride.	materials, and smoke a roximately 30 minutes of eating at 482 °F (250 °C	are all possible. or more) above 392 °F C) may result in product

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
471-34-1	Calcium carbonate	Irritant	Eyes, Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

ĺ	CAS-No.	Chemical Name	Route	Value	Species
	471-34-1	Calcium carbonate	Oral LD50	6,450 mg/kg	rat

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	:	No data available
Additional advice	:	Not applicable



MATERIAL SAFETY DATA SHEET EXP CP 15024200401 WHITE

Version Number 1.0 Revision Date 10/27/2003 Page 5 of 6 Print Date 11/12/2011

	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Not regulated for transportation.
IMO / IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSC Inventory.
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)
Not applicable	
California Proposition 65	n : WARNING! This product contains a chemical known to the State o California to cause cancer.
SARA Title III Section 302 I	Extremely Hazardous Substance
Not applicable	
SARA Title III Section 313	Toxic Chemicals:
Not applicable Canadian Regulations:	

PolyOne

MATERIAL SAFETY DATA SHEET **EXP CP 15024200401 WHITE**

Version Number 1.0 Revision Date 10/27/2003 Page 6 of 6 Print Date *11/12/2011*

National Pollutant Release	National Pollutant Release Inventory (NPRI)					
Not applicable	Not applicable					
WHMIS Classification	:	D2B				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:						
Australia AICS	:	Not determined				
China IECS	:	Listed				
Europe EINECS	:	Not determined				
Japan ENCS	:	Not determined				
Korea KECI	:	Not determined				
Philippines PICCS	:	Listed				
		16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.