

MATERIAL SAFETY DATA SHEET

EXP DB 15020610511 WHITE 1047

Version Number 1.0 Revision Date 04/17/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	EXP DB 15020610511 WHITE 1047
Product code	:	VC10000549
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	471-34-1	1 - 5
Dibutyltin mercaptide	10584-98-2	1 - 5
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that OSHA exposure levels will be exceeded for residual VCM. However, it is recommended that the user take necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



MATERIAL SAFETY DATA SHEET

EXP DB 15020610511 WHITE 1047

Version Number 1.0 Revision Date 04/17/2002 Page 2 of 6 Print Date 11/4/2011

Medical Conditions	:	None known.
Aggravated by Exposure:		
		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable.
Suitable extinguishing media	:	water, dry powder, foam, carbon dioxide (CO2).
Special Fire Fighting	:	Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures		pressure mode should be worn to prevent inhalation of airborne
		contaminants.
Unusual Fire/Explosion Hazards	:	May emit Hydogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.



MATERIAL SAFETY DATA SHEET

EXP DB 15020610511 WHITE 1047

Version Number 1.0 Revision Date 04/17/2002

Titanium dioxide

Dibutyltin mercaptide

Dibutyltin mercaptide

Page 3 of 6 Print Date 11/4/2011

OSHA Z1

ACGIH

ACGIH

OSHA Z1

Total dust.

Total dust. as Sn

Total dust. as Sn

Total dust. as Sn

	7.	HANDLING AND STORAG	۶Ľ		
Handling	0 C C	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.			
Storage		Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.			
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	No personal respiratory protecti	ve equipment normally r	equired.	
Eye/Face Protection	: S	afety glasses with side-shields			
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	: Long sleeved clothing.			
Additional Protective Measures	: S	Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Europunationa		List:	
Components Calcium carbonate	10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust.	ACGIH	
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
Titanium dioxide	10 mg/m3	Time Weighted Average	Total dust.	ACGIH	

(TWA):

PEL:

Time Weighted Average

(TWA): Short Term Exposure Limit

(STEL):

PEL:

9. PHYSICAL AND CHEMICAL PROPERTIES

15 mg/m3

0.1 mg/m3

0.2 mg/m3

0.1 mg/m3



MATERIAL SAFETY DATA SHEET

EXP DB 15020610511 WHITE 1047

Version Number 1.0 Revision Date 04/17/2002	Page 4 of 6 Print Date 11/4/2011		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: SolidEvaporation rate: Not applicable.: Pellets, powderSpecific Gravity: Not determined: WHITEBulk density: Not established: Very faintVapor pressure: Not applicable: Not determinedVapor density: Not applicable: Not applicablepH: Not applicable: Insoluble: Insoluble: Not applicable		
	10. STABILITY AND REACTIVITY		
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.		
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.		
Hazardous decomposition products	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 Deg F (200 deg C) or short term heating at 482 Deg F (250 deg C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride. 		
	11. TOXICOLOGICAL INFORMATION		

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
471-34-1	Calcium carbonate	Irritant	Eyes, Skin.
10584-98-2	Dibutyltin mercaptide	Irritant	Eyes, Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
471-34-1	Calcium carbonate	Oral LD50	6,450 mg/kg	rat

12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.

Environmental Toxicity

: Adverse ecological impact is not known or expected under normal use.



MATERIAL SAFETY DATA SHEET

EXP DB 15020610511 WHITE 1047

Version Number 1.0 Revision Date 04/17/2002 Page 5 of 6 Print Date 11/4/2011

Bioaccumulation Potential	:	No data available.	
Additional advice	:	Not applicable	
	1	B. DISPOSAL CONSIDERATIONS	
Product	:	Like most thermoplastics the product can be recycled possible, recycling is preferred to disposal or incinera generator of waste material has the responsibility for classification, transportation and disposal in accordan applicable federal, state/provincial and local regulation	tion. The proper waste ce with
Contaminated packaging	:	Recycling is preferred when possible. The generator of has the responsibility for proper waste classification, and disposal in accordance with applicable federal, st and local regulations.	transportation
	1	4. TRANSPORT INFORMATION	
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	:	Not regulated for transportation.	
ICAO/IATA	:	Not regulated for transportation.	
IMO / IMDG	:	Not regulated for transportation.	
	15	REGULATORY INFORMATION	
US Regulations:			
OSHA Status	:	Classified as hazardous based on components.	
TSCA Status	:	All components of this product are listed on the TSCA exempt.	inventory or are
California Propositio 65	n :	WARNING! This product contains a chemical know California to cause cancer., WARNING! This produc chemical known in the State of California to cause bin other reproductive harm.	ct contains a
SARA Title III Section 313	Foxic (hemicals:	
		CAS-No. Weight %	
Chemical Nat	ne		
Chemical Nar COBALT CO			



MATERIAL SAFETY DATA SHEET

EXP DB 15020610511 WHITE 1047

Version Number 1.0 Revision Date 04/17/2002 Page 6 of 6 Print Date 11/4/2011

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

CAS-No.
1305-62-0
13455-36-2
7439-92-1
7439-97-6
10584-98-2
1118-46-3

: Listed.

National Inventories:

DSL

Australia AICS	: Listed.
China IECS	: Not determined.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Not determined.
Philippines PICCS	: Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.