

MATERIAL SAFETY DATA SHEET

GEON EXP CP 15024201504 TRANS

Version Number 1.0 Revision Date 04/19/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON EXP CP 15024201504 TRANS
Product code	:	VC10000615
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous ingredients in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that OSHA exposure levels will be exceeded for residual VCM. However, it is recommended that the user take necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Eventioned shows no unusual dermetitis begand from routing bandling.
Chronic exposure	Experience shows no unusual dermatitis hazard from routine handling.Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

GEON EXP CP 15024201504 TRANS

Version Number 1.0 Revision Date 04/19/2002 Page 2 of 5 Print Date 11/4/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not applicable. water, dry powder, foam, carbon dioxide (CO2). Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat



MATERIAL SAFETY DATA SHEET

GEON EXP CP 15024201504 TRANS

				Page 3 Print Date 11/4/2
		condensates may co	appropriate exhaust ventila ontain combustible or toxi and other surfaces to min	c residue. Periodically
Storage	:		y and tightly closed to avo Keep in a dry, cool place	
8. EXI	POSUI	RE CONTROLS / P	ERSONAL PROTECTI	ON
Respiratory protection	:	No personal respira	tory protective equipment	normally required.
Eye/Face Protection	:	Safety glasses with	side-shields.	
Hand protection	:	Protective gloves.		
Skin and body protection	:	Long sleeved cloth	ing.	
Additional Protective Measures	:	Safety shoes.		
General Hygiene Considerations	:		ce with good industrial hy breaks and at the end of v	
Engineering measures	:		with appropriate exhaust v t ventilation at machinery.	
Exposure limit(s)				
There are no known hazardo			t.	
9	. PHY	SICAL AND CHEN	MICAL PROPERTIES	· Not applicable
9 Form	. PHY: : So	SICAL AND CHEM	IICAL PROPERTIES	: Not applicable.
9 Form Appearance	. PHY : So : Pe	SICAL AND CHEM	IICAL PROPERTIES Evaporation rate Specific Gravity	: Not determined
9 Form Appearance Color	. PHY : So : Pe : T	SICAL AND CHEN blid ellets, powder RANSPARENT	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density	Not determinedNot established
9 Form Appearance Color Odor	. PHY : So : Pe : T : V	SICAL AND CHEN blid ellets, powder RANSPARENT ery faint	IICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapor pressure	Not determinedNot establishedNot applicable
9 Form Appearance Color Odor Melting point/range	: So : Pe : Pe : T : V : N	SICAL AND CHEN Did Ellets, powder RANSPARENT ery faint ot determined	MCAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density	Not determinedNot establishedNot applicableNot applicable
9 Form Appearance Color Odor	. PHY : So : Pe : T : V : N : N : N	SICAL AND CHEN blid ellets, powder RANSPARENT ery faint	IICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapor pressure	Not determinedNot establishedNot applicable
9 Form Appearance Color Odor Melting point/range Boiling Point:	. PHY : So : Pe : Ti : V : N : N : In	SICAL AND CHEN blid ellets, powder RANSPARENT ery faint ot determined ot applicable	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	Not determinedNot establishedNot applicableNot applicable
9 Form Appearance Color Odor Melting point/range Boiling Point:	. PHY : So : Pe : Ti : V : N : N : In	SICAL AND CHEM blid ellets, powder RANSPARENT ery faint ot determined ot applicable soluble	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	Not determinedNot establishedNot applicableNot applicable
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	. PHY : So : Pe : Ti : V : N : N : In	SICAL AND CHEM blid ellets, powder RANSPARENT ery faint ot determined ot applicable soluble D. STABILITY ANI	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	Not determinedNot establishedNot applicableNot applicable
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	. PHY : So : Pe : Ti : V : N : N : In	SICAL AND CHEM blid ellets, powder RANSPARENT ery faint ot determined ot applicable soluble D. STABILITY ANI Stable. Will not occur.	MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	 Not determined Not established Not applicable Not applicable Not applicable



MATERIAL SAFETY DATA SHEET

GEON EXP CP 15024201504 TRANS

Version Number 1.0	Page 4 of 5
Revision Date 04/19/2002	Print Date 11/4/2011
Hazardous decomposition products	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 Deg F (200 deg C) or short term heating at 482 Deg F (250 deg C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.
	11. TOXICOLOGICAL INFORMATION

There are no known hazardous ingredients in this product.

12. ECOLOGICAL INFORMATION

Environmental Toxicity Bioaccumulation Potential Additional advice	 Adverse ecological impact is not known or expected under normal use No data available. Not applicable
	: Not applicable
Additional advice	
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Product is non-hazardous



MATERIAL SAFETY DATA SHEET

GEON EXP CP 15024201504 TRANS

Version Number 1.0 Revision Date 04/19/2002		Page 5 of 5 Print Date 11/4/2011
11/2002		
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	WARNING! This product contains a chemical known in the State of California to cause cancer.
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.