

MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020608214 NATURAL

Version Number 1.0 Revision Date 04/19/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (440)-930-1395
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GEON EXP DB 15020608214 NATURAL
Product code	:	VC10000649
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	471-34-1	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. See Sections 3 and 11 for additional details. This product may contain residual vinyl chloride monomer (VCM) (CAS number 75-01-4) below 8.5 ppm (0.00085%). OSHA considers VCM a suspect carcinogen and regulates it under 29 CFR 1910.1017. It is unlikely, under normal working conditions with adequate ventilation, that OSHA exposure levels will be exceeded for residual VCM. However, it is recommended that the user take necessary precautions (e.g. mechanical ventilation, local exhaust ventilation, air-monitoring, respiratory protection, etc.) to ensure airborne levels of any vapors including VCM or dusts that may be released during heating or processing are below regulated levels.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020608214 NATURAL

Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable. water, dry powder, foam, carbon dioxide (CO2).
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: May emit Hydogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020608214 NATURAL

Handling: Take measures to prevent the build up of electros only in areas with appropriate exhaust ventilation condensates may contain combustible or toxic re clean hoods, ducts, and other surfaces to minimiz these materials.Storage: Keep containers dry and tightly closed to avoid n and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection: No personal respiratory protective equipment not Eye/Face ProtectionEye/Face Protection: Safety glasses with side-shields.Hand protection: Long sleeved clothing.Additional Protective: Safety shoes.Measures: Safety shoes.General Hygiene: Handle in accordance with good industrial hygier Wash hands before breaks and at the end of workEngineering measures: Heat only in areas with appropriate exhaust ventil appropriate exhaust ventilation at machinery.Exposure limit(s):	n. Processing fume esidue. Periodically ze accumulation of moisture absorption I ormally required.
and contamination. Keep in a dry, cool place.8. EXPOSURE CONTROLS / PERSONAL PROTECTIONRespiratory protection: No personal respiratory protective equipment notEye/Face Protection: Safety glasses with side-shields.Hand protection: Protective gloves.Skin and body protection: Long sleeved clothing.Additional Protective: Safety shoes.Measures: Safety shoes.General Hygiene: Handle in accordance with good industrial hygier Wash hands before breaks and at the end of workEngineering measures: Heat only in areas with appropriate exhaust venti appropriate exhaust ventilation at machinery.	ne and safety practic kday.
Respiratory protection:No personal respiratory protective equipment notEye/Face Protection:Safety glasses with side-shields.Hand protection:Protective gloves.Skin and body protection:Long sleeved clothing.Additional Protective:Safety shoes.Measures:Handle in accordance with good industrial hygierConsiderations:Heat only in areas with appropriate exhaust ventiappropriate exhaust ventilation at machinery.	ormally required. ne and safety practic kday.
Eye/Face Protection:Safety glasses with side-shields.Hand protection:Protective gloves.Skin and body protection:Long sleeved clothing.Additional Protective:Safety shoes.Measures:Handle in accordance with good industrial hygier Wash hands before breaks and at the end of workEngineering measures:Heat only in areas with appropriate exhaust venti appropriate exhaust ventilation at machinery.	ne and safety practic kday.
Hand protection:Protective gloves.Skin and body protection:Long sleeved clothing.Additional Protective:Safety shoes.Measures:Safety shoes.General Hygiene:Handle in accordance with good industrial hygienConsiderations:Heat only in areas with appropriate exhaust ventil appropriate exhaust ventilation at machinery.	kday.
Skin and body protection : Long sleeved clothing. Additional Protective : Safety shoes. Measures : Handle in accordance with good industrial hygier General Hygiene : Handle in accordance with good industrial hygier Considerations : Heat only in areas with appropriate exhaust vential appropriate exhaust vential in accordance with appropriate exhaust vential in accordance	kday.
Additional Protective : Safety shoes. Measures : Handle in accordance with good industrial hygier Considerations : Handle in accordance with good industrial hygier Rengineering measures : Heat only in areas with appropriate exhaust ventil appropriate exhaust ventilation at machinery.	kday.
Measures	kday.
ConsiderationsWash hands before breaks and at the end of workEngineering measures: Heat only in areas with appropriate exhaust ventil appropriate exhaust ventilation at machinery.	kday.
appropriate exhaust ventilation at machinery.	ilation. Provide
Exposure limit(s)	
Components Value Exposure time Exposure ty	ype List:
Calcium carbonate 10 mg/m3 Time Weighted Average Total dust (TWA):	t. ACGIH
Calcium carbonate 5 mg/m3 PEL: Respirable frag	
15 mg/m3 PEL: Total dust	t. OSHA Z
9. PHYSICAL AND CHEMICAL PROPERTIES	
Form: SolidEvaporation rateAppearance: Pellets, powderSpecific GravityColor: NO PIGMENTBulk density	Not applicable.Not determinedNot established
Odor : Very faint Vapor pressure	: Not applicable
Melting point/range : Not determined Vapor density	: Not applicable
Boiling Point:: Not applicablepH	: Not applicable
Water solubility : Insoluble	
10. STABILITY AND REACTIVITY	
Stability : Stable.	



MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020608214 NATURAL

GEON EAF DB 13020	000	ZIH NATURAL
Version Number 1.0 Revision Date 04/19/2002		Page 4 of 6 Print Date <i>11/4/2011</i>
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 Deg F (200 deg C) or short term heating at 482 Deg F (250 deg C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.
	11. '	TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
471-34-1	Calcium carbonate	Irritant	Eyes, Skin.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No. Chem	ical Name Route	Value	Species
471-34-1 Calcium ca	rbonate Oral LD50	6,450 mg/kg	rat

12 FCOLOCICAL INFORMATION

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: No data available.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.



MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020608214 NATURAL

Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65
Canadian Regulations:	
WHMIS Classification	: Not controlled.
WHMIS Ingredient Dis	closure List
CAS-No. 57583-35-4 57583-34-3 57-11-4	
DSL	: Listed.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Listed.



MATERIAL SAFETY DATA SHEET

GEON EXP DB 15020608214 NATURAL

Version Number 1.0 Revision Date 04/19/2002 Page 6 of 6 Print Date 11/4/2011

Philippines PICCS : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.